




TIBCO ActiveMatrix BusinessWorks™

Error Codes

Version 6.12.0 | August 2025

Document Updated: August 2025



Contents

Contents	2
Message Codes Naming Convention	4
Bindings	5
SOAP Binding Error Codes	5
REST Binding Error Codes	17
Core	22
Admin Agent Error Codes	22
Admin Command Line Error Codes	25
Admin Error Codes	54
Engine Error Codes	85
List of Process Engine Error Codes	173
TEA Agent Error Codes	200
Design Time Error Codes	217
Palettes	219
File Palette Error Codes	219
FTP Palette Error Codes	222
General Palette Error Codes	224
HTTP Palette Error Codes	226
Java Palette Error Codes	231
JDBC Palette Error Codes	238
JMS Palette Error Codes	243
Mail Palette Error Codes	246
Parse Palette Error Codes	249
Rendezvous Palette Error Codes	254
REST and JSON Palette Error Codes	258

TCP Palette Error Codes	261
XML Palette Error Codes	264
Shared Resources	267
Shared Resource Framework Error Codes	267
Data Format Error Codes	269
FTP Connection Error Codes	269
HTTP Client Error Codes	270
HTTP Connector Error Codes	271
Java Global Instance Error Codes	273
JMS Connection Error Codes	275
JDBC Connection Error Codes	276
JNDI Configuration Error Codes	279
Proxy Configuration Error Codes	280
Rendezvous Transport Error Codes	280
SMTP Resource Error Codes	282
TCP Connection	283
TIBCO Documentation and Support Services	284
Legal and Third-Party Notices	286

Message Codes Naming Convention

Product execution errors, warnings, and information are reported through detailed log messages that can help trace the cause of the issue. These messages follow a naming convention that indicates the component and log level for each message. The log levels allow you to capture different granularity of messages for different loggers.

Messages returned by the software consist of a code and an associated message.

The message code consists of two parts, a *component ID* and a 6-digit number, separated by a hyphen (-). The *component ID* indicates the component that reported the message and the 6-digit number is a numerical range that indicates the logger level.



Note: The Engine layers with component IDs BX and PVM do not follow this convention.

The message describes the issue. Sometimes, the message can contain parameters shown as `{\{N\}}`, where *N* is an integer. For example, consider the message for error code TIBCO-BW-ADMIN-500300: The AppNode `{\{0\}}` does not exist in AppSpace `{\{1\}}` and Domain `{\{2\}}`. These parameters are substituted with appropriate values at runtime.

Bindings

This section describes the error messages that can be reported by the SOAP and REST Binding types.

SOAP Binding Error Codes

This section describes the error messages that can be reported by the SOAP Binding.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-001010	SOAP BindingFactory is initialized with incorrect BindingConfiguration for the SOAP Service Binding.	This is an internal resolution message. The resolution is not required.
TIBCO-BW-BINDING-SOAP-001020	Failed to obtain the HTTP Connector resource for SoapServiceBinding [{0}], Application [{1}]: {2}	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-001030	Failed to obtain the HTTP Connector resource for SoapServiceBinding [{0}], Application [{1}]: {2}	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-001031	SOAP BindingFactory is initialized with incorrect BindingConfiguration for the SOAP Reference Binding.	This is an internal resolution message. The resolution is not required.
TIBCO-BW-BINDING-SOAP-001040	Failed to parse binding meta data file [{0}] in bundle [{1}] due to exception [{2}].	Ensure that the xml file contents are valid and well formed.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-001050	Failed to process File [{0}] in bundle [{1}]. BindingName is not specified.	Ensure that the 'name' attribute of the service element contains a unique Binding Name.
TIBCO-BW-BINDING-SOAP-001060	Failed to process File [{0}] in bundle [{1}]. A Binding with name [{2}] is already registered.	Ensure that Binding Name of the SOAP Interceptor is unique and it does not match with any Binding Name (service/reference) in the Application Module
TIBCO-BW-BINDING-SOAP-001070	Failed to deploy the SOAP Interceptor Module [{0}], due to exception [{1}]. Root exception message is [{2}].	Ensure that the SOAP Interceptor deployed follows the Axis2 Module protocol.
TIBCO-BW-BINDING-SOAP-001080	Failed to initialize SOAP Binding. Binding Name is not specified.	BW_SOAP_BINDING_NAME_MISSING_ERROR.resolution = Make sure all Bindings in the application Module have a Name.
TIBCO-BW-BINDING-SOAP-001081	Failed to initialize SOAP Binding. Binding Name is not specified for port [{0}].	Make sure the Binding in the application Module has a Name.
TIBCO-BW-BINDING-SOAP-001090	Failed to initialize SOAP Binding. Application Name is not available.	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-	Failed to initialize SOAP Binding. Application Version is not available.	This is an internal product error. Contact TIBCO

Error Codes	Error Message	Error Resolution
SOAP-001100		Support.
TIBCO-BW-BINDING-SOAP-001130	Failed to locate WSDL definition for port type [{0}].	Ensure that a WSDL exist with port type [{0}] in the application module.
TIBCO-BW-BINDING-SOAP-001140	MEP [{0}] is not supported. Review the WSDL definition for Port type [{1}].	Ensure that the MEP definition for Port type [{1}] is either IN-OUT OR IN-ONLY
TIBCO-BW-BINDING-SOAP-001150	Failed to recognize the MEP for Port type [{0}].	Ensure that the MEP definition for Port type [{0}] is either IN-OUT OR IN-ONLY
TIBCO-BW-BINDING-SOAP-001160	Failed to find message receiver for MEP [{0}] for port type [{1}].	Ensure that the MEP definition for Port type [{1}] is either IN-OUT OR IN-ONLY
TIBCO-BW-BINDING-SOAP-001170	SOAP Binding [{1}] for portType [{0}] is missing Transport Configuration.	Ensure that the SOAP Binding [{1}] for port type [{0}] is configured with a Transport.
TIBCO-BW-BINDING-SOAP-001180	Operation Configuration for Operation [{0}], Port Type [{1}], SOAP Binding [{2}] is missing. Ensure that SOAP Binding [{2}] is in sync with WSDL	Ensure that SOAP Binding [{2}] is in sync with WSDL.
TIBCO-BW-BINDING-SOAP-001110	Failed to initialize SOAP Service Binding [{0}]. Promoted Name for the Binding is missing.	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-001120	Failed to initialize SOAP Reference Binding [{0}]. Promoted Name for the Binding is missing.	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-001130	Failed to load WSDL definition for namespace [{0}].	Make sure the WSDL with namespace [{0}] exists in the application module.
TIBCO-BW-BINDING-SOAP-500009	Malformed MIME Message received. Failed to parse the attachments in the received message for Operation [{0}], SoapBinding [{1}], Application [{2}:{3}]. Ignoring the attachments from the SOAP Message.	Ensure that the MIME Message is well formed with correct mime boundaries.
TIBCO-BW-BINDING-SOAP-500010	Failed to create SoapServiceBinding [{0}], Application [{1}:{2}] due to exception [{3}]	This is an internal resolution message. The resolution is not required.
TIBCO-BW-BINDING-SOAP-500011	Unable to parse model version of the SOAP Binding.	Ensure that the SOAP Model version in .bwm file is of format [0-9].[0-9].[0-9]
TIBCO-BW-BINDING-SOAP-500020	Failed to initialize SoapServiceBinding [{0}], Application [{1}:{2}] due to exception [{3}]	Ensure that the configuration and context mapping, if any, done on SoapServiceBinding [{0}] are correct.
TIBCO-BW-BINDING-SOAP-500030	Failed to add transport dependency for SoapServiceBinding [{0}], Application [{1}:{2}]	Ensure that the SoapServiceBinding [{0}] is configured with a Shared Transport Resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-500040	Failed to initialize SoapServiceBinding [{0}]. A Service Endpoint URI [{1}] is already registered.	Ensure that each SOAP/HTTP service has unique URL.
TIBCO-BW-BINDING-SOAP-500050	Failed to initialize SoapServiceBinding [{0}]. The operation [{1}] with soapaction [{2}] is already registered for destination [{3}] with Message Style [{4}].	Ensure that the combination of Soap Action and MessageStyle:Destination should be unique.
TIBCO-BW-BINDING-SOAP-500060	Failed to send SOAP Fault message to the consumer of the service for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Root Exception message: {5}	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500070	Failed to process Reply message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Sending Undeclared Fault message to the consumer of this service. Root Exception message: [{5}]	Ensure that the Binding configuration and Context Configuration, if any, done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-500080	Error occurred while processing Service Request messages Context Information for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Root Exception message: {5}	Ensure that the Context Mapping done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-500090	Error occurred while processing Service Request message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Root Exception message: {5}	Ensure that the Message part configuration and header configuration, if any, done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-	Error occurred while processing Service	Ensure that the Message

Error Codes	Error Message	Error Resolution
BINDING-SOAP-500100	Request message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Sending Undeclared Fault message to the consumer of this service. Root Exception message: {5}	part configuration and header configuration, if any, done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-500105	Error occurred while processing Service Request message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Root Exception message: {5}	Ensure that the Message part configuration and header configuration, if any, done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-500110	Failed to process Declared Fault Message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Sending Undeclared Fault message to the consumer of this service. Root Exception message: {5}.	Ensure that the Context Mapping and configuration done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-500120	The BusinessWorks ProcessService implementation failed to complete the request for the Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] and returned exception [{4}]. Sending Undeclared Fault message to the consumer of this service. Root Exception message: {5}.	Ensure that the BW Process construct is correct.
TIBCO-BW-BINDING-SOAP-500130	Unable to populate SOAP Binding Configuration due to exception [{1}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500131	An Error occurred while cleaning up the SOAP Binding Configuration Resources due to an exception [{1}]	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-500140	<p>An interrupted fault occurred while waiting for the Service Request message to be processed for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to an exception [{4}].</p> <p>Sending Undeclared Fault message to the consumer of this service. Root Exception message: {5}</p>	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500150	Failed to start SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	Ensure that the Transport Configuration done on SoapServiceBinding [{0}] are correct.
TIBCO-BW-BINDING-SOAP-500160	Failed to stop SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500170	<p>Error occurred while processing Service Request messages Context information for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to an exception [{4}].</p> <p>Sending Undeclared Fault message to the consumer of this service. Root Exception message: {5}</p>	Ensure that the Context Mapping and configuration done on SoapServiceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-500190	Failed to start JMS transport primitive for SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500200	Failed to stop JMS transport primitive for SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-	Failed to Initialize JMS transport primitive for	Ensure that the transport

Error Codes	Error Message	Error Resolution
BINDING-SOAP-500210	SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	configuration done on SoapServiceBinding [{0}] are correct.
TIBCO-BW-BINDING-SOAP-500230	Failed to read incoming JMS raw message due to an exception [{0}];	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500240	Failed to create JMS Reply Handler for SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	Ensure that the transport configuration done on SoapServiceBinding [{0}] are correct.
TIBCO-BW-BINDING-SOAP-500250	Failed to process service request message for SoapServiceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]. Root exception message: [{4}]	Ensure that the Service Provider is sending a correct SOAP Envelope.
TIBCO-BW-BINDING-SOAP-500260	Failed to send Service Reply message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500270	Failed to acknowledge Service Request message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500280	Failed to authenticate Request message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to an exception [{4}].	Check if the identity resource referenced in the HTTP Client resource contains username and password.
TIBCO-BW-BINDING-	Failed to authenticate Request message for Operation [{0}], SoapServiceBinding [{1}],	Check if the identity resource referenced in

Error Codes	Error Message	Error Resolution
SOAP-500281	Application [{2}:{3}]. Username and Password is not set.	the HTTP Client resource contains username and password.
TIBCO-BW-BINDING-SOAP-500290	Failed to authenticate Request message for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}] due to an exception [{4}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-500300	Malformed SOAP Request message received for Operation [{0}], SoapServiceBinding [{1}], Application [{2}:{3}]. Root Exception message: [{5}]	Check if the SOAP Request Message is well formed.
TIBCO-BW-BINDING-SOAP-550010	Failed to create SoapReferenceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-550020	Failed to create SoapReferenceEndpoint [{0}] due to an exception [{1}]	Ensure that configurations done on Reference Binding [{0}] are correct.
TIBCO-BW-BINDING-SOAP-550030	Failed to initialize SoapReferenceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	Ensure that the Binding and Transport configuration on SoapReferenceBinding [{0}] are correct.
TIBCO-BW-BINDING-SOAP-550040	Failed to add transport dependency for SoapReferenceBinding [{0}], Application [{1}:{2}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-	Failed to destroy SoapReferenceBinding [{0}], Application [{1}:{2}] due to an exception [{3}]	This is an internal product error. Contact TIBCO

Error Codes	Error Message	Error Resolution
SOAP-550050		Support.
TIBCO-BW-BINDING-SOAP-550060	Failed to release transport resources for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-550070	Received Declared Fault. Failed to release transport resources for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-550090	Unable to receive response from the service provider for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-BINDING-SOAP-550100	Received SOAP Fault from the service provider of the Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}]. SOAP Fault received: [{4}]	This is an internal message sent to the framework for server error. The resolution is not required.
TIBCO-BW-BINDING-SOAP-550101	Received SOAP Fault from the service provider of the Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}]. SOAP Fault received: [{4}]	This is an internal message sent to the framework for client error. The resolution is not required.
TIBCO-BW-BINDING-SOAP-550110	Error occurred while processing the declared fault message from the service provider of the Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to an exception [{4}]	Ensure that the declared fault send back by the Service Provider is valid and well formed SOAP Fault.
TIBCO-BW-	Error occurred while processing reply message	Ensure that Message Part

Error Codes	Error Message	Error Resolution
BINDING-SOAP-550120	from the service provider of the Operation [{0}], SoapReferenceBinding [{1}], Application [{2}]:{3} due to an exception [{4}]	and Header Configuration done on SoapReferenceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-550121	SOAPEnvelope must contain a body element, which is either first or second child element of the SOAPEnvelope.	Ensure that Service Provider has send a valid SOAP Envelope.
TIBCO-BW-BINDING-SOAP-550130	Error occurred while processing reply message attachments from the service provider of the Operation [{0}], SoapReferenceBinding [{1}], Application [{2}]:{3} due to an exception [{4}]	Ensure that Context configuration and Mapping for the attachment done on SoapReferenceBinding [{1}] is correct.
TIBCO-BW-BINDING-SOAP-550140	Failed to Initialize JMS transport primitive for SoapReferenceBinding [{0}], Application [{1}]:{2} due to an exception [{3}]	Ensure that the Transport Sender configurations are correct.
TIBCO-BW-BINDING-SOAP-550170	Failed to send Reference Request message for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}]:{3} due to an exception [{4}]	Ensure that the Message Configuration done on SoapReferenceBinding [{1}] are correct.
TIBCO-BW-BINDING-SOAP-550180	Failed to process reply message from the service provider of the Operation [{0}], SoapReferenceBinding [{1}], Application [{2}]:{3} due to an exception [{4}]	Ensure that the Message Configuration done on SoapReferenceBinding [{1}] are correct
TIBCO-BW-BINDING-SOAP-550190	Failed to update the HTTP Transport configurations before sending the Reference Request message for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}]:{3} due to an exception [{4}].	Ensure that the port number configuration for SoapReferenceBinding [{1}] is valid

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-550210	Failed to create the HTTP Client required for sending the Reference Request message for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]	Ensure that the Endpoint URL is in correct format.
TIBCO-BW-BINDING-SOAP-550220	Failed to serialize JMS transport message due to exception [{1}].	Ensure that the configuration done on Reference Binding is correct.
TIBCO-BW-BINDING-SOAP-550230	Failed to convert JMS message to string due to exception [{1}].	Ensure that the configuration done on Reference Binding is correct.
TIBCO-BW-BINDING-SOAP-550240	Failed to create Endpoint URL for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]	Ensure that the Endpoint URI configuration on SOAPRefernceBinding [{1}] is correct.
TIBCO-BW-BINDING-SOAP-555000	Unable to receive response from the service provider for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Message Received: [{5}]	Ensure that the Service Provider is available.
TIBCO-BW-BINDING-SOAP-555010	Unable to receive response from the service provider for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Message Received: [{5}]	Ensure that the HTTP Client configurations are configured as per service provider requirements.
TIBCO-BW-BINDING-SOAP-555020	Unable to receive response from the service provider for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Message Received: [{5}]	Ensure that the HTTP Client configurations are configured as per service provider requirements.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-SOAP-555030	Unable to send request the service provider for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Message Received: [{5}]	Ensure that the HTTP Client configurations are configured as per service provider requirements.
TIBCO-BW-BINDING-SOAP-555040	Unable to send request the service provider for Operation [{0}], SoapReferenceBinding [{1}], Application [{2}:{3}] due to exception [{4}]. Message Received: [{5}]	Ensure that the COOKIE format is correct.

REST Binding Error Codes

This section lists the error messages that can be reported by the REST Binding.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-REST-200001	Creating REST Resource with the HTTP Connector Name [{0}] at Resource Path: [{1}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200002	Creating REST Resource for conflicting path spec	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200003	Adding REST operation [{0}] with the HTTP Method[{1}] for [{2}] at resource path [{3}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200004	Request Received for Operation [{0}]	This is a debug message and the resolution is not applicable.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-REST-200005	Invoking BW Endpoint [{0}] for Operation [{1}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200006	BW Endpoint [{0}] for Operation [{1}] has been invoked. Waiting for Reply to be generated	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200007	Response generated. Responding to request	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200008	Payload for Request is [{0}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200009	Creating XML Message for JSON Message. Element details - targetnamespace [{0}] and name is [{1}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200010	Destroying REST Binding with pathspec [{0}] and binding name [{1}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-REST-200011	JSON-> XML Conversion Result: \n {0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-BINDING-	REST Binding Authentication is enabled. Trying to authenticate using	This is a debug message and the resolution is not applicable.

Error Codes	Error Message	Error Resolution
REST-200012	the Authorization Header of the request	
TIBCO-BW-BINDING-REST-400001	Expected JSON Content-Type. Got XML Instead. Replying with error to client	The Client needs to be notified to use the right Content-Type Header or the binding configuration can be changed to allow multiple content-types
TIBCO-BW-BINDING-REST-400002	Expected XML Content-Type. Got JSON Instead. Replying with error to client	The Client needs to be notified to use the right Content-Type Header or the binding configuration can be changed to allow multiple content-types
TIBCO-BW-BINDING-REST-500001	Binding Configuration is not for a REST Service Binding	Check configuration of the REST binding
TIBCO-BW-BINDING-REST-500002	NO_RESOURCE_URL_SPECIFIED = No relative resource url specified to deploy REST Resource	Check configuration of the REST binding for the value of the Resource URL field.
TIBCO-BW-BINDING-REST-500003	Unable to create REST resource for binding [{0}]. Reason - Unable to stop conflicting binding [{1}].	Check both binding configurations specified in the error message for the Resource URL fields
TIBCO-BW-BINDING-REST-500004	Error Occurred while trying to create Jersey REST Resource for binding [{1}]	Check configuration of the REST binding specified in the error message
TIBCO-BW-BINDING-	Unable to start REST Binding with name [{0}]	Check configuration of the REST binding specified in the

Error Codes	Error Message	Error Resolution
REST-500004		error message
TIBCO-BW-BINDING-REST-500005	Unable to stop REST Binding with name [{0}]	Check configuration of the REST binding specified in the error message
TIBCO-BW-BINDING-REST-500006	Error Occurred while parsing and creating the HTTP Headers. Responding to client with error message.	Invalid values were sent by the client in the HTTP headers.
TIBCO-BW-BINDING-REST-500007	Error Occurred while creating Parameters Part. Responding to client with error message.	Invalid values were passed for the Parameters element. Check the client request and the configuration of the REST Binding.
TIBCO-BW-BINDING-REST-500008	Error Occurred while creating User Part. Responding to client with error message.	Invalid values were passed for the Parameters element. Check the client request and the configuration of the REST Binding.
TIBCO-BW-BINDING-REST-500009	The HTTP Connector failed to deploy the REST Service Binding. Check the exception thrown by the HTTP Connector for possible configuration issues.	Check the HTTP Connector exception for possible reasons of failure. For example, Some of them could be related to overlapping context paths or an address in use.
TIBCO-BW-BINDING-REST-500010	The HTTP Connector [{0}] shared resource could not be retrieved. Check the REST Binding configuration or the logs if the HTTP Connector could not be started.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-BINDING-REST-500011	The HTTP Connector [{0}] shared resource could not be retrieved. Check the REST Binding configuration or the logs if the HTTP Connector could not be started.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-BINDING-REST-500012	AUTHENTICATION_FAILED = Authentication failed for client request. A 401 status code has been sent to the client with the realm as [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-BINDING-REST-500013	WSDL_CACHE_NOT_FOUND = An error occurred while trying to retrieve the WSDL/XSD's for the REST binding [{0}]. Check the underlying exception thrown by the WSDL/XSD Cache for the root cause.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-BINDING-REST-000001	No WSDL Operation found. Revalidate the application module and try deploying again.	This is an internal product error. Contact TIBCO Support.

Core

This section lists the error codes returned by the core components such as runtime and administration.

Admin Agent Error Codes

This section lists the error messages that can be reported by the BWAgent.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN -	BW6_ADMIN_AGENT_CONNECTION_FAILED = Connection to BWAgent failed.	The resolution is not applicable. Contact TIBCO Support.
PRSTN-C-500001		
TIBCO-BW-ADMIN-PRSTN-C-500002	BW6_ADMIN_AGENT_DATA_STORE_LOCATION_INVALID = bwagent.ini configuration error. bw.agent.technology.as.dataStoreLocation=[{0}] does not exist.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-PRSTN-C-500003	BW6_ADMIN_AGENT_READ_TIMEOUT = bwagent.ini configuration error. read timeout is invalid	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-PRSTN-C-500004	BW6_ADMIN_AGENT_WRITE_TIMEOUT = bwagent.ini configuration error. write timeout is invalid	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-PRSTN-C-500005	Failed to execute query on Space [{0}] with given parameters	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-PRSTN-C-500006	BW6_ADMIN_AGENT_NOT_READY = BWAgent is not ready or the existing connection to the BWAgent is stale. Retry the command, if the problem persists, restart the process and try again.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-PRSTN-C-500007	BW6_ADMIN_AGENT_DATABASE_DRIVER_INVALID = bwagent.ini configuration error. bw.agent.technology.dbems.db.driver=[{0}] is invalid.	Change the bw.agent.technology.dbems.db.driver field in <i>BW_HOME/config/bwagent.ini</i> . Example: com.mysql.jdbc.Driver
TIBCO-BW-ADMIN-PRSTN-C-500008	BW6_ADMIN_AGENT_DATABASE_CONNECTION_INVALID = bwagent.ini configuration error. bw.agent.technology.dbems.db.connectionURL=[{0}] is invalid.	BW6_ADMIN_AGENT_DATABASE_CONNECTION_INVALID.resolution = Change the bw.agent.technology.dbems.db.connectionURL field in <i>BW_HOME/config/bwagent.ini</i> . Example: jdbc:mysql://<HOST>:<PORT>/<DB>

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-PRSTN-C-500009	BW6_ADMIN_AGENT_DATABASE_DRIVER_MISSING = The [{0}] database driver is missing.	The PostgreSQL driver is available by default. To use MySQL, download the JDBC driver to the <i>BW_HOME</i> /system/lib folder.
TIBCO-BW-ADMIN-PRSTN-C-500010	BW6_ADMIN_AGENT_DATABASE_SQL_EXECUTION_FAILED = Failed to execute query on database with given parameters. [{0}]	Search online for database connection problems.
TIBCO-BW-ADMIN-PRSTN-C-500011	BW6_ADMIN_AGENT_DATABASE_SQL_FILE_INVALID =SQL script file is not found or invalid for creating database structure.	Contact TIBCO Support.
TIBCO-BW-ADMIN-PRSTN-C-500012	BW6_ADMIN_AGENT_CONFIGURATION_MISSING = bwagent.ini configuration error. [{0}] is missing.	Check docs.tibco.com about "Configuring BWAgent for Database/EMS".
TIBCO-BW-ADMIN-PRSTN-C-000100	Invalid query. Mandatory argument(s) are missing.	The resolution is not applicable. Contact TIBCO Support.

Admin Command Line Error Codes

This section describes the error messages that can be reported by the Administrator command line.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-200001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300001	BusinessWorks is already running.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300005	No match found for [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300006	Found matches:	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Restore completed.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300007		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300008	Backup completed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300009	Backup failed, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300010	Registered TEA Agent [{0}] with TEA Server.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300030	Restored Agent [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300031	Backed up Agent [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Domain [{0}] created.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300100		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300101	BWAgent [{0}] registered in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300102	Domain [{0}] was deleted.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300130	Restored Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300131	Backed up Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300132	BWAgent [{0}] unregistered from the AppSpace [{1}]. The AppSpace is removed from remote machine.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	AppSpace [{0}] in Domain [{1}] created.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300200		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300201	AppSpace [{0}] in Domain [{1}] removed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300202	Machine [{0}] added to AppSpace [{1}], Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300203	AppSpace [{0}] in Domain [{1}] started.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300204	AppSpace [{0}] in Domain [{1}] stopped.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300205	AppSpace [{0}] expanded to BWAgent [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	AppSpace [{0}] in Domain [{1}] deleted.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300206		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300230	Restored AppSpace [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300231	Backed up AppSpace [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300300	AppNode [{0}] in AppSpace [{1}], Domain [{2}] created.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300301	AppNode [{0}] in Domain [{1}] deleted.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300302	AppNode [{0}] in AppSpace [{1}], Domain [{2}] started.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	AppNode [{0}] in Domain [{1}] stopped.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300303		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300304	Console enabled for AppNode [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300305	Console disabled for AppNode [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300306	Debugger disabled for AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300330	Restored AppNode [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300331	Backed up AppNode [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Stats enabled for AppNode [{0}] in Domain [{1}].	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300304		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300400	The application [{0}:{1}] created successfully.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300401	The application [{0}:{1}] deleted successfully.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300402	The application [{0}:{1}] updated successfully.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300403	Deployed application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300404	Undeployed application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	The application [{0}:{1}] started.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300405		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300406	The application [{0}:{1}] stopped.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300407	Hotfix for application [{0}:{1}] deployed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300408	Hotfix for application [{0}:{1}] undeployed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300409	Deleted archive [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300410	Uploaded archive [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Configured Application [{0}:{1}]	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300411		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300412	Exported profile [{0}] from the Archive [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300413	Exported configuration from Application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300414	Thread dump obtained.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300415	The application [{0}:{1}] paused.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300416	The application [{0}:{1}] resumed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	The application [{0}:{1}] deployed and started.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300417		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300418	Stopped process starters of Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300419	Started process starters of Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300420	Agent log file obtained.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300421	AppNode log file obtained.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300420	Restored Application [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Restored Application [{0}] on Agent [{1}]	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300430		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300431	Backed up Application [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300432	Deployed application [{0}:{1}], The AppSpace [{2}] does not have any AppNodes.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300433	An application is already deployed with archive [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300434	Deleted BWAgent [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-300631	Enabled debug port [{0}] on AppNode [{1}] in AppSpace [{2}] in Domain [{3}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Restored Archive [{0}]	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-300630		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-400000	BW6_INFR_WARN_FORMAT = {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-400010	Make sure to change the {0} setting in the {1} file. The newer version of the product does not work with the data of an installation from a previous version.	Adjust the setting in the indicated file to the current installation.
TIBCO-BW-ADMIN-CLI-500000	BW6_INFR_ERROR_FORMAT = {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500001	Failed to perform operation [{0}] on [{1}] in the Domain [{2}] due to an error in initializing data manager, {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500002	Error while checking if the Entity [{0}] is present in the Domain [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	The BWAgent [{0}] on the target Machine is not	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-500003	running	applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500004	Error invoking {0} method on the remote agent [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500005	Error occurred while uploading the ear file into data store, {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500006	Failed to initialize transport, {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500007	Unsupported entity {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500008	Failed to perform operation [{0}] due to an error in initializing data manager, {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Failed to write to file [{0}]	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-500009		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500010	Execution of this command is not supported in admin mode 'local'.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500011	Provide the agent name.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500030	No matching Agent found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500031	Invalid value for mandatory entity argument. Valid argument values are domain, AppSpace, AppNode, and application.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500040	The {0} command without any argument is only supported in interactive console mode.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Invalid value for mandatory entity argument. Valid	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-CLI-500041	argument values are AppNode and agent.	applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500042	Nothing to restore. Either agent [{0}] does not exist or the agent is not part of the domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500043	Failed to configure BWAgent, <CausedBy> {0}	Check with the Administration Guide for the supported configuration properties for BWAgent and BWAdmin.
TIBCO-BW-ADMIN-CLI-500100	Domain [{0}] does not exist	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500101	Domain [{0}] already exists in the datastore	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500102	Failed to create Domain [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500103	Domain home folder [{0}] does not exist. Verify if the folder is present and use forward slash in the folder path	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500104	Failed to delete Domain [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500130	No matching Domain found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500131	Failed to delete BWAgent [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500132	Failed to unregister BWAgent [{0}] from the AppSpace [{1}]. <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500201	AppSpace [{0}] not found in Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500202	AppSpace [{0}] already exists in Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500203	Failed to create AppSpace [{0}] in Domain [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500204	AppSpace [{0}] already exists with BWAgent [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500205	Failed to delete AppSpace [{0}] from Domain [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500210	AppSpace [{0}] in Domain [{1}] could not be started, {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500211	AppSpace [{0}] in Domain [{1}] could not be stopped, {2}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500212	AppSpace [{0}] in Domain [{1}] does not have any AppNodes.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500213	Failed to export configuration from AppSpace [{0}] and Domain [{1}] , {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500214	AppSpace [{0}] in Domain [{1}] does not have configuration.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500215	Configured AppSpace [{0}] in Domain [{1}]. Restart AppSpace to apply changes.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500216	Configuration of AppSpace [{0}] in Domain [{1}] failed, {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500217	Exported configuration from AppSpace [{0}] and Domain [{1}] to [{2}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500218	The minNodes configuration value for an AppSpace has to be at least 1.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500219	The minNodes configuration argument is invalid. Valid arguments are Integer values greater than 0.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500230	No matching AppSpace found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500231	Failed to restore AppSpace [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500232	Failed to restore AppSpace on [{0}] <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500233	Restore failed.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500244	Nothing to restore. Either agent [{0}] does not exist or the agent is not part of the AppSpace [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500300	AppNode [{0}] not found in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500301	AppNode [{0}] already exists in the AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500302	Failed to create AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500303	Start AppNode [{0}] in Domain [{1}] timed out	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500304	AppNode [{0}] in Domain [{1}] did not start, {2}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500305	AppNode [{0}] in Domain [{1}] did not stop, {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500306	Failed to delete AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500307	Stop AppNode [{0}] in Domain [{1}] timed out.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500308	Failed to obtain thread dump, {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500309	Failed to export configuration from AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500310	AppNode [{0}] in AppSpace [{1}] in Domain [{2}] configured. Restart AppNode to apply changes.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500311	Configuration of AppNode [{0}] in AppSpace [{1}], Domain [{2}] failed, {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500312	Exported configuration from AppNode [{0}] in AppSpace [{1}], Domain [{2}] to [{3}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500313	Failed to obtain Agent log file, {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500314	Failed to enable console on AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500315	Failed to disable console on AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500316	Failed to obtain AppNode log file, {0}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500317	Failed to disable debugger on AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500331	The value of the {0} argument has to be a valid port number, valid range is [0-65335]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500330	No matching AppNode found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500400	The deployment artifact [{0}] supplied does not exist	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500401	Application [{0}] is not present in the Domain [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500402	Failed to deploy application from the archive [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500403	Failed to undeploy application [{0}:{1}], <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500404	The application [{0}] is in undeployed state	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500405	The deployment artifact [{0}] supplied is not valid	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500406	Failed to deploy hotfix to application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500407	Version [{0}] is not valid. Only <major>.<minor> version format is supported.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500408	Delete ear file [{0}] failed.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500408	Failed to undeploy hotfix to application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500409	Failed to start application [{0}:{1}]. <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500410	Failed to stop application [{0}:{1}]. <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500411	Failed to export Profile [{0}] from the Archive [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500412	Failed to export configuration from application [{0}:{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500413	Failed to obtain metrics. <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500414	Deployed application from the archive [{0}], however not all application instances started. <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500415	Failed to configure application [{0}:{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500416	Failed to pause application [{0}:{1}]. <CauseBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500417	Failed to resume application [{0}:{1}]. <CauseBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500418	The directory [{0}] provided for option [-dir] does not exist, provide a valid directory.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500419	Failed to start process starters of application [{0}:{1}], <CausedBy> {2}.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500420	Failed to stop process starters of application [{0}]: {1}, <CausedBy> {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500421	Profile file [{0}] does not exist	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500430	No matching Application found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500431	Failed to upload the ear file [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500432	Failed to upload ear file [{0}] to some machines in the domain.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500433	Failed to upload archive [{0}], <CausedBy> {1}.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500434	Failed to delete archive [{0}], <CausedBy> {1}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500435	Failed to delete ear file [{0}] from some machines in the domain.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500436	Failed to restore application [{0}] on Agent [{1}], <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500437	Failed to restore application [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500438	The application [{0}] from archive [{1}] has been deployed to these AppSpaces: {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500439	Applications are out of sync with the archive that they were deployed from, They have to be redeployed to keep them in sync.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500440	Failed to enable debug port on AppNode[{0}] in AppSpace[{1}] in Domain[{2}], <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500501	Name contains invalid characters and does not comply with naming conventions. Valid characters are upper and lower case characters of the alphabet as well as digits, '.' and '-'.	Use only valid characters in a name.
TIBCO-BW-ADMIN-CLI-500502	Name length exceeds 100 characters and it will be truncated to satisfy the length limit	Use less than 100 character for the name.
TIBCO-BW-ADMIN-CLI-500503	Name contains invalid characters that have been removed to comply with naming conventions.\nAllowed characters are upper and lower case characters of the alphabet as well as digits, " ", "." and "-".\nName has been changed to [{0}].	Use only valid characters for the name.
TIBCO-BW-ADMIN-CLI-500504	Failed to register TEA Agent [{0}] with TEA server, <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500505	Failed to disable auto registration with TEA server, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-CLI-500506	Successfully disabled auto registration with TEA server	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500507	Failed to enable auto registration with TEA server, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500508	Successfully enabled auto registration with TEA server	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-500630	No matching Archive found to restore	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-CLI-000001	BW6_INFR_UNEXP_EXCP_FORMAT = {0}	Internal product defect. Contact TIBCO Support.

Admin Error Codes

This section describes the error messages that can be reported by the entities associated with the ActiveMatrix BusinessWorks Administrator.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-200001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300010	Registered TEA Agent [{0}] with TEA Server [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300100	Created the domain [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300101	Added Machine [{0}] to Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300102	Removed Machine [{0}] from Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300103	Deleted the Domain [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Registered BWAgent [{0}] to Domain [{1}]	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-300104		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300105	Unregistered BWAgent [{0}] from AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300200	Created AppSpace [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300201	Deleted AppSpace [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300202	Added Machine [{0}] to AppSpace [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300203	Removed AppSpace [{0}] from BWAgent [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300204	Started AppSpace [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Stopped AppSpace [{0}] in Domain [{1}].	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-300205		TIBCO Support.
TIBCO-BW-ADMIN-300206	Expanded AppSpace [{0}] to BWAgent [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300207	Deleted AppSpace [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300208	Updated configuration of AppSpace [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300300	Created AppNode [{0}] in AppSpace [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300301	Deleted AppNode [{0}] in AppSpace [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300302	Started AppNode [{0}] in AppSpace [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-	Stopped AppNode [{0}] in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
300303		
TIBCO-BW-ADMIN-300304	Enabled console on AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300305	Disabled console on AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300306	Disabled debugger on AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300307	Retrieved BWEngine information from AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300400	Deployed Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300401	Undeployed Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300402	Updated Application[{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-300403	Deployed Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300404	Undeployed Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300405	Started Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300406	Stopped Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300407	Hotfix to application [{0}:{1}] is deployed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300408	Hotfix to application [{0}:{1}] is undeployed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300409	Configured application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Paused Application [{0}:{1}]	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-300410		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300411	Resumed Application [{0}:{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300412	Application [{0}:{1}] is already deployed. Use config command to make any changes to the configuration.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300413	Enabled statistics collection for Application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300414	Disabled statistics collection for Application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300500	Uploaded Archive [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-300501	Removed Archive [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Archive [{0}] was created with BusinessStudio version: {1}	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-300510		TIBCO Support.
TIBCO-BW-ADMIN-300511	Debug port enabled on AppNode[{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-400000	BW6_INFR_WARN_FORMAT = {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-400501	Name is longer than 100 characters. Truncating to meet length limit.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-400502	Name includes invalid characters that have been removed to comply with naming conventions.\nAllowed characters are upper and lower case characters of the alphabet as well as digits, " ", " " and "-".\nName has been changed to [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500000	BW6_INFR_ERROR_FORMAT = {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500001	Failed to perform operation [{0}] on [{1}] in the Domain [{2}] due to an error in initializing data manager, <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Error while checking if the entity [{0}] is present in	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-500002	the Domain [{1}], <CausedBy> {2}.	applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500004	Error invoking [{0}] method on the agent [{1}], <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500005	Error while uploading the application archive file into data store, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500006	Failed to initialize transport, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500007	Unsupported value for bw.admin.mode [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500008	Error in initializing data manager, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500009	Cannot find or read file [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Invalid configuration content or format in file [{0}].	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-500010		TIBCO Support.
TIBCO-BW-ADMIN-500011	Remote command execution failed, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500012	Configuration error in bwagent.ini file. Remote request timeout invalid.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500013	Port [{0}] is already taken by AppNode [{1}] belonging to AppSpace [{2}] in the Domain [{3}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500014	Port [{0}] is in use already.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500015	Conflicting HTTP and OSGi console ports. Port [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500016	Configuration error in bwagent.ini file. Value given in bw.agent.technology.as.remote.status.requestTimeout is invalid.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-	BWAgent is running, Stop the remote agent, delete all the files under domains folder, and retry.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500017		
TIBCO-BW-ADMIN-500100	Domain [{0}] not found, check this and retry.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500101	Domain [{0}] already exists, check this and retry.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500102	Failed to create domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500103	Domain home folder [{0}] does not exist. Verify if the folder exists and use '/' character in the folder path.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500104	Machine [{0}] is not present in the Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500105	Machine [{0}] could not be added to the Domain [{1}], {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500106	Failed to delete Domain [{0}], {1}.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-500107	Machine [{0}] could not be removed from the Domain [{1}], {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500108	Machine [{0}] is already part of Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500109	The Domain [{0}] has AppSpaces associated with it. Use -force option to override	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500108	Agent [{0}] is already part of domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500109	Domain [{1}] could not be expanded to the Agent [{0}], {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500110	Domain [{1}] could not be removed from the Agent [{0}], {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500111	Agent [{0}] is not part of the Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Domain [{0}] not found, check this and retry.	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-500112		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500113	Domain [{0}] is not a local domain.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500201	AppSpace [{0}] in Domain [{1}] not found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500202	The AppSpace [{0}] is already present in the Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500204	AppSpace [{0}] already exists with agent [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500205	AppSpace [{0}] in Domain [{1}] could not be deleted, {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500206	Failed to register Agent [{0}] to AppSpace [{1}], {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Failed to unregister Agent [{0}] from AppSpace [{1}], {2}.	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-500207		TIBCO Support.
TIBCO-BW-ADMIN-500208	Adding Machine to an AppSpace is not supported in 'local' admin mode.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500209	Removing Machine from an AppSpace is not supported in 'local' admin mode.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500210	AppSpace [{0}] in Domain [{1}] did not start completely, {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500211	AppSpace [{0}] in Domain [{1}] could not be stopped, {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500212	AppSpace [{0}] in Domain [{1}] could not be deleted, {2}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500213	AppSpace [{0}] in Domain [{1}] does not have any AppNodes.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-	Failed to deploy the {0} [{1}] from URL {2} into AppSpace {3}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500214		
TIBCO-BW-ADMIN-500215	AppSpace handler [{0}] not found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500216	AppSpace [{0}] has AppNodes associated with it. Delete the AppNodes first and retry or use -force option to override	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500217	AppSpace [{0}] has Applications or Libraries associated with it. Undeploy them first and retry or use -force option to override	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500218	AppSpace [{0}] is not expanded to BWAgent [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500219	AppSpace [{0}] is not scaled across multiple installations. Use delete command to delete it.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500220	AppSpace [{0}] is scaled across multiple BWAgents. Cannot be deleted. Use -force option to override.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500221	AppSpace [{0}] could not be updated, {1}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-500222	Configuration of AppSpace [{0}] in Domain [{1}] failed, {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500223	Configuration failed on one or more remote agents.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500224	AppSpace [{0}] has already reached its limit of applications [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500225	Only one version of Application [{0}] can be deployed in an AppSpace at the same time.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500226	The registration of BWAgent to the domain [{0}] failed. Cannot create AppNodes in the AppSpace [{1}] on the remote BWAgent [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500227	The registration of BWAgent to the AppSpace [{0}] failed. Cannot create AppNodes in the AppSpace [{0}] on the remote BWAgent [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500228	Invalid value supplied as minNodes. minNodes must be an Integer greater than 0.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	AppSpace [{0}] is expanded to the BWAgent [{1}] on	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-500229	the file system. However, the agent failed to update the status in the datastore. <CausedBy> {2}	applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500230	AppSpace [{0}] is expanded to the BWAgent [{1}] on the file system. However, one or multiple applications failed to deploy into this AppSpace on the remote machine, check the status of the applications in this AppSpace for details. <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500231	AppSpace [{0}] is expanded to the BWAgent [{1}] on the file system. However, one or multiple applications failed to deploy into this AppSpace on the remote machine, check the status of the applications in this AppSpace for details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500232	Errors while deleting AppNodes and/or AppSpace instances on local and/or remote machines.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500233	Cannot find AppSpace specific TRA file at [{0}]	Make sure that the file is at the expected location and the BWAgent/BWAdmin programs have read access to it
TIBCO-BW-ADMIN-500234	Failed to obtain AppSpace TRA file from [{0}], <CausedBy> [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Failed to write AppSpace TRA file [{0}], <CausedBy> [{1}]	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-500235		TIBCO Support.
TIBCO-BW-ADMIN-500300	The AppNode [{0}] does not exist in AppSpace [{1}] and Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500301	The AppNode [{0}] already exists in the AppSpace [{1}] Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500302	Failed to create AppNode [{0}] in AppSpace [{1}] in Domain [{2}], {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500303	Start of AppNode [{0}] in AppSpace [{1}] in Domain [{2}] timed out.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500304	AppNode [{0}] in AppSpace [{1}] in Domain [{2}] did not start, <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500305	AppNode [{0}] in Domain [{1}] did not stop, <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-	Failed to delete AppNode [{0}] in AppSpace [{1}] in Domain [{2}], <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500306		
TIBCO-BW-ADMIN-500307	Stop AppNode [{0}] in Domain [{1}] timed out.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500308	Reached wrong AppNode [{0}] in AppSpace [{1}] in Domain [{2}]. Expected was [{3}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500309	Failed to enable console on AppNode [{0}] in AppSpace [{1}] in Domain [{2}], <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500310	Failed to disable console on AppNode [{0}] in AppSpace [{1}] in Domain [{2}], <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500311	Failed to update AppNode [{0}] in data store, <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500312	Failed to configure AppNode [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500313	AppNode [{0}] is not running or cannot be contacted	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-500314	The AppNode [{0}] is still in [{1}] state. Stop the AppNode first or use the -force option.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500315	No AppNodes are present in the AppSpace [{0}] in the Domain [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500316	AppNode [{0}] log file does not exist or could not be read	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500317	Agent log file does not exist or could not be read	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500318	The AppNode [{0}] is running. Stop the AppNode first and try again.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500319	Port is taken, <CausedBy> {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500320	AppNode [{0}] encountered an Internal Server Error. Check the log file of the AppNode for details.	Check the AppNode log file for details.
TIBCO-	Failed to disable debugger on AppNode [{0}] in	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-500321	AppSpace [{1}] in Domain [{2}]. <CausedBy> {3}	applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500322	Failed to obtain BWEngine information on AppNode [{0}] in AppSpace [{1}] in Domain [{2}]. <CausedBy> {3}. Check the log file of the AppNode for details.	Check the AppNode log file for details.
TIBCO-BW-ADMIN-500323	Failed to enable port on the AppNode [{0}] in AppSpace [{1}] in Domain [{2}], <CausedBy> {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500323	Cannot find AppNode specific TRA file at [{0}]	Make sure that the file is at the expected location and the BWAgent/BWAdmin programs have read access to it
TIBCO-BW-ADMIN-500324	Failed to obtain AppNode TRA file from [{0}], <CausedBy> [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500325	Failed to write AppNode TRA file [{0}], <CausedBy> [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500400	The supplied deployment artifact [{0}] does not exist.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-500401	Application [{0}] not found in the Domain [{1}] {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500402	Failed to deploy application [{0}:{1}], <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500403	BW6_ADMIN_APP_UNDEPLOYMENT_FAILED = Failed to undeploy application [{0}:{1}], <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500404	The Application [{0}] is in undeployed state.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500405	The deployment artifact [{0}] supplied is not valid	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500406	Failed to deploy hotfix to application [{0}:{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500407	Version [{0}] is not valid. Only <major>.<minor> version format is supported.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Failed to undeploy hotfix to application [{0}:{1}].	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-500408		applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500409	Failed to start application [{0}:{1}], <CausedBy> {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500410	Failed to stop application [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500411	Deployment of [{0}] completed. The installation into running AppNodes failed for some AppNodes. Check log files for more details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500412	Deployment of [{0}] completed. The start of the application or library in the running AppNodes failed for some AppNodes. Check log files for more details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500413	Failed to update the application [{0}] in the data store, <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500415	Failed to upload to one or multiple remote machines.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Error encountered installing {0} [{1}] [{2}] on AppNode [{3}]	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-500416		TIBCO Support.
TIBCO-BW-ADMIN-500417	Error encountered starting {0} on AppNode [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500418	Application archive file [{0}] not found in the domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500419	Application archive file [{0}] could not be deleted from data store.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500420	Name includes only invalid characters and does not comply with naming conventions. Allowed characters are upper and lower case characters of the alphabet as well as digits, '.' and '-'.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500421	Configuration of Application [{0}] failed, <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500422	Failed to delete Application archive file on one or multiple remote machines.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-	BW6_ADMIN_APP_ALRDY_PRSNT =Application [{0}] already exists in the domain [{1}] and it is deployed from the archive file [{2}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500423		
TIBCO-BW-ADMIN-500424	Failed to read profile from [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500425	Profile [{0}] is not present in the Archive [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500426	Failed to export Profile [{0}] from the Archive {1}.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500427	Failed to export configuration of Application [{0}] Version [{1}] AppSpace [{2}] Domain [{3}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500428	Failed to get configuration of Application [{0}] Version [{1}] AppSpace [{2}] Domain [{3}] from the remote agent.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500429	Failed to export configuration of Application Instance [{0}] Version [{1}] AppNode [{2}] AppSpace [{3}] Domain [{4}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500430	Application Instance [{0}] Version [{1}] on AppNode [{2}] AppSpace [{3}] Domain [{4}]) is not found.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-500431	Error encountered pausing {0} [{1}] on AppNode [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500432	Error encountered resuming {0} [{1}] on AppNode [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500433	Pausing of [{0}] completed. Check log files for more details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500434	Pausing of [{0}] completed. Check log files for more details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500435	Failed to pause Application [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500436	Failed to resume Application [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500437	Failed to start in one or more AppNodes.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-	Failed to restore AppInstance configuration,	The resolution is not

Error Codes	Error Message	Error Resolution
BW-ADMIN-500438	<CausedBy> {0}	applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500457	Error encountered starting process starters of {0} [{1}] [{2}] on AppNode [{3}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500439	Error encountered stopping process starters of {0} [{1}] [{2}] on AppNode [{3}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500440	Starting process starters of [{0}] completed. Check log files for more details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500441	Stopping process starters of [{0}] completed. Check log files for more details.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500442	Failed to start process starters of Application [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500443	Failed to stop process starters of Application [{0}], <CausedBy> {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Failed to start Application in AppNode [{0}]. Check the AppNode log files for messages starting with	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-500444	TIBCO-THOR-FRWK, TIBCO-BW-FRWK, or TIBCO-BW-SR-FRWK for details. Application State [{1}], reason: {2}	TIBCO Support.
TIBCO-BW-ADMIN-500445	AppSpace [{0}] is not found. Create the AppSpace first and retry.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500446	The application [{0}] from archive [{1}] has been deployed to these AppSpaces: {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500447	Archive [{0}] is already present in the domain, use -replace option to replace the existing archive.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500448	Applications are out of sync with the archive that they were deployed from, They have to be redeployed to keep them in sync.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500449	The archive [{0}] in the domain is replaced, Deploy the application again to apply the latest version.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500450	Archive [{0}] has been deployed to the AppSpaces: {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Port is taken by AppNode[{0}] in AppSpace[{1}] in Domain[{2}]	The resolution is not applicable. Contact

Error Codes	Error Message	Error Resolution
ADMIN-500451		TIBCO Support.
TIBCO-BW-ADMIN-500452	Failed to obtain BWAgents of the machine [{0}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500453	HTTP interface and port of BWAgent [{0}] conflicted with the supplied interface and port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500454	TEA interface and port of the BWAgent [{0}] conflicted with the supplied interface and port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500455	Interface and the port of listen URL of the BWAgent [{0}] conflict with the supplied interface and port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500456	Interface and the port of listen URL of the BWAgent [{0}] conflict with the supplied interface and port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500460	Archive was created with a newer version of the product [{0}] and cannot be installed into the current version [{1}]. Upgrade the product and try again	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-	Invalid archive for this product version. Only archives with single modules are supported.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500461		
TIBCO-BW-ADMIN-500462	Archive was created with different BusinessWorks Edition and cannot be installed in current product. Upgrade the product and try again.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500463	Host and port combination [{0}:{1}] is already in use.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500464	Invalid interface name. No IP address was found for host [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-500465	Failed to enable statistics collection for Application [{0}:{1}], {2}	Check the AppNode log file for details.
TIBCO-BW-ADMIN-500466	Failed to disable statistics collection for Application [{0}:{1}], {2}	Check the AppNode log file for details.
TIBCO-BW-ADMIN-500467	Invalid profile file from [{0}].	Check the profile file. Make sure profile properties match the application properties.
TIBCO-BW-ADMIN-500469	Invalid property [{0}] is unset.	Check the properties in configuration file to connect Mashery.

Error Codes	Error Message	Error Resolution
TIBCO-BW-ADMIN-500470	Unable to connect to Mashery[{0}]	Make sure that your mashery configuration file is in the bin folder.
TIBCO-BW-ADMIN-500471	Mashery configuration file does not exist.	Make sure that your mashery configuration file is in the bin folder.
TIBCO-BW-ADMIN-500504	Failed to register TEA Agent [{0}] with TEA server [{1}], {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-000001	BW6_INFR_UNEXP_EXCP_FORMAT = {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-000100	Failed to create the application [{0}] in the data store	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-000101	Failed to read archive file for [{0}] from data store	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-ADMIN-000200	Internal error: {0}	The resolution is not applicable. Contact TIBCO Support.

Engine Error Codes

This section describes the error messages that can be reported by the Engine layers.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 00000 1	{0}	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00001 0	BWActivityManager Registration Error. The BWActivityManager argument provided to the BWEngine is null.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00001 2	Failed to initialize BWEngine. The BWEngine was initialized without a logger object.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00001 8	Failed to initialize BWEngine. While registering BWActivityBridge, the BWEngine encountered an exception [{0}].	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 00002 0	Failed to initialize BWEngine. The BWActivityManager was not registered correctly with the BWEngine.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00002 2	Failed to initialize BWEngine. The BW Crypto service was not registered correctly with the BWEngine.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00002 4	Failed to initialize BWEngine. The BW Custom XPath Function Manager service was not registered correctly with the BWEngine.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00002 6	Failed to enable BW Debugger. The BWEngine has not been initialized.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW-	The BW Debugger is already enabled state and it cannot be enabled again.	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution	
COR E- 00002 8	TIBC O- BW- COR E- 00003 0	Unable to disable BW Debugger. The BWEngine has not been initialized.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00003 2	Attempt to disable the BW Debugger encountered an exception [{0}]	This is an internal product error. Contact TIBCO Support.	
TIBC O- BW- COR E- 00003 4	Unable to enable BW Event Publisher. The BWEngine has not been initialized.	This is an internal product error. Contact TIBCO Support.	
TIBC O- BW- COR E- 00003	BWEngine configuration data does not contain the AppNode name.	This is an internal product error. Contact TIBCO Support.	

Error Code s	Error Message	Error Resolution
6	TIBC O- BW- COR E- 00003 8	BWEngine configuration data does not contain the AppSpace name. This is an internal product error. Contact TIBCO Support.
8	TIBC O- BW- COR E- 00004 0	BWEngine configuration data does not contain a Domain name. This is an internal product error. Contact TIBCO Support.
2	TIBC O- BW- COR E- 00005 2	The operation [{0}] is not supported for the BX Non- Executable Module. ModuleName={0}, ModuleVersion={1} This is an internal product error. Contact TIBCO Support.
4	TIBC O- BW- COR E- 00005 4	The operation [{0}] is not supported for the BX Executable Module. ModuleName={1}, ModuleVersion={2} This is an internal product error. Contact TIBCO Support.
6	TIBC	The operation [{0}] is not This is an internal product error.

Error Code s	Error Message	Error Resolution
O- BW- COR E- 00005 6	supported for the BW Job Shared Variable.	Contact TIBCO Support.
TIBC O- BW- COR E- 00005 7	Unable to obtain EngineManagement. The BWEngine has not been initialized.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00005 8	Unable to obtain EngineManagement due to an exception [{0}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00005 9	The BX operation [{0}] failed due to an exception [{1}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR	Invalid 'BWModuleHandle'. The BW module represented by this handle has been already	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
E- 00010 2	uninstalled or the handle has been already destroyed.	
TIBC O- BW- COR E- 00010 4	Unable to obtain process templates referenced by the BW Module, the BWEngine encountered an exception. ModuleName[{0}], ModuleVersion [{1}], Exception[{2}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00011 6	Unable to obtain GenXDM SchemaComponentCache for the BW Module [{0}]. The operation [{1}] returned "null".	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00011 8	Unable to obtain GenXDM SchemaComponentCache for the BW Module [{0}]. The operation [{1}] returned an exception [{2}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00012 0	Unable to obtain GenXDM SchemaComponentCache for the BW Module [{0}:{1}] due to an exception [{2}]	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 00012 2	Unable to obtain "BundleContext" for BW module [{0}:{1}]. The operation [{2}] returned "null"	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00012 4	Unable to obtain "BundleContext" for BW module [{0}:{1}] due to an exception [{2}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00012 6	Unable to obtain ServiceReference for the cache service [{0}]. The operation "BundleContext.getServiceReference" for BW module [{1}:{2}] returned "null".	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00012 8	Unable to obtain ServiceReference for the cache service [{0}]. The operation "BundleContext.getServiceReference" for the BW module [{1}:{2}] returned an exception [{3}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW-	Unable to obtain XSD cache service [{0}] for the BW module [{1}:{2}]. The operation [{3}]	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
COR E- 00013 0	returned "null".	
TIBC O- BW- COR E- 00013 1	Unable to obtain XSD cache service [{0}] for the BW module [{1}:{2}]. The operation [{3}] returned an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00013 2	Unable to obtain WSDL cache service [{0}] for the BW module [{1}:{2}]. The operation [{3}] returned "null".	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00013 3	Unable to obtain WSDL cache service [{0}] for the BW module [{1}:{2}]. The operation [{3}] returned an exception [{4}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00013	Unable to obtain WSDL ModuleCache from the WSDLCacheService for the WSDL namespace [{0}], locationURI [{1}] that is associated with the BW Module	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
4	[{2}:{3}], DeploymentUnit [{4}:{5}]. The operation [{6}] returned "null".	
TIBC O- BW- COR E- 00013 5	Unable to obtain WSDL ModuleCache from the WSDLCacheService for the WSDL namespace [{0}], locationURI [{1}] that is associated with the BW Module [{2}:{3}], DeploymentUnit [{4}:{5}]. Encountered an exception [{6}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00013 6	Unable to obtain BxWSDLResolver for the WSDL namespace [{0}], Location [{1}] that is associated with the BW Module [{2}:{3}], DeploymentUnit [{4}:{5}] due to an exception [{6}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00013 7	Unable to obtain the GenXDM WSDL Module for the WSDL namespace [{0}] that is associated with the BW Module [{1}:{2}], DeploymentUnit [{3}:{4}]. The operation "{5}" returned an exception [{6}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00013 8	Unable to obtain the GenXDM WSDL Module for the WSDL namespace [{0}] that is associated with the BW Module [{1}:{2}], DeploymentUnit [{3}:{4}]. The operation "{5}" returned "null". Ensure that the BW Module	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
	[{6}] is dependent on a BW shared module, which contains the WSDL file for this WSDL namespace or the BW Module [{7}] itself contains the required WSDL file.	
TIBC O- BW- COR E- 00014 0	Unable to obtain WSDL Message details from the GenXDM WSDL Module for the WSDL namespace [{0}] that is referenced in the BW Module [{1}:{2}] due to an exception [{3}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00014 2	Unable to obtain WSDL Definition namespace details from the GenXDM WSDL Module for the WSDL namespace [{0}] that is associated with the BW Module [{1}:{2}] due to an exception [{3}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00014 4	Unable to obtain the WSDL Target namespace from the GenXDM WSDL Module for the WSDL namespace [{0}] that is associated with the BW Module [{1}:{2}] due to an exception [{3}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR	Unable to obtain WSDL Interface details from the GenXDM WSDL Module for the PortType [{0}], that is associated with the BW Module	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
E- 00014 6	[{1}:{2}]. The operation "{3}" returned an exception [{4}].	
TIBC O- BW- COR E- 00014 8	Unable to obtain WSDL Interface details from the GenXDM WSDL Module for the PortType [{0}], that is associated with the BW Module [{1}:{2}]. The operation "{3}" returned null.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00015 0	Unable to construct PortType details from the GenXDM WSDL Interface for the WSDL namespace [{0}] that is associated with the BW Module [{1}:{2}] due to an exception [{3}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00015 2	Invalid BWBxWSDLResolver. The instance of this BWBxWSDLResolver has already been released.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00016 0	The initial value mode [{0}] specified for the {1} [{2}] in BW Module [{3}:{4}], DeploymentUnit [{5}:{6}] is invalid.	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 00016 2	The QName value [{0}] specified for the {1} [{2}] in BW Module [{3}] is invalid or malformed.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00020 2	Invalid 'BWComponentHandle'. The BW Component represented by this handle has been already uninstalled or the handle has been already destroyed.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00020 4	Unable to create ServiceEndpointRequestHandler for BW Component due to invalid BW Process ServiceType [{0}]. ComponentName={1}, ComponentVersion={2}	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00020 6	Unable to create ServiceEndpointRequestHandler for BW Component due to invalid BW Process ServiceName [{0}]. ComponentName={1}, ComponentVersion={2}	This is an internal product error. Contact TIBCO Support.
TIBC O- BW-	Error occurred while creating the ServiceEndpointRequestHandler for service [{0}], BW Component	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
COR E- 00020 8	[{1}], Application [{2}]:{3}]. Exception[{4}].	
TIBC O- BW- COR E- 00021 0	Unable to create ServiceEndpointRequestHandler for service [{0}], BW Component [{1}]. The operation "BxSystem.getInterfaceProvider" returned "null".	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00021 2	Received an unexpected exception [{0}] from the service binding associated with the component service [{1}], Application [{2}] on invocation of method [{3}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00021 4	Unable to obtain "BundleContext". The operation "{0}" returned "null"	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00021	Unable to obtain "BundleContext" due to an exception [{0}]	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
6		
TIBC O- BW- COR E- 00022 0	Unable to obtain the GenXDM WSDL Module for the WSDL namespace [{0}] that is associated with the BW Component [{1}], Application[{2}:{3}]. The operation "{4}" returned an exception [{5}]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00022 2	Unable to obtain the GenXDM WSDL Module for the WSDL namespace [{0}] that is associated with the BW Component [{1}], Application[{2}:{3}]. The operation "{4}" returned "null".	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00022 4	Unable to obtain the WSDL Interface details from the GenXDM WSDL Module for the PortType [{0}], that is associated with the BW Component [{1}], Application[{2}:{3}]. The operation "{4}" returned an exception [{5}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00022 6	Unable to obtain WSDL Interface details from the GenXDM WSDL Module for the PortType [{0}], that is associated with the BW Component [{1}], Application[{2}:{3}]. The operation "{4}" returned null.	This is an internal product error. Contact TIBCO Support.
TIBC	Unable to obtain	This is an internal product error.

Error Code s	Error Message	Error Resolution
O-BW-COR-E-000228	<p>ServiceReference for the cache service [{0}].</p> <p>The operation "{1}" returned "null".</p>	<p>Contact TIBCO Support.</p>
TIBC-O-BW-COR-E-000230	<p>Unable to obtain ServiceReference for the cache service [{0}] due to an exception [{1}].</p>	<p>This is an internal product error.</p> <p>Contact TIBCO Support.</p>
TIBC-O-BW-COR-E-000231	<p>Unable to obtain cache service [{0}]. The operation "{1}" returned "null".</p>	<p>This is an internal product error.</p> <p>Contact TIBCO Support.</p>
TIBC-O-BW-COR-E-000132	<p>Unable to obtain cache service [{0}]. The operation "{1}" returned an exception [{2}].</p>	<p>This is an internal product error.</p> <p>Contact TIBCO Support.</p>
TIBC-O-BW-COR	<p>Unable to construct PortType details from the GenXDM WSDL Interface for the WSDL namespace [{0}] that is</p>	<p>This is an internal product error.</p> <p>Contact TIBCO Support.</p>

Error Code s	Error Message	Error Resolution
E- 00023 2	associated with the BW Component [{1}] due to an exception [{2}].	
TIBC O- BW- COR E- 00023 4	Unable to obtain ModuleCache for the BW Component [{0}]. The operation "{1}" returned "null".	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00023 5	Failed obtain value for the component level property [{0}], BW Component [{1}], Application [{2}:{3}]. Encountered an exception [{4}]	The BW framework layer encountered errors when accessing the component level property. Contact TIBCO Support.
TIBC O- BW- COR E- 00030 2	Invalid 'BWApplicationHandle'. The BW application represented by this handle has been already uninstalled or the handle has been already destroyed.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00030 4	Unable to create 'BWApplicationHandle' due to invalid BWComponentHandle list. The argument of type 'List<BWComponentHandle\$gt;' must contain at least one BWComponentHandle.	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 00030 6	Unable to create 'BWApplicationHandle' due to inconsistent application names in the BWComponentHandle(s) contained in the argument of type 'List<BWComponentHandle>'. The handle for the BW Component [{0}] has application name as [{1}] whereas the first handle in the list has application name as [{2}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00030 8	Unable to create 'BWApplicationHandle' for the BW Application [{0}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00040 2	Error occurred when accessing the ProcessStarter activity [{0}] in process [{1}], module [{2}] from the BWActivityManager. Error= {3}.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00040 4	Error occurred when configuring the ProcessStarter activity [{0}] in process [{1}], module [{2}].	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 00040 6	Unable to configure ProcessStarter activity [{0}] in process [{1}], module [{2}] due to crypto service access error.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00040 8	HotUpdate operation not supported for ProcessStarter activity [{0}] in process [{1}], module [{2}]. The ProcessStarter exists for activitId [{3}].	This error occurs if the BW process file is corrupted.
TIBC O- BW- COR E- 00050 2	Error occurred when accessing the Signalln activity [{0}] in process [{1}], module [{2}] from the BWActivityManager. Error= {3}.	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00050 4	Error occurred when configuring the Signalln activity [{0}] in process [{1}], module [{2}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW-	Unable to configure Signalln activity [{0}] in process [{1}], module [{2}] due to crypto service	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
COR E- 00050 6	access error.	
TIBC O- BW- COR E- 00050 8	HotUpdate operation not supported for Signalln activity [0] in process [1], module [2]. The Signalln already exists for activitId [3].	This error occurs if the BW process file is corrupted.
TIBC O- BW- COR E- 00060 2	Failed to obtain activity [0] in process [1], module [2] from the BWActivityManager due to an exception [3]. ActivityId [4].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00060 4	Error occurred when configuring the activity [0] in process [1], module [2]	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00060	Unable to configure activity [0] in process [1], module [2] due to crypto service access error.	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution	
6	TIBC O- BW- COR E- 00060 8	Unable to execute [{0}] operation for an activity. Failed to lookup activity [{1}] in process [{2}], module [{3}] from the BWActivityManager. ActivityId [{4}].	This is an internal product error. Contact TIBCO Support.
TIBC O- BW- COR E- 00061 0	HotUpdate operation not supported for activity [{0}] in process [{1}], module [{2}]. The activity already exists for activitId [{3}].	This is an internal product error. Contact TIBCO Support.	
TIBC O- BW- COR E- 10000 1	{0}	This is a trace message. The resolution is not applicable.	
TIBC O- BW- COR E- 10000 2	Activated Application[{0}], Component[{1}] in AppNode[{2}], ActivationAlias[{3}].	This is a trace message. The resolution is not applicable.	
TIBC	Activated Application[{0}], Module	This is a trace message.	

Error Code s	Error Message	Error Resolution
O- BW- COR E- 10000 3	{[1]} in AppNode[{2}], ActivationAlias[{3}].	The resolution is not applicable.
TIBC O- BW- COR E- 20000 1	{0}	This is a debug message.
TIBC O- BW- COR E- 20200 0	{0}	The resolution is not applicable.
TIBC O- BW- COR E- 20200 2	Initialized BWEngine successfully [{0}, {1}, {2}].	This is a debug message and it indicates the BWEngine was initialized successfully. The resolution is not applicable for this message.
TIBC O- BW- COR	Stopped(Graceful) BWEngine successfully.	This is a debug message and it indicates the BWEngine was stopped gracefully. The resolution is not applicable for this

Error Code s	Error Message	Error Resolution
E- 20205 2	message.	
TIBC O- BW- COR E- 20205 3	Stopped(Forceful) BWEngine successfully.	This is a debug message and it indicates the BWEngine was stopped forcefully before completing all application jobs. The resolution is not applicable for this message.
TIBC O- BW- COR E- 20205 4	BWEngine is already in a stopped state.	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20205 5	Enabled BW Debugger in the BWEngine.	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20205 6	Disabled BW Debugger in the BWEngine.	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 20210 0	{0}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20210 1	INITIATE: install BW Module [{0}:{1}], DeploymentUnit [{2}:{3}].	This is a debug message and it indicates the BWEngine is starting to create the BW Module. The resolution is not applicable for this message.
TIBC O- BW- COR E- 20210 2	Installed BW Module [{0}:{1}], DeploymentUnit [{2}:{3}].	This is a debug message and it indicates the BWEngine has completed creating the BW Module. The resolution is not applicable for this message.
TIBC O- BW- COR E- 20210 3	INITIATE: release-resources for BW Module [{0}:{1}], DeploymentUnit [{2}:{3}].	This is a debug message and it indicates the BWEngine is starting to release the BW Module resources. The resolution is not applicable for this message.
TIBC O- BW-	Released-resources for BW Module [{0}:{1}], DeploymentUnit [{2}:{3}].	This is a debug message and it indicates the BWEngine has completed releasing the BW Module resources.

Error Code s	Error Message	Error Resolution
COR E- 20210 4		The resolution is not applicable for this message.
TIBC O- BW- COR E- 20210 5	INITIATE: undeploy BW Module [{0}:{1}], DeploymentUnit [{2}:{3}].	This is a debug message and it indicates the BWEngine is starting to undeploy the BW Module.
TIBC O- BW- COR E- 20210 6	Undeployed BW Module [{0}:{1}], DeploymentUnit [{2}:{3}].	The resolution is not applicable for this message.
TIBC O- BW- COR E- 20220 0	{0}	This is a debug message.
TIBC O- BW- COR E- 20220	INITIATE: install BW Component [{0}], Application[{1}:{2}].	This is a debug message and it indicates the BWEngine is starting to create the BW Component.
		The resolution is not applicable for this message.

Error Code s	Error Message	Error Resolution
1	TIBC O- BW- COR E- 20220	Installed BW Component [{0}], Application[{1}:{2}].
2	TIBC O- BW- COR E- 20220	This is a debug message and it indicates the BWEngine has completed creating the BW Component.
3	TIBC O- BW- COR E- 20220	The resolution is not applicable for this message.
4	TIBC O- BW- COR E- 20220	This is a debug message and it indicates the BWEngine is starting to initialize the BW Component.
5	TIBC O- BW- COR E- 20220	The resolution is not applicable for this message.
6	TIBC	This is a debug message and it indicates the BWEngine is starting the BW Component.
7	TIBC	The resolution is not applicable for this message.
8	TIBC	This is a debug message and it indicates the

Error Code s	Error Message	Error Resolution
O- BW- COR E- 20220 6	BWEngine has stated the BW Component. The resolution is not applicable for this message.	
TIBC O- BW- COR E- 20220 7	INITIATE: stop(Forceful) BW Component [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20220 8	Stopped(Forceful) BW Component [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20220 9	INITIATE: destroy BW Component [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR	Destroyed BW Component [{0}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
E- 20221 0	TIBC O- BW- COR E- 20221 1	INITIATE: release-resources for BW Component [{0}], Application [{1}:{2}]. This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20221 2	Released-resources for BW Component [{0}], Application[{1}]: [{2}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20221 3	INITIATE: undeploy BW Component [{0}], Application[{1}]: [{2}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20221 4	Undeployed BW Component [{0}], Application[{1}:{2}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 20221 5	INITIATE: start ServiceBinding(s) or ProcessStarter for BW Component [{0}], Application[{1}:{2}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20221 6	Started ServiceBinding(s) or ProcessStarter for BW Component [{0}], Application[{1}:{2}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20221 7	INITIATE: stop ServiceBinding(s) or ProcessStarter for BW Component [{0}], Application[{1}:{2}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20221 8	Stopped ServiceBinding(s) or ProcessStarter for BW Component [{0}], Application[{1}:{2}].	This is a debug message. The resolution is not applicable.
TIBC O- BW-	INITIATE: start ServiceBinding [{0}] for BW Component [{1}], Application [{2}:{3}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
COR E- 20221 9	TIBC Started ServiceBinding [{0}] for O- BW Component [{1}], Application BW- [{2}:{3}]. COR E- 20222 0	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20222 1	INITIATE: stop ServiceBinding [{0}] for BW Component [{1}], Application [{2}:{3}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20222 2	Stopped ServiceBinding [{0}] for BW Component [{1}], Application [{2}:{3}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20222	Ready to uninstall BW Component [{0}], Application [{1}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
3	TIBC O- BW- COR E- 20222	Created ServiceEndpointRequestHandler for the ServiceBinding [{0}], Service [{1}], BW Component [{2}], Application [{3}:{4}].
4	TIBC O- BW- COR E- 20230	This is a debug message. The resolution is not applicable.
0	TIBC O- BW- COR E- 20230	This is a debug message. The resolution is not applicable.
1	INITIATE: create BW Application [{0}] handle.	This is a debug message. The resolution is not applicable.
2	TIBC O- BW- COR E- 20230	Created BW Application [{0}] handle. This is a debug message. The resolution is not applicable.
	TIBC INITIATE: start BW Application	This is a debug message.

Error Code s	Error Message	Error Resolution
O- BW- COR E- 20230 3	[{0}].	The resolution is not applicable.
TIBC O- BW- COR E- 20230 4	Started BW Application [{0}].	This is a debug message.
TIBC O- BW- COR E- 20230 9	INITIATE: stop(Graceful) for BW Application [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 0	Stopped(Graceful) BW Application [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR	INITIATE: stop(Forceful) BW Application [{0}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
E- 20231 1	TIBC Stopped(Forceful) BW Application O- [{}]. BW- COR E- 20231 2	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 3	INITIATE: start all ProcessStarters and ServiceBindings for BW Application [{}:{}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 4	Started all ProcessStarters and ServiceBindings for BW Application [{}:{}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 5	INITIATE: stop all ProcessStarters and ServiceBindings for BW Application [{}:{}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 20231 6	Stopped all ProcessStarters and ServiceBindings for BW Application [{0}:{1}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 7	INITIATE: pause BW Application [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 8	Paused BW Application [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20231 9	INITIATE: resume BW Application [{0}].	This is a debug message. The resolution is not applicable.
TIBC O- BW-	Resumed BW Application [{0}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
COR E- 20232 0	TIBC INITIATE: initialize ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}]: {4}. E- 20240 1	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20240 2	Initialized ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20240 3	INITIATE: start ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}]: {4}. E- 20240 3	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20240	Started ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution	
4	TIBC O- BW- COR E- 20240	INITIATE: stop ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
5	TIBC O- BW- COR E- 20240	Stopped ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
6	TIBC O- BW- COR E- 20240	INITIATE: destroy ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
7	TIBC O- BW- COR E- 20240	Destroyed ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
8	TIBC	INITIATE: release ProcessStarter	This is a debug message.

Error Code s	Error Message	Error Resolution
O- BW- COR E- 20240 9	activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}]: {4}.	The resolution is not applicable.
TIBC O- BW- COR E- 20241 0	Released ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20241 1	{0}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20250 1	INITIATE: initialize Signalln activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}]: {4}.	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR	Initialized Signalln activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
E- 20250 2	TIBC INITIATE: start SignalIn [{0}] activity in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}]. O- BW- COR E- 20250 3	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20250 4	Started SignalIn [{0}] activity in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20250 5	INITIATE: stop SignalIn activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20250 6	Stopped SignalIn activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 20250 7	INITIATE: destroy SignalIn activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}]: {4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20250 8	Destroyed SignalIn activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20250 9	INITIATE: release ProcessStarter activity [{0}] in Process[{1}], Module [{2}], Module [{3}], DeploymentUnit [{4}]: {4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20251 0	Released ProcessStarter activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
TIBC O- BW-	{0}	This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
COR E- 20251 1	TIBC INITIATE: initialize Activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
COR E- 20260 1	TIBC Initialized Activity [{0}] in Process [{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
COR E- 20260 2	TIBC INITIATE: destroy Activity [{0}] in Process[{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.
COR E- 20260 3	TIBC Destroyed Activity [{0}] in Process [{1}], Module [{2}], DeploymentUnit [{3}:{4}].	This is a debug message. The resolution is not applicable.

Error Code	Error Message	Error Resolution
4		
TIBC O- BW- COR E- 20260 5	{0}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20611 0	{0}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20611 1	{0}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20612 0	{0}	This is a debug message. The resolution is not applicable.
TIBC	{0}	This is a debug message.

Error Code	Error Message	Error Resolution
O- BW- COR E- 20612 1		The resolution is not applicable.
TIBC {0} O- BW- COR E- 20620 0		This is a debug message. The resolution is not applicable.
TIBC {0} O- BW- COR E- 20621 0		This is a debug message. The resolution is not applicable.
TIBC {0} O- BW- COR E- 20631 0		This is a debug message. The resolution is not applicable.
TIBC {0} O- BW- COR		This is a debug message. The resolution is not applicable.

Error Code	Error Message	Error Resolution
E- 20631 1	TIBC {0} O- BW- COR E- 20640 0	This is a debug message. The resolution is not applicable.
TIBC {0} O- BW- COR E- 20641 0	TIBC {0} O- BW- COR E- 20652 0	This is a debug message. The resolution is not applicable.
TIBC {0} O- BW- COR E- 20652 1		This is a debug message. The resolution is not applicable.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 20661 1	Activity input data validation details. ActivityName={0}, ProcessName={1}, Module={2}: {3}, Schema={4}, Data={5}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 20661 2	Activity output data validation details. ActivityName={0}, ProcessName={1}, Module={2}: {3}, Schema={4}, Data={5}	This is a debug message. The resolution is not applicable.
TIBC O- BW- COR E- 30000 2	The BusinessWorks Event Publisher is disabled.	This message indicates the BWEngine is configured to disable the event publisher; therefore there can be no event published by the BWEngine.
TIBC O- BW- COR E- 40000 1	{0}	This is a warning message and it highlights situations that may affect the application execution.
TIBC O- BW-	Activity resource release operation [com.tibco.bw.runtime.ActivityRes	The activity resource release operation must not raise an exception. This is considered to be an activity resource implementation error.

Error Code s	Error Message	Error Resolution
COR E- 40000 4	ource.release()] called at the end of the execution of the BW group or BW Process instance encountered an error. The Activity resource release operation [{0}.release(boolean)] raised an exception: {1}	
TIBC O- BW- COR E- 40000 6	CatchAll fault details formatting issue. Expected [{0}], but received [{1}]	Received an unexpected data when formatting the CatchAll fault details.
TIBC O- BW- COR E- 40001 0	The BW process [{0}] instance canceled, JobId [{1}], ProcessInstanceId [{2}], ParentProcessInstanceId [{3}], Module [{4}:{5}], Application [{6}:{7}].	This message is generated when the BusinessWorks Engine cancels a process instance execution. A process instance can be canceled when one of the following occurs: The invoke activity (in the parent process) that called this process instance is timed out, the application is stopped non-gracefully, or the process instance is explicitly canceled through an internal management interface.
TIBC O- BW- COR E- 40010 2	Unable to close the file [{0}] configured for the initial value of the {1} [{2}] in the BW Module [{3}:{4}], DeploymentUnit [{5}:{6}]; encountered an exception [{7}].	The BWEngine was unable to close the file that contains initial values for the Module or Job Shared variables. This error occurred when attempting to close the file, but after reading the file contents.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 40020 2	The BW Component [{0}:{1}] is already in destroyed state.	The BW framework is attempting to destroy the BW Component that is already in a destroyed state. The resolution is not applicable.
TIBC O- BW- COR E- 50000 1	{0}	This error code is used to log BWEngine errors. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50001 0	Failed to initialize BWEngine due to an exception [{0}]	The BWEngine did not successfully initialize, and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50001 1	Failed to initialize BWEngine due to database access error	The BWEngine was not able to establish a connection or access the engine database instance. Ensure that the database driver, connection, username, and password details are correctly specified. Also ensure that a database instance has been started.
TIBC O-	Failed to initialize BWEngine due to engine group connection	The BWEngine failed to establish connection with the engine group connection provider.

Error Code s	Error Message	Error Resolution
BW-COR-E-500012	provider error	Ensure that the group connection provider entity (bw.engine.groupProvider.technology) specified in the BWAppNode or BW AppSpace configuration file has been started and accessible to the BWEngine.
TIBC-O-BW-COR-E-500013	Failed to initialize BWEngine due to database schema configuration error. The BWEngine database does not contain the required tables. Ensure that the BWEngine database has been created with the table schemas required by the engine	The BWEngine was not able to initialize due to the engine database schema configuration error. Create a new engine database using the database scripts provided in the TIBCO BusinessWorks product and this configures the database with the appropriate schemas required by the engine.
TIBC-O-BW-COR-E-500014	Failed to initialize BWEngine due to missing or incorrect engine database configuration data. The BWEngine persistence mode property [{0}] is set to [datastore] and this option requires valid engine database configuration data	The BWEngine is configured to execute in persistence mode "datastore". However, the required database configuration data was not specified. Ensure that the BWEngine is configured with the required database connection details.
TIBC-O-BW-COR-E-500015	Failed to initialize BWEngine due to missing or incorrect engine database configuration data. The BWEngine persistence mode property [{0}] is set to [group] and this option requires valid engine database configuration data	The BWEngine is configured to execute in persistence mode "group". However, the required database configuration data was not specified. Ensure that the BWEngine is configured with the required database connection details.
TIBC-O-BW-	Failed to initialize BWEngine due to an incompatible engine group name. The group name [{0}]	This error can occur when the BWEngine is configured to use a group name that does not

Error Code s	Error Message	Error Resolution
COR	configured for the BWEngine	match the group name in the engine database.
E-	does not match the group name	To resolve these issues, change the engine group name to match the group name in the engine database, use a different engine database that contains the matching engine group name or create a new engine database.
50001	value in the BWEngine database.	Furthermore, if the group name is not specified, the BWEngine uses a default group name.
6	Try using a different engine database or change the engine group name to match the value in the database	Refer to the documentation for more details on the naming convention used for the default engine group name.
TIBC	Failed to initialize BWEngine due	This error can occur if the engine database was previously used by a BWEngine configured to execute in persistence mode 'datastore' (bw.engine.persistenceMode=datastore).
O-	to incompatible persistence mode	When a BWEngine uses the database for the first time, the database is updated with the engine execution persistence mode. Subsequently the persistence mode value stored in the database cannot be altered and the same database cannot be used for different engine persistence mode.
BW-	between the engine and the	To resolve this issue, ensure the engine and the database persistence mode match or create a new database using the database scripts provided by the TIBCO BusinessWorks product.
COR	engine database. This error can	
E-	occur if the BWEngine is	
50001	configured to execute in the	
7	persistence mode [group].	
However,	the BWEngine	
database	is configured for the	
persistence	mode [datastore]. Try	
mode	using a different database or use	
[group]	a database that is configured for	
the persistence	mode [group]	
TIBC	Failed to initialize BWEngine due	This error can occur if the engine database
O-		

Error Code s	Error Message	Error Resolution
BW-COR-E-500018	<p>to incompatible persistence mode between the engine and the engine database. This error can occur if the BWEngine is configured to execute in persistence mode [datastore]. However, the engine database is configured for the persistence mode [group]. Try using a database that is configured for the persistence mode [datastore] or create a new engine database</p>	<p>was previously used by a BWEngine configured to execute in persistence mode 'group' (bw.engine.persistenceMode=group). When a BWEngine uses the database for the first time, the database is updated with the engine execution persistence mode. Subsequently the persistence mode value stored in the database cannot be altered and the same database cannot be used for different engine persistence mode. To resolve this issue, ensure the engine and the database persistence mode match or create a new database using the database scripts provided by the TIBCO BusinessWorks product.</p>
TIBC-O-BW-COR-E-500019	<p>Failed to initialize BWEngine due to missing or incorrect group connection provider configuration data. The BWEngine persistence mode property [{0}] is set to [group] and this option requires valid engine group connection provider configuration data.</p>	<p>This error can occur if the BWEngine is configured to execute in persistence mode [group] and the engine is not correctly configured with the group connection provider data. Ensure that the BWEngine is configured with the required group connection provider details.</p>
TIBC-O-BW-COR-E-500020	<p>Failed to initialize BWEngine due to an incorrect engine group name. The BWEngine persistence mode property [{0}] is set to [group] and this option requires a valid engine group name specified via property [{1}].</p>	<p>This error can occur if the BWEngine is configured to execute in persistence mode [group] and an empty or invalid engine group name is specified. Ensure that the engine group name is not empty or contains a valid name.</p>
TIBC-O-	<p>Failed to initialize BWEngine. The BWEngine thread count value is</p>	<p>Ensure that the BWEngine thread count is not configured to be empty or null.</p>

Error Code s	Error Message	Error Resolution
BW-COR-E-50002 1	configured incorrectly. Ensure that the thread count value is set to an integer that is greater than zero	Furthermore, the thread count value must be an integer that is greater than zero.
TIBC-O-BW-COR-E-50002 2	Failed to initialize BWEngine. The BWEngine step count value is configured incorrectly. Ensure that the step count value is set to "-1" or an integer that is greater than zero	Ensure that the BWEngine step count is not configured to be empty or null. Furthermore, the step count value must be "-1" or an integer that is greater than zero.
TIBC-O-BW-COR-E-50002 3	Failed to initialize BWEngine. The BWEngine property [{0}] contains the incorrect value [{1}]. Ensure that the value is an integer that is greater than one	Ensure that the specified BWEngine property is not configured to be empty or null. The value configured for this property must be an integer that is greater than zero.
TIBC-O-BW-COR-E-50002 4	Failed to initialize BWEngine. The BWEngine property [{0}] contains the incorrect value [{1}]. Ensure that the value is an integer that is greater than one.	Ensure that the specified BWEngine property is not configured to be empty or null. The value configured for this property must be an integer that is greater than zero.
TIBC-O-BW-COR-E-	Failed to initialize BWEngine. While creating SpringApplicationContext, the BWEngine encountered an exception: {0}.	This is an internal product error. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
50002 5	TIBC O- BW- COR E- 50002 6 The ProcessStarter or the Signalln activity has not been initialized or it is in the destroyed state. The EventSourceContext associated with the ProcessStarter or the Signalln activity is invalid.	A ProcessStarter or Signalln activity is attempting to perform an operation when it has not been initialized or it is in the destroyed state. This is considered to be a ProcessStarter or Signalln activity implementation error.
TIBC O- BW- COR E- 50002 7 Failed to initialize BWEngine due to an exception [{0}]. This error can occur if the BWEngine persistence mode is set to [{1}] and the same database configuration is used by multiple BWEngines. When a BWEngine is configured for the persistence mode [{2}], then each BWEngine must have a unique database configuration. This is applicable even if the BWEngines (BW AppNodes) are part of the same BW AppSpace		This error can be reported when multiple BWEngines configured for 'datastore' persistence mode are attempting to use the same database configuration. Ensure that a different database configuration is specified for each BWEngine when the persistence option is 'datastore'. This is also applicable when multiple BWEngines (BW AppNodes) are part of the same BW AppSpace.
TIBC O- BW- COR E- 50003 0	BWEngine stop operation encountered an exception [{0}]	An error was encountered when stopping the BWEngine. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC	BWEngine graceful stop	An error was encountered when attempting

Error Code s	Error Message	Error Resolution
O- BW- COR E- 50003 1	operation encountered an exception [{0}]	to stop the BWEngine gracefully. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50003 2	Exception occurred when accessing the custom XPATH functions associated with the BusinessWorks Engine. Exception={0}	Error was encountered when attempting to access the custom XPath function associated with the BWEngine. Contact TIBCO Support.
TIBC O- BW- COR E- 50003 3	Failed to enable the BW Debugger entity in the BWEngine due to an exception [{0}]	Error was encountered when attempting to enable the BW Debugger entity in the BWEngine. Contact TIBCO Support.
TIBC O- BW- COR E- 50003 4	BW Debugger connection failed, encountered an exception [{0}]	Ensure that a valid BW Debugger connection is provided when enabling the BW Debugger entity in the BWEngine.
TIBC O- BW- COR	Unable to enable Event Publisher in the BWEngine, encountered an exception [{0}]	Error was encountered when attempting to enable the Event Publisher in the BWEngine. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
E- 50003 5	TIBC O- BW- COR E- 50003 6	Attempt to disable the Event Publisher in the BWEngine, encountered an exception [{0}] Error was encountered when attempting to disable the Event Publisher in the BWEngine.
TIBC O- BW- COR E- 50003 7	However, the activity is attempting to associate a resource with a group. {2} An activity that is not inside a group is attempting to associate a resource with a group. This error can occur due to an activity implementation error.	Contact TIBCO Support.
TIBC O- BW- COR E- 50003 8	However, the activity is attempting to associate a resource with a loop. {2} An activity that is not inside a loop is attempting to associate a resource with a loop. This error can occur due to an activity implementation error.	
TIBC O- BW- COR E- 50003 9	Reference Binding configured for the process reference [{0}], in process [{1}], module [{2}] provided unsupported message data model [{3}]. The Reference Binding configured for the process provided an invalid message data model. This error can occur due to the Reference Binding implementation error.	

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50004 0	Invocation of the Process Reference's operation [{0}] failed. The BW Reference Binding [{1}] configured for the process reference [{2}] in process [{3}], module [{4}] returned fault [{5}].	This error indicates the Reference Binding configured for the process reference failed and returned a fault.
TIBC O- BW- COR E- 50004 1	Invalid activity name. The activity name [{0}] is not found in process [{1}], module [{2}:{3}], DeploymentUnit [{4}:{5}].	The error indicates that the specified activity name is not contained within the BW process. Ensure that a valid activity name is specified for this operation.
TIBC O- BW- COR E- 50004 2	The BW Debugger entity is already enabled in the BWEngine and it cannot be enabled again.	The BW Debugger entity in the BWEngine cannot be enabled again when it is already in an enabled state. It is only possible to disable the BW Debugger entity when it is in the enabled state.
TIBC O- BW- COR E- 50005 0	The BW process [{0}] instance faulted, JobId [{1}], ProcessInstanceId [{2}], ParentProcessInstanceId [{3}], Module [{4}:{5}], Application [{6}:{7}]. {8}	This error message indicates that the process instance did not complete successfully. Instead it ended due to an error that occurred during the execution of the process instance. For more details on the process instance failure, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC	Activity [{0}] fault. {1}	This message indicates the potential activity

Error Code s	Error Message	Error Resolution
O- BW- COR E- 50005 1		that raised the fault and caused the process instance to fail.
TIBC O- BW- COR E- 50005 2	Invoke activity [{0}] fault. {1}	This message indicates the potential invoke activity that raised the fault and caused the process instance to fail.
TIBC O- BW- COR E- 50005 3	XSLT transformation error. {0}	This message indicates that the cause of the failure could be due to an XSLT transformation error.
TIBC O- BW- COR E- 50005 4	Activity [{0}] XSLT transformation error. {1}	This message indicates that the cause of the failure could be due to an Activity XSLT transformation error.
TIBC O- BW- COR	XPATH error. {0}	This message indicates that the cause of the failure could be due to an XPATH error.

Error Code s	Error Message	Error Resolution
E- 50005 5	TIBC O- BW- COR E- 50005 6	Activity [{0}] XPATH error. {1} This message indicates that the cause of the failure could be due to an Activity XPATH error.
TIBC O- BW- COR E- 50005 7	XML related error. {0}	This message indicates that the cause of the failure could be due to an XML error.
TIBC O- BW- COR E- 50005 8	Activity [{0}] XML related error. {1}	This message indicates that the cause of the failure could be due to an Activity XML error.
TIBC O- BW- COR E- 50005 9	Reply activity [{0}] error. The reply activity cannot be associated with the ProcessService request message. This error can occur if the process is implemented to send a reply multiple times for the same request, the caller of this	This error message is reported when a process is implemented to execute more than one Reply activity for the same operation, the caller of this process (Service Binding, Parent Process) has ended before the Reply activity can be executed or on recovery from a check-point the Reply activity is executed but

Error Code s	Error Message	Error Resolution
	process is no longer available or on recovery from a check-point the caller did not recover because it was not part of the check-pointed job. {1}	the caller of this process did not recover because it was not part of the check-pointed job. Ensure that the process is not implemented to reply to the same request multiple times.
TIBC O- BW- COR E- 50006 0	The process instance terminated without replying to the caller of this process. {0}	This message is reported when a process instance terminates without replying to the request of a ProcessService operation. This can occur if the process is implemented incorrectly to end the process execution without performing a reply operation or when the process instance is canceled. Ensure that the process is implemented correctly and there is no validation errors.
TIBC O- BW- COR E- 50006 1	Reply activity [{0}] error. The reply activity [{1}] encountered an error on sending the response to the caller of this process. This error can occur if the caller of this process raised a fault when processing the reply message, the caller of this process is no longer available or on recovery from a check-point the caller did not recover because it was not part of the check-pointed job. {2}	This error message can be reported for the following reasons: the caller of this process (Service Binding, Parent Process) raised a fault when processing the reply message, the caller of this process is no longer available or on recovery from a check-point the caller of this process did not recover because it was not part of the check-pointed job.
TIBC O- BW- COR E- 50006	ProcessStarter or Signalln activity [{0}] fault. {1}	This message indicates the ProcessStarter or Signalln activity that generated the fault and caused the process instance to fail.

Error Code s	Error Message	Error Resolution
2	TIBC {0} O- BW- COR E- 50006 3	This message provides information for the process instance failure.
TIBC O- BW- COR E- 50006 4	Activity [{0}] error. {1}	This message indicates the potential activity that raised the fault and caused the process instance to fail.
TIBC O- BW- COR E- 50006 5	Throw activity [{0}] fault. Fault: {1}	This message indicates the name of the Throw activity that raised the fault and caused the process instance to fail.
TIBC O- BW- COR E- 50006 6	Invoke activity faulted due to an error from the invoked subprocess. {0}	<p>This message indicates that the Invoke activity failed due to an unexpected error received for the invoked subprocess. This error can occur if the subprocess terminated without replying, the subprocess faulted, the invoked subprocess does not exist, and so on.</p> <p>Ensure that the invoked subprocess is implemented correctly and confirms to the</p>

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50006 7	Activity [{0}] faulted due to an object serialization error. This error can occur if an object that must be serialized as part of the BusinessWorks process execution is not Serializable or the Java package that contains the class is not exported correctly. {1}	<p>invoked operation contract.</p> <p>This error can occur when the BWEngine is attempting to serialize a Java object to support the persistence feature such as a checkpoint and the object cannot be serialized.</p> <p>Ensure that the Java object is Serializable and the Java package that contains the class is exported.</p>
TIBC O- BW- COR E- 50006 8	Fault occurred due to an object serialization error. This error can occur if the Java class that must be serialized as part of the BusinessWorks process execution is not Serializable or the Java package that contains the class is not exported correctly. {0}	<p>This error can occur when the BWEngine is attempting to serialize a Java object to support the persistence feature such a checkpoint; however the Java object cannot be serialized. Ensure that the Java object is Serializable and the Java package that contains the class is exported.</p>
TIBC O- BW- COR E- 50008 9	Failed to confirm the request message from the receive activity [{0}], in process [{1}], module [{2}]; {3}], application [{4}:{5}]. This error can occur if the process is implemented to confirm multiple times for the same request message, the caller of this process is no longer available, on recovery from a check-point the caller did not recover because it was not part of the check-pointed job or the specified receive	<p>This error message can be reported for the following reasons: the process is implemented to execute more than one confirm activity for the same request, the caller of this process instance (Service Binding, Parent process) has terminated before the confirm activity can be executed or on recovery from a check-point the confirm activity is executed. However, the caller of this process did not recover because it was not part of the check-pointed job.</p> <p>Ensure that the process is not implemented to confirm the same request for multiple</p>

Error Code s	Error Message	Error Resolution
	activity name is incorrect.	times or the activity name configured in the confirm activity is correct.
TIBC O- BW- COR E- 50009 0	The reply operation [com.tibco.bw.runtime.EventContext.reply(..)] is not supported for the activity [{0}], in process [{1}], module [{2}:{3}], application [{4}]:{5}.	The operation [com.tibco.bw.runtime.EventContext.reply(..)] is not allowed for the specified activity and this is an implementation error.
TIBC O- BW- COR E- 50009 1	Invalid argument value. The BW application name cannot be null.	The BusinessWorks application specified for this operation cannot be null or empty. Ensure that a valid application name is specified for this operation.
TIBC O- BW- COR E- 50009 2	Unable to get BW Process instances information for the BW Application [{0}] due to an exception [{1}].	Error occurred when obtaining the process instance details for the specified BusinessWorks application.
TIBC O- BW- COR E- 50009 3	Unable to get BW Process instance information for the BW ProcessInstanceId [{0}] due to an exception [{1}].	Error occurred when obtaining the process instance details for the specified BusinessWorks ProcessInstanceId.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50009 4	Unable to get BW Process instance summary information for the BW ProcessIntanceld [{0}] due to an exception [{1}].	Error occurred when obtaining the process instance details for the specified BusinessWorks ProcessIntanceld.
TIBC O- BW- COR E- 50009 5	Failed to suspend the BW Process instance for the BW ProcessIntanceld [{0}] due to an exception [{1}].	Error occurred when attempting to suspend the process instance for the specified BusinessWorks ProcessIntanceld.
TIBC O- BW- COR E- 50009 6	Failed to resume the BW Process instance for the BW ProcessIntanceld [{0}] due to an exception [{1}].	Error occurred when attempting to resume the process instance for the specified BusinessWorks ProcessIntanceld.
TIBC O- BW- COR E- 50009 7	Failed to cancel the BW Process instance for the BW ProcessIntanceld [{0}] due to an exception [{1}].	Error occurred when attempting to cancel the process instance for the specified BusinessWorks ProcessIntanceld.
TIBC O- BW-	BWAppNode name [{0}] exceeds 250 characters and it is possible to create the internal engine alias	BWAppNode name exceeds 250 characters this is not possible to create a unique engine name.

Error Code s	Error Message	Error Resolution
COR E- 50009 8	name.	Ensure the AppNode name is fewer than 250 characters.
TIBC O- BW- COR E- 50010 2	Failed to install BW Module [{0}:{1}], DeploymentUnit [{2}:{3}]	<p>The BW Module did not get installed in the BWEngine, and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC O- BW- COR E- 50010 4	Encountered error(s) on release-resource operation for the BW Module [{0}:{1}], DeploymentUnit [{2}:{3}]	<p>The BWEngine encountered error(s) when releasing resources associated with the BW Module and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC O- BW- COR E- 50010 6	Encountered error(s) when undeploying the BW Module [{0}:{1}], DeploymentUnit [{2}:{3}]	<p>The BWEngine encountered error(s) when undeploying the BW Module and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC O- BW- COR E-	Failed to install BW Module [{0}:{1}], DeploymentUnit [{2}:{3}]. The module or a process is configured to utilize the BWEngine persistence feature. However, the	The BW Module or the process is using a persistence feature such as the checkpoint activity, module shared variable with persistence option, etc. However, the BWEngine persistence mode is not set

Error Code s	Error Message	Error Resolution
50011 0	BWEngine is not configured with a correct engine persistence mode. Ensure that the BWEngine is configured for the engine persistence mode [datastore] or [group] before installing this module.	appropriately for this feature. Ensure that the BWEngine persistence mode (bw.engine.persistenceMode) is set to "datastore" or "group" and the required engine database configuration is specified.
TIBC O- BW- COR E- 50011 2	Failed to start BW Module due to an activity start error. CausedBy	This error is reported when the BW Activity in the process fails to initialize and start. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50011 7	Unable to obtain SchemaComponentCache (Namespace={0}, Location={1}, BaseURI={2}) for BW Module [{3}: {4}] due to an exception [{5}]	Failed to obtain SchemaComponentCache for the schema required by the BW Module and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50011 8	Unable to add schema to SchemaComponentCache (Namespace={0}, Location={1}) due to an exception [{2}]	Failed to add a schema required by the BW Module to SchemaComponentCache and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW-	Unable to obtain WSDL ModuleCache (Namespace={0}, Location={1}) for BW Module [{2}]:	Failed to get the WSDL ModuleCache required by the BW Module.

Error Code s	Error Message	Error Resolution
COR E- 50011 9	{3}]. The WSDLCacheService operation [{4}] returned "null".	
TIBC O- BW- COR E- 50012 1	Unable to obtain WSDL ModuleCache (Namespace={0}, Location={1}) for BW Module [{2}]: {3}]. The WSDLCacheService operation [{4}] returned "null".	Failed to get the WSDL ModuleCache for the WSDL required by the BW Module.
TIBC O- BW- COR E- 50012 2	Unable to obtain WSDL ModuleCache (Namespace={0}, Location={1}) for BW Module [{2}]: {3}]. The WSDLCacheService operation [{4}] returned an exception [{5}]	Failed to get the WSDL ModuleCache for the WSDL required by the BW Module and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50012 3	Unable to resolve Schema (Namespace={0}, Location={1}, BaseURI={2}) for BW Module [{3}]: {4}]. The SchemaCacheService operation [{5}] returned "null".	Failed to resolve the schema required by the BW Module. Ensure that the schema is valid, the schemas imported/referenced by this schema are valid, the schemaLocation of the schemas imported by this schema is valid.
TIBC O- BW- COR E- 50013	Invalid or empty file name is specified for the initial value of the {0} [{1}] in BW Module [{2}:{3}], DeploymentUnit [{4}:{5}].	The module shared variable or the job shared variable contains an incorrect value or is empty. Ensure that the module or the job shared variable has been initialized or assigned with a correct value.

Error Code s	Error Message	Error Resolution	
1	TIBC O- BW- COR E- 50013	The file [{0}] configured for the initial value of the {1} [{2}] is not found in BW Module [{3}:{4}], DeploymentUnit [{5}:{6}].	The module shared variable or the job shared variable has been initialized with a file URL that is not found in the BW Module. Ensure that the specified file name is valid or the file is contained within the BW Module.
2	TIBC O- BW- COR E- 50013	Unable to access the file [{0}] configured for the initial value of the {1} [{2}] in BW Module [{3}:{4}], DeploymentUnit [{5}:{6}]; encountered an exception [{7}].	Failed to access the file specified in the module or job shared variable and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
3	TIBC O- BW- COR E- 50013	Unable to open the file [{0}] configured for the initial value of the {1} [{2}] in BW Module [{3}:{4}], DeploymentUnit [{5}:{6}]; encountered an exception [{7}].	Failed to open the file specified in the module or job shared variable and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
4	TIBC O- BW- COR E- 50013	Unable to read the file [{0}] configured for the initial value of the {1} [{2}] in BW Module [{3}:{4}], DeploymentUnit [{5}:{6}]; encountered an exception [{7}].	Failed to read the file specified in the module or job shared variable and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
5	TIBC	The contents of the file [{0}]	Ensure that the file specified for the module

Error Code s	Error Message	Error Resolution
O- BW- COR E- 50013 6	configured for the initial value of the {1} [{2}] in BW Module [{3}:{4}], DeploymentUnit [{5}:{6}] is empty.	or job shared variable is not empty.
TIBC O- BW- COR E- 50014 1	Invalid BW Module property. The module property [{0}] is not defined in the BW Module [{1}:{2}], DeploymentUnit [{3}:{4}]. Therefore the XPath function "getModuleProperty({5})" contained in the XSLT is not able to resolve this module property.	Ensure that the module property is correctly defined in the BW Module.
TIBC O- BW- COR E- 50014 2	Unable to resolve the BW Module property [{0}] defined in the BW Module [{1}:{2}], DeploymentUnit [{3}:{4}] via the XPath function "getModuleProperty({5})" contained in the XSLT. Encountered an exception [{6}].	Ensure that the module property is correctly defined in the BW Module.
TIBC O- BW- COR E- 50014 3	Failed to create a Binding ReferenceEndpoint for the process reference [{0}] in process [{1}], module [{2}:{3}], DeploymentUnit [{4}:{5}]; encountered an exception [{6}]	Encountered errors when creating the binding endpoint for the BW process reference and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O-	Failed to obtain module properties for the module [{0}:{1}],	BW framework layer encountered errors when accessing module properties for the

Error Code s	Error Message	Error Resolution
BW-COR-E-50014 4	DeploymentUnit [{2}:{3}]; encountered an exception [{4}]	specified BW Module. Contact TIBCO Support.
TIBC-O-BW-COR-E-50014 5	Unable to obtain WSDL Interface details for the PortType [{0}], that is associated with the BW Module [{1}:{2}]. Encountered an exception [{3}]	Error occurred when attempting to obtain WSDL details for the specified PortType, and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC-O-BW-COR-E-50020 2	Failed to install BW Component [{0}], Application [{1}:{2}]	The BW Component did not get installed in the BWEngine, and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC-O-BW-COR-E-50020 3	Failed to install BW Component [{0}], Application [{1}:{2}]. The application is configured with the Job PageThreshold property [bw.application.job.pageThreshold.*]. However, the BWEngine is not configured with a correct engine persistence mode. Ensure that the BWEngine is configured for the engine persistence mode [datastore] or [group] before installing this application.	The BusinessWorks application or the component in the application is configured to use the Job PageThreshold property [bw.application.job.pageThreshold.*] and this requires the BWEngine to be configured for the "datastore" or "group" persistence mode. Stop the BusinessWorks AppSpace, configure the BWEngine for the engine persistence mode [datastore] or [group] and restart the AppSpace before installing the application.

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50021 0	Encountered error(s) on release-resource operation for the BW Component [{0}], Application [{1}:{2}]	Error occurred when releasing the resources associated with the BW Component, and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50021 1	Encountered error(s) when undeploying the BW Component [{0}], Application [{1}:{2}]	Error occurred when undeploying the BW Component and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50021 2	Failed to initialize BW Component [{0}], Application [{1}:{2}]	Error occurred when initializing the BW Component and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50021 3	Failed to initialize BW Component [{0}], Application [{1}:{2}] due to activity creation error	Error occurred when creating an instance of an activity that is associated with the BW Component; therefore the BW Component cannot be initialized. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O-	Failed to initialize BW Component [{0}], Application [{1}:{2}] due to	There is a configuration error in the activity or resource that is associated with the BW

Error Code s	Error Message	Error Resolution
BW-COR-E-500214	activity or resource configuration error	Component; therefore the BW Component cannot be initialized. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC-O-BW-COR-E-500230	Failed to initialize BW Component [{0}], Application [{1}:{2}] due to activity implementation error	There are implementation errors in the activity that is associated with the BW Component; therefore the BW Component cannot be initialized. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC-O-BW-COR-E-500232	Failed to initialize BW Component [{0}], Application [{1}:{2}] due to activity initialization error	Error occurred when initializing an activity that is associated with the BW Component; therefore the BW Component cannot be initialized. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC-O-BW-COR-E-500238	Encountered error when destroying the BW Component [{0}]	Error occurred when destroying or deleting the BW Component and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC-O-	Encountered errors when destroying the BW Component	Error occurred when destroying or deleting the BW Component and this could be due to

Error Code s	Error Message	Error Resolution
BW-CORE-50024 0	[{0}]	<p>many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC-O-BW-CORE-E-50024 2	Failed to start BW Component [{0}], Application [{1}:{2}]	<p>Error occurred when starting the BW Component and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC-O-BW-CORE-E-50024 6	Encountered error(s) when stopping the BW Component [{0}], Application [{1}:{2}]	<p>Error occurred when stopping the BW Component and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC-O-BW-CORE-E-50024 8	Encountered error(s) when starting the ProcessStarter associated with the BW Component [{0}], Application [{1}:{2}]	<p>Error occurred when starting the ProcessStarter activity that is associated with the BW Component.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC-O-BW-CORE-E-8	Encountered error(s) when stopping the ProcessStarter associated with the BW Component [{0}], Application [{1}:{2}]	<p>Error occurred when stopping the ProcessStarter activity that is associated with the BW Component.</p> <p>For more details, refer to the additional exception message or the "CausedBy"</p>

Error Code s	Error Message	Error Resolution
50025 0		statements reported as part of this error message.
TIBC O- BW- COR E- 50025 2	Failed to start ServiceBinding [{0}] for the BW Component [{1}], Application [{2}:{3}] due to ServiceBinding lifecycle error	Error occurred when starting the ServiceBinding that is associated with the BW Component. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50025 4	Unable to stop ServiceBinding [{0}] for the BW Component [{1}], Application [{2}:{3}] due to ServiceBinding lifecycle error	Error occurred when stopping the ServiceBinding that is associated with the BW Component. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50025 6	The job flow limit property [{0}] for the application or the component is configured incorrectly. Ensure that the job flow limit property value is set to an integer that is greater than zero.	The BW application or component's job flow limit property is configured with an incorrect value. The job flow limit property value must be an integer that is greater than zero.
TIBC O- BW- COR E- 50025 8	The job priority property [{0}] for the application or the component is configured incorrectly. Ensure that the job priority property value is set to "low", "normal" or "high".	The BW application or component's job priority property is configured with an incorrect value. The job priority property can only be configured with the string value "low", "normal" or "high".

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50026 2	The property to enable activity input validation for the application or the component is configured incorrectly. Ensure properties that are prefixed with [{0}] are set with a value "true" or "false".	The property that is used to determine the enabling of the activity output validation for the application or the component is configured with an incorrect value. This property can only be configured with the string value "true" or "false".
TIBC O- BW- COR E- 50026 4	The property to enable activity output validation for the application or the component is configured incorrectly. Ensure properties that are prefixed with [{0}] are set with a value "true" or "false".	The resolution is not applicable. Contact TIBCO Support.
TIBC O- BW- COR E- 50026 5	The property that specifies the async activity default wait time is configured incorrectly. Ensure that the property [{0}] or the properties prefixed with [{1}] are configured with a zero or positive numeric value	The property that specifies the default wait time (timeout) value for an asynchronous activity is configured incorrectly. The value for this property must be a zero or positive number. This property can be configured through the Administrator or through the AppSpace/AppNode configuration file 'config.ini'
TIBC O- BW- COR E- 50030 2	Failed to start BW Application [{0}] due to an exception [{1}]	The BW application did not start and this could be due to many reasons. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O-	Failed to start BW Application [{0}]: {1} due to an activity error	Error occurred in an activity that is associated with the BW Application. Therefore the BW

Error Code s	Error Message	Error Resolution
BW- COR E- 50030 4		<p>Application did not start.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC O- BW- COR E- 50030 6	<p>Encountered error when attempting to stop BW Application [{0}:{1}] gracefully</p>	<p>Error occurred when attempting to stop the BW application gracefully and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC O- BW- COR E- 50030 7	<p>The BW Application [{0}:{1}] is already in stopping state. Unable to perform operation "stopApplicationGraceful"</p>	<p>The BW Application is already in a stopped state; therefore it cannot be stopped again.</p>
TIBC O- BW- COR E- 50030 8	<p>Encountered error when attempting to stop BW Application [{0}:{1}]</p>	<p>Error occurred when attempting to stop the BW Application and this could be due to many reasons.</p> <p>For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.</p>
TIBC O- BW- COR E-	<p>Encountered errors when attempting to stop BW Application [{0}:{1}]</p>	<p>The resolution is not applicable. Contact TIBCO Support.</p>

Error Code s	Error Message	Error Resolution	
50031 0	TIBC O- BW- COR E- 50031 2	Unable to start ServiceBinding(s) or ProcessStarter(s) associated with the BW Application [{0}:{1}]	Error occurred when attempting to start the ServiceBinding(s) or ProcessStarter(s) activity that is associated with the BW Application. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50031 4	Unable to stop ServiceBinding(s) or ProcessStarter(s) associated with the BW Application [{0}:{1}]	Error occurred when attempting to stop the ServiceBinding(s) or ProcessStarter(s) activity that is associated with the BW Application. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.	
TIBC O- BW- COR E- 50031 6	Encountered error when attempting to pause BW Application [{0}:{1}] job(s)	Error occurred when attempting to resume the BW Application. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.	
TIBC O- BW- COR E- 50031 8	Encountered error when attempting to resume BW Application [{0}:{1}] job(s)	The resolution is not applicable. Contact TIBCO Support.	

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50040 2	Failed to create the ProcessStarter activity [{0}] in process [{1}], module [{2}] due to an exception [{3}]	Error occurred when attempting to create an instance of the ProcessStarter activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50040 4	Failed to create the ProcessStarter activity [{0}] in process [{1}], module [{2}] due to an unexpected exception [{3}]	An unexpected error occurred when attempting to create an instance of the ProcessStarter activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50040 6	Failed to initialize the ProcessStarter activity [{0}] in process [{1}], module [{2}] due to activity lifecycle error	Error occurred when attempting to initialize an instance of the ProcessStarter activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50040 8	Failed to initialize the ProcessStarter activity [{0}] in process [{1}], module [{2}] due to an unexpected activity lifecycle error	An unexpected error occurred when attempting to initialize an instance of the ProcessStarter activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW-	Failed to start the ProcessStarter activity [{0}] in process [{1}], module [{2}] due to activity	Error occurred when attempting to start the ProcessStarter activity in a process. For more details, refer to the additional exception

Error Code s	Error Message	Error Resolution
COR E- 50041 0	lifecycle error	message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50041 2	Failed to start the ProcessStarter activity [{0}] in process [{1}], module [{2}] due to an unexpected activity lifecycle error	An unexpected error occurred when attempting to start the ProcessStarter activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50041 4	The stop operation for the ProcessStarter activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	An unexpected error occurred when attempting to stop the ProcessStarter activity in a process. The ProcessStarter activity stop operation "com.tibco.bw.runtime.EventSource.stop()" failed and returned an unexpected exception. The ProcessStarter stop operation must not raise a fault and it is considered to be a ProcessStarter activity implementation error.
TIBC O- BW- COR E- 50041 6	The destroy operation for the ProcessStarter activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	An unexpected error occurred when attempting to destroy the ProcessStarter activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR	The release operation for the ProcessStarter activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception	An unexpected error occurred when attempting to release resources for the ProcessStarter activity in a process. For more details, refer to the additional exception

Error Code s	Error Message	Error Resolution
E- 50041 8	[{3}]	message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50042 0	Failed to process the event from the ProcessStarter activity [{0}]	BWEngine failed to process the new events from the ProcessStarter activity. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50042 2	Failed to execute event from the ProcessStarter activity due to activity output data validation error. The output data from ProcessStarter activity [{0}] does not conform to the ProcessStarter activity output schema. Validation error details: {1}.	This error message is reported when the output data generated by the ProcessStarter activity does not comply with the output schema of the ProcessStarter activity. This error can occur if the ProcessStarter activity is not implemented correctly to generate the valid output data.
TIBC O- BW- COR E- 50042 4	The BWEngine is unable to accept new events from the ProcessStarter activity [{0}], in process [{1}], module [{2}] since the ProcessStarter is in the stopped state. When the ProcessStarter is in the stopped state, the BWEngine will not accept new events.	The ProcessStarter generated new events when it is in the stopped state. A ProcessStarter must not generate new events during the stopped state and it is considered as a ProcessStarter activity implementation error. The ProcessStarter is in the stopped state once the BWEngine invokes the ProcessStarter operation "com.tibco.bw.runtime.EventSource.stop" or before the invocation of the ProcessStarter operation "com.tibco.bw.runtime.EventSource.start".
TIBC	Failed to create the Signalln	Error occurred when attempting to create an

Error Code s	Error Message	Error Resolution
O- BW- COR E- 50050 2	activity [{0}] in process [{1}], module [{2}] due to an exception [{3}]	instance of the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50050 4	Failed to create the Signalln activity [{0}] in process [{1}], module [{2}] due to an unexpected exception [{3}]	An unexpected error occurred when attempting to create an instance of the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50050 6	Failed to initialize the Signalln activity [{0}] in process [{1}], module [{2}] due to activity lifecycle error	Error occurred when attempting to initialize an instance of the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50050 8	Failed to initialize the Signalln activity [{0}] in process [{1}], module [{2}] due to an unexpected activity lifecycle error	An unexpected error occurred when attempting to initialize an instance of the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR	Failed to start the Signalln activity [{0}] in process [{1}], module [{2}] due to activity lifecycle error	Error occurred when attempting to start the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements

Error Code s	Error Message	Error Resolution
E- 50051 0		reported as part of this error message.
TIBC O- BW- COR E- 50051 2	Failed to start the Signalln activity [{0}] in process [{1}], module [{2}] due to an unexpected activity lifecycle error	An unexpected error occurred when attempting to start the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50051 4	The stop operation for the Signalln activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	An unexpected error occurred when attempting to stop the Signalln activity in a process. The Signalln activity stop operation "com.tibco.bw.runtime.EventSource.stop()" failed and returned an unexpected exception. The Signalln stop operation must not raise a fault and it is considered to be a Signalln activity implementation error.
TIBC O- BW- COR E- 50051 6	The destroy operation for the Signalln activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	An unexpected error occurred when attempting to destroy the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50051	The release operation for the Signalln activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	An unexpected error occurred when attempting to release a resource for the Signalln activity in a process. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.

Error Code s	Error Message	Error Resolution
8	TIBC O- BW- COR E- 50052 0	Failed to process the event from the Signalln activity [{0}] BWEngine failed to process the new events from the Signalln activity. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
2	TIBC O- BW- COR E- 50052 2	Failed to execute event from the Signalln activity due to activity output data validation error. The output data from Signalln activity [{0}] does not conform to the Signalln activity output schema. Validation error details: {1}
4	TIBC O- BW- COR E- 50052 4	Signalln activity event error. The method [{0}] is not supported for the BW Signalln activity. SignallnActivityName={1}, ProcessName={2}
6	TIBC O- BW- COR E- 50052 6	The Signalln activity [{0}] in process [{1}], module [{2}:{3}], application [{4}:{5}] generated fault [{6}]. {7}
TIBC	While stopping the BWEngine or	When the BWEngine or the application is in

Error Code s	Error Message	Error Resolution
O- BW- COR E- 50052 8	application, the Signalln activity [{0}] in process [{1}], module [{2}]: [{3}], application [{4}];{5} generated fault [{6}]. {7}	the process of being stopped, the Signalln activity generated a fault event.
TIBC O- BW- COR E- 50053 0	The BWEngine is unable to accept new events from Signalln activity [{0}], in process [{1}], module [{2}] since this Signalln is in the stopped state. The Signalln is considered to be in stopped state after the BWEngine has invoked of the operation "com.tibco.bw.runtime.EventSource.stop" or before the invocation of the operation "com.tibco.bw.runtime.EventSource.start". When the Signalln is in a stopped state, the BWEngine will not accept new events	A Signalln activity must not generate new events when it is in a stopped state and it is considered to be a Signalln activity implementation error.
TIBC O- BW- COR E- 50060 2	The model or the runtime class for the activity [{0}] in process [{1}], module [{2}] is implemented incorrectly. The activity model class [{3}] does not contain the configuration property [{4}] as defined in the annotation for the member variable [{5}] declared in the activity runtime class [{6}].	This error message is generated if the BW activity is not implemented correctly. Ensure that the BW activity model class contains the required attribute or property.
TIBC O-	The model or the runtime class for the activity [{0}] in process [{1}],	The resolution is not applicable. Contact TIBCO Support.

Error Code s	Error Message	Error Resolution
BW-COR-E-50060-3	module [{2}] is implemented incorrectly. The activity model [{3}] does not contain the attribute [{4}] as defined in the annotation for the member variable [{5}] declared in the activity runtime class [{6}]. The attribute must be one of the following that is specified in the activity model [{7}]	
TIBC-O-BW-COR-E-50060-4	The model or runtime class for the activity [{0}] in process [{1}], module [{2}] is implemented incorrectly. The activity model class [{3}] associated with the activity runtime class [{4}] has a configuration property, which is of unsupported data type. The activity configuration property data type [{5}] is not supported.	This error message is generated if the BW activity is not implemented correctly. Ensure that the BW activity model class contains the property of a supported data type.
TIBC-O-BW-COR-E-50060-5	The model or runtime class for the activity [{0}] in process [{1}], module [{2}] is implemented incorrectly. Unable to set member variable [{3}] declared in the activity runtime class [{4}]. Encountered an exception [{5}].	This error message is generated if the BW activity is not implemented correctly. Ensure that the BW activity runtime class member variable is defined correctly.
TIBC-O-BW-COR-E-	The resource specified for the process property [{0}] in process [{1}], module [{2}] is not available in the runtime environment. This process property is used by the	A resource assigned to the process property is not accessible or resolvable at runtime. Ensure that the process property is configured correctly and the required resource is resolvable at runtime.

Error Code s	Error Message	Error Resolution
50060 6	activity [{3}] in process [{4}]. Ensure that the resource is configured and installed correctly.	
TIBC O- BW- COR E- 50060 7	The process property [{0}] in process [{1}], module [{2}] has an incorrect value [{3}]. This process property is used by the activity [{4}] in process [{5}]. For DateTime, ensure that the value has the format [{6}].	The process property is configured with an incorrect value. Ensure that the process property is configured correctly, specially for a DateTime data type.
TIBC O- BW- COR E- 50060 8	The resource obtained from the framework for the process property [{0}] in process [{1}], module [{2}] is not compatible with the data type of the process property. Encountered an exception [{3}].	The value assigned to the process property did resolve to the data type excepted by the process property. Ensure that the process property contains the correct value or the module property assigned to the process property contains the correct value.
TIBC O- BW- COR E- 50061 0	One or more required fields of the activity [{0}] in process [{1}], module [{2}] is not configured correctly. Ensure that the required fields of the activity contain valid data.	The activity is not configured correctly. Ensure that all the required fields for the activity at design time are populated correctly.
TIBC O- BW- COR E- 50061	Failed to create the activity [{0}] in process [{1}], module [{2}] due to an exception [{3}]	An unexpected error occurred when attempting to create an instance of an activity. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.

Error Code s	Error Message	Error Resolution	
2	TIBC O- BW- COR E- 50061 4	Failed to create the activity [{0}] in process [{1}], module [{2}] due to an unexpected exception [{3}]	The resolution is not applicable. Contact TIBCO Support.
5	TIBC O- BW- COR E- 50061	Failed to initialize the activity [{0}] in process [{1}], module [{2}] due to activity lifecycle error	Error occurred when attempting to initialize an instance of an activity. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
6	TIBC O- BW- COR E- 50061 8	Failed to initialize the activity [{0}] in process [{1}], module [{2}] due to an unexpected activity lifecycle error	An unexpected error occurred when attempting to initialize an instance of an activity. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
7	TIBC O- BW- COR E- 50062 0	The execute operation for the activity [{0}] in process [{1}] failed with an unexpected exception [{2}]	The activity execution failed and raised an unexpected exception. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
8	TIBC	The post-execute operation for	The post-execute operation for an

Error Code s	Error Message	Error Resolution
O- BW- COR E- 50062 2	the asynchronous activity [{0}] in process [{1}] failed with an unexpected exception [{2}]	asynchronous activity failed and raised an unexpected exception. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50062 4	The cancel operation for the activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	The cancel operation for an asynchronous activity failed and raised an unexpected exception. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50062 6	BWEngine was unable to execute the cancel operation for the activity [{1}] in process [{2}], module [{3}] due to an exception [{4}]	BWEngine encountered an error when attempting to execute the cancel operation for the activity. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50062 8	The destroy operation for the activity [{0}] in process [{1}], module [{2}] failed with an unexpected exception [{3}]	The Destroy operation for an activity failed and raised an unexpected exception. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR	The process property [{0}] is not defined in the BW Process [{1}]	Unable to resolve the specified process property. Ensure that this process property is correctly defined in the BW Process.

Error Code s	Error Message	Error Resolution
E- 50063 0	TIBC O- BW- COR E- 50063 1	The process property [{0}] has not been registered with the activity context or the event source context. The specified process property has not been correctly registered with the activity context. This error can occur if the BW activity is not implemented correctly to register the process property via the method [com.tibco.bw.runtime.ActivityContext.registerProcessProperty].
TIBC O- BW- COR E- 50063 2	Failed to resolve the process property [{0}] from the BW Process [{1}]	Failed to resolve the specified process property. Ensure that the specified process property is defined in the process. For more details, refer to the additional exception message in the cause.
TIBC O- BW- COR E- 50063 3	The module property [{0}] is not defined in the BW Module [{1}:{2}]	Unable to resolve the specified module property. Ensure that this module property is correctly defined in the BW Module.
TIBC O- BW- COR E- 50063 4	The module property [{0}] has not been registered with the activity context or the event source context.	The specified module property has not been correctly registered with the activity context. This error can occur if the BW activity is not implemented correctly to register the module property via the method [com.tibco.bw.runtime.ActivityContext.registerModuleProperty].

Error Code s	Error Message	Error Resolution
TIBC O- BW- COR E- 50063 5	Failed to resolve module property [{0}] from the BW Module [{1}:{2}]	Failed to resolve the specified module property. Ensure that the specified module property is defined in the module. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50063 6	Activity [{0}] timed out.	The activity wait or execution time has exceeded the timeout value specified for the activity.
TIBC O- BW- COR E- 50063 7	Checkpoint activity [{0}] detected a duplicate key.	The resolution is not applicable. Contact TIBCO Support.
TIBC O- BW- COR E- 50063 8	Activity input data validation error. The input data for activity [{0}] in process [{1}], module [{2}] does not conform to the activity input schema. {3} {4}	This error message is reported when the data that is provided as an input to the activity does not comply with the input schema of the activity. This error can occur if the previous activity in the process generated incorrect data or the activity input XSLT transformation generated data that does not comply with the input schema of the activity.
TIBC O-	Activity output data validation error. The output data from	This error message is reported when the output data generated by the activity does

Error Code s	Error Message	Error Resolution
BW-COR-E-500640	activity [{0}] in process [{1}], module [{2}] does not conform to the activity output schema. {3} {4}	not comply with the output schema of the activity. Some activities can generate in-compliant output if it receives incorrect data from the external entity it is interacting. In these scenarios, ensure that the external entity provides or returns the correct data excepted by the activity.
TIBC-O-BW-COR-E-500641	Activity input/output data validation error. The input/output data for activity [{0}] in process [{1}], module [{2}] does not conform to the activity input/output schema. {3} {4}	This error message is reported when the data that is provided as an input to the activity or the output data generated by the activity does not comply with the output schema of the activity.
TIBC-O-BW-COR-E-500642	Unable to obtain activity input data. The BWEngine has not been initialized or started.	This error message is reported when an entity such as the event subscriber attempts to obtain an activity input data before the BWEngine has been initialized or started. Ensure that the BWEngine has started before performing this operation.
TIBC-O-BW-COR-E-500643	Unable to obtain activity input data. The specified ActivityEvent object is invalid. The ActivityEvent cannot be null.	This error message is reported when an entity such as the event subscriber attempts to obtain an activity input data; however the specified ActivityEvent (com.tibco.bw.runtime.event.ActivityAuditEvent) object is invalid or null. Ensure that the ActivityEvent object is valid.
TIBC-O-BW-	Unable to obtain activity input data due to an exception [{0}]	Unexpected error occurred when an entity such as the event subscriber is attempting to obtain activity input data. For more details,

Error Code s	Error Message	Error Resolution
COR E- 50064 4		refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50064 5	Unable to obtain activity output data. The BWEngine has not been initialized or started.	This error message is reported when an entity such as the event subscriber attempts to obtain an activity output data before the BWEngine has been initialized or started. Ensure that the BWEngine has started before performing this operation.
TIBC O- BW- COR E- 50064 6	Unable to obtain activity output data. The specified ActivityEvent object is invalid. The ActivityEvent cannot be null.	This error message is reported when an entity such as the event subscriber attempts to obtain an activity output data; however the specified ActivityEvent (com.tibco.bw.runtime.event.ActivityAuditEvent) object is invalid or null. Ensure that the ActivityEvent object is valid.
TIBC O- BW- COR E- 50064 7	Unable to obtain activity output data due to an exception [{0}]	Unexpected error occurred when an entity such as the event subscriber is attempting to obtain activity output data. For more details, refer to the additional exception message or the "CausedBy" statements reported as part of this error message.
TIBC O- BW- COR E- 50064	Unable to obtain XPath functions associated with the BusinessWorks Activity, encountered an exception [{0}]	Error was encountered when attempting to obtain the list of XPath functions associated with the BW Activity.

Error Code s	Error Message	Error Resolution
8		
TIBC O- BW- COR E- 50070 5	Unable to find process information for process [{0}] in module ModuleName={1}, ModuleVersion={2}.	BWEngine is not able to obtain process information for the specified BW process. Ensure that the BW Module contains the required process.

List of Process Engine Error Codes

This topic lists the error codes generated by the ActiveMatrix BusinessWorks Engine and details of the corresponding errors.

Process Engine Error Codes

Error Code	Message Name	Description	Comments
BX- 100001	INVALID_ BRANCH_ CONDITION_ EXCEPTION	Branches are greater than number of iterations	In a multiple instance loop, the number of branches are greater than the number of iterations.
BX- 100002	INVALID_ EXPRESSION_ VALUE_ EXCEPTION	Invalid expression value: {0} {1}	Expression returned an invalid value. See message for details.
BX- 100003	INVALID_ VARIABLES_ EXCEPTION	Invalid variables: {variables}	The "validate" part of the <assign> activity fails, that is, one of the variables is invalid against its corresponding

Error Code	Message Name	Description	Comments
XML definition.			
BX-120001	ACTIVITY_JAVA_BUNDLE_NOT_FOUND	Bundle [{bundle}] not found	Java bundle not found.
BX-200001	UNEXPECTED_STATE	Unexpected State: {state}	Unexpected process state. Refer to the message for more information.
BX-200002	PARSE_EXCEPTION	Parsing Error: {error}	Parsing error occurred. Refer to the error for more information.
BX-200003	VARIABLE_NOT_FOUND_EXCEPTION	Variable {variableName} not found	Unable to find the variable.
BX-200004	UNEXPECTED_PREDECESSOR_STATE	Unexpected predecessor state: {state}	The predecessor task is in an unexpected state.
BX-200006	ASSERTION_ERROR	Assertion error @ {linkName}	Assertion error (debugger)
BX-200007	EXCEPTION_HANDLING_EXCEPTION	Exception handling exception.	Task encountered an exception when handling a fault or an unhandled exception. See cause for details.
BX-200008	NON_SERIALIZABLE_EXCEPTION	{exception}	This is not thrown but rather included in the exception if the cause could not be serialized.
BX-	SQL_	SQL Exception: ErrorCode	SQL exception occurred. For

Error Code	Message Name	Description	Comments
300001	EXCEPTION	= {errorCode}, SQLState = {sqlState}, Message = {message}.	more information, see the error code, SQL state, and message.
BX-400001	CORRELATION_NOT_MATCHED	Correlation Violation. Correlation set, {correlationSet} does not match the inbound/outbound message.	Correlation violation occurred due to mismatch between correlation set values and inbound/outbound message.
BX-400002	CORRELATION_INITIATED	Correlation Violation. Correlation set, {correlationSet} is already initiated.	Correlation violation occurred due to the correlation set already being initiated.
BX-400003	CORRELATION_NOT_INITIATED	Correlation Violation. Correlation set, {correlationSet} has not been previously initiated.	Correlation violation occurred due to the correlation set not being previously initiated.
BX-500001	CONFLICTING_RECEIVE_EXCEPTION	Conflicting receive	A business process instance MUST NOT simultaneously enable two or more receive activities for the same partnerLink, portType, operation, and correlationSet(s) (including WS-BPEL processor-specific correlation).
BX-500002	ACTIVITY_TIMEOUT_EXCEPTION	Activity timed out	Activity timed out (canceling timer event was triggered)
BX-	DUPLICATE_	Duplicate key detected	Duplicate key detected in

Error Code	Message Name	Description	Comments
500003	KEY_EXCEPTION		checkpoint
BX-500004	UNSAFE_TO_DELETE_CASE	Unsafe to delete case	Not safe to delete the case due to the references.
BX-500005	ADHOC_PRECONDITION_EVALUATION_EXCEPTION	Error evaluating precondition for the Ad hoc activity	Check the precondition for the Ad hoc activity in the process.
BX-500006	DEFAULT_FAULT_ELEMENT_EXCEPTION	Operation of process has thrown DefaultFaultElement fault	DefaultFaultElement fault occurred
BX-500007	DUPLICATE_KEY_USAGE_ERROR	Duplicate key usage error. Duplicate key usage error checkpoint activity has already used dupkey.	First checkpoint in job specifies dupKey. Others cannot change value.
BX-500008	HTTP_FAULT_ELEMENT_EXCEPTION	Operation of the process has thrown HttpFaultElement fault.	HttpFaultElement fault occurred
BX-500009	SOAP_CUSTOM_FAULT_ELEMENT_EXCEPTION	Operation [{0}] of process [{1}] has thrown Soap Custom fault.	Soap Custom fault occurred
BX-600000	MISSING_REQUEST	Reply activity, {replyActivity} cannot be associated receive activity.	Reply activity cannot be associated to the receive activity.

Error Code	Message Name	Description	Comments
BX-600001	MISSING_REPLY_VARIABLE_AND_PARTS	Reply activity {replyActivity} variable, and fromPart are missing.	Possible BPEL generator error. Either the variable or fromPart has to be defined on the reply activity.
BX-600002	SEND_REPLY_FAILURE	Reply activity, {replyActivity} was unable to send reply using partner link {partnerLink}, operation {operation}, and message exchange {messageExchange}. Cause: {cause}	Send message failed. Might be a wire configuration issue.
BX-600003	MISSING_PARTNER_LINK	Partner link is missing	Possible BPEL generator error. Cannot find a partner link scope.
BX-600004	MISSING_RECEIVE_VARIABLE_AND_PARTS	Receive activity {receiveActivity} variable and fromPart are missing.	Possible BPEL generator error. Either the variable or fromPart has to be defined on the receive activity.
BX-600005	MISSING_REPLY	Missing reply for operation {operation}.	The primary activity and the event handlers of a scope completed (or a process instance completed) but there is an orphaned Web service interaction using a partner link or message exchange declared in a completed scope or process instance.
BX-600006	INVOKE_FAILURE	Invoke activity, {invokeActivity} was unable	Send message failed. Might be a wire configuration issue.

Error Code	Message Name	Description	Comments
		to send a message using partner link {partnerLink}, operation {operation}. Cause: {cause}	
BX-600007	MISSING_INVOKE_IN_VARIABLE_AND_TO_PARTS	Invoke activity {invokeActivity}, inputVariable, and toPart are missing.	Possible BPEL generator error. Either the inputVariable or toPart has to be defined on the invoke activity.
BX-600008	MISSING_INVOKE_OUT_VARIABLE_AND_FROM_PARTS	Invoke activity {invokeActivity}, outputVariable, and fromPart are missing.	Possible BPEL generator error. Either the outputVariable or the fromPart has to be defined on the invoke activity.
BX-600009	MISSING_REFERENCE_PROVIDER	Reference provider not found for partner link {partnerLink}	Could not find a reference provider, please check that the component has a reference with this name configured.
BX-600010	OPERATION_NOT_FOUND	Operation, {operation} not found.	Operation could not be found. Possibly missing from the service.
BX-600011	MESSAGE_NOT_FOUND	Activity, in module, module version cannot find expected message	Not mentioned
BX-600012	UNABLE_TO_PROCESS_MESSAGE	Unable to process message for operation {operation} in process {process}, module {module}, module version {moduleVersion}.	Could not process the incoming message. See error for details.

Error Code	Message Name	Description	Comments
BX-600013	MESSAGE_NOT_MATCHING_DEFINTION	Message, {message} does not match the message definition.	Message definition in this module's registry does not match the incoming message. Possible upgrade problem or incorrectly constructed WSDL message.
BX-600014	MESSAGE_DEFINTION_NOT_FOUND	Message definition not found for {0}	Cannot find a message definition for a given QName. Possibly missing a WSDL import in the process or an upgrade problem.
BX-600015	MISSING_VALUE	Value is not specified	Missing value for the service name
BX-600016	PROCESS_IDENTIFIER_FIELD_VALUE_NOT_SPECIFIED	Process identifier field missing process name.	Reusable Sub-Process task does not have a proper runtime identifier field supplied.
BX-600017	PACKAGE_NOT_FOUND	Package [{package}] not found.	Reusable Sub-Process task could not find a module with the specified name. Either the module has not been deployed or a dynamically supplied value is incorrect.
BX-600018	PROCESS_NOT_FOUND	Process [{process}] not found.	Reusable Sub-Process task could not find a process with the specified name. Either the module that contains a process has not been deployed or a dynamically supplied value is incorrect.

Error Code	Message Name	Description	Comments
BX-600019	PROCESS_INTERFACE_DIFFERS	Process [{process}] implements a different interface.	Process implements a different interface than this parent process is expecting. Check your process design.
BX-600020	SUB_PROCESS_CANCELLED	Subprocess canceled	Subprocess has been canceled (most likely by a user).
BX-600021	THROW_ERROR	Error thrown with error code	Throw task threw an error with the following fault name
BX-600022	MISSING_PORTTYPE_DESCRIPTOR_ERROR	Missing port type for service [{service}]. One possible reason could be a missing WSDL file.	Missing port type for this service. One possible reason could be a missing WSDL file.
BX-600023	DUPLICATE_PORTTYPE	Interface with this port type is already defined in service	Duplicate port type
BX-600024	OPERATION_ID_NOT_FOUND	Operation [{operation}] with partner link [{partnerLink}] not found.	Operation not found in the particular service. Check that this operation is defined in this service.
BX-600025	CREATE_MODULE_FAILED	Create module failed for module [{module}] version [{version}]	Could not create the module. See exception for details.
BX-600026	SYSTEM_INIT_PROBLEM	Problem encountered during system initialization	Problem encountered during system initialization. See exception for details.
BX-600027	SYSTEM_STOP_PROBLEM	Problem encountered during system stop	Problem encountered during system stop. See exception

Error Code	Message Name	Description	Comments
for details.			
BX-600028	ADD_PROCESS_DEFINITION_FAILED	Adding definition failed for process [{process}] module [{module}]	Could not create a process definition for this module. See cause for details.
BX-600029	INVALID_PROCESS_PRIORITY	Invalid process priority value [{value}]	Invalid process priority. Allowed values are: 50, 100, 200, 300, 400, 450.
BX-600030	RESOURCE_RELEASE_FAILED	ResourceManager release operation failed for [{0}]	Could not release the resource. See cause for details.
BX-600031	PREPARE_FOR_UNDEPLOY	Cannot perform operation on Module [{module}] with version [{version}] as it is in prepared for undeploy state and not available to do more work.	Module is in the process of being undeployed and is not available for processing new jobs.
BX-600032	MARK_FOR_DELETION	Cannot perform operation on Module [{module}] with version [{version}] as it is in marked for deletion state and not available to do more work.	Module has already been undeployed and is not available for processing new jobs.
BX-600033	CREATE_MODULE_DUPLICATE	Create module encountered a duplicate for module [{module}] version [{version}]	Cannot create a module with this name and version as one already exists. Either undeploy it or change your module name or version.
BX-	Not Found	-	-

Error Code	Message Name	Description	Comments
600034			
BX-600035	TEMPLATE_INSTANCE_NOT_FOUND	Process template instance with id cannot be found	Process template instance not found
BX-600036	MISSING_INTERFACE_PROVIDER	Interface provider not found for partner link {partnerLink}	Cannot find an interface provider with the supplied service name. Make sure that the component has a service configured with this name.
BX-600037	INIT_MODULE_FAILED	Init module failed for module [{module}] version [{version}]	Initialization of the module failed. See cause for details.
BX-600038	CREATE_TEMPLATE_INSTANCE_FAILED	Create template instance failed for module version application, process name	Failure while creating template instance
BX-600039	CREATE_TEMPLATE_INSTANCE_CYCLE	Cycle detected while creating a template instance for template	Cycle detected while creating a template instance
BX-600040	START_MODULE_FAILED	Start module failed for module version application	Starting the module failed. See cause for details
BX-600041	DESTROY_MODULE_FAILED	Destroy module failed for module [{module}] version [{version}]	Destroying the module failed. See cause for details.
BX-600042	STOP_MODULE_FAILED	Stop module failed for module version application	Stopping the module failed. See cause for details

Error Code	Message Name	Description	Comments
FAILED			
BX-600044	OPERATIONS_NOT_MATCHING	Operation {operation}, port type {portType} in module {module}, version {version} does not match the same operation in module version {moduleVersion}	WSDL operation in the first module version does not match the one in the second module version. This can lead to unpredictable results and can only happen if the modules have been deployed as two separate applications. Reconsider your upgrade scenario. If you wish to make incompatible interface changes while running both versions, please rename the operation or create a new WSDL with a different namespace and add new operations there.
BX-600045	UNDEPLOY_MODULE_FAILED	Undeploy module failed for module [{module}] version [{version}]	Undeploying of module failed.
BX-600046	TOO_MANY_PARTS	Incoming message has more than one part, while expecting an element for task [{task}] element name [{elementName}]	Incoming message has more than one part while only one element is expected.
BX-600048	UPDATE_MODULE_FAILED	Update module failed for module version application	Failure while updating the module
BX-600050	STOP_APP_FAILED	Stop failed for application	Stopping the application failed

Error Code	Message Name	Description	Comments
BX-600051	START_APP_FAILED	Start failed for application	Starting the application failed
BX-600052	SINGLETON_NOT_FOUND	Singleton template instance for module version application process name cannot be found	Singleton template instance cannot be found
BX-600053	NEW_EXCEPTION_EVENT	New exception event	New exception event
BX-600054	MISSING_INTERFACE_IMPLEMENTOR	Interface provider not found for port type	Interface provider not found for port type
BX-600055	UNINITIALIZED_PARTNER_ROLE	Partner role was not initialized	Partner role was not initialized
BX-600056	MANDATORY_PARAMETER_NOT_SET	Mandatory parameter not set	Mandatory parameter not set
BX-600057	UNEXPECTED_PARAMETER_PASSED	Unexpected parameter passed	Unexpected parameter passed
BX-600058	SYSTEM_START_PROBLEM	Problem encountered during system start	Problem encountered during system start
BX-600059	ADD_ACTIVITY_DEFINITION_FAILED	Exception processing activity	Exception processing activity

Error Code	Message Name	Description	Comments
BX-600060	MODULE_ALREADY_EXISTS	Module with name already exists in application	Module already exists in the application
BX-700001	EXIT_ON_STANDARD_FAULT	ExitOnStandardFault	Exit on standard fault.
BX-701001	DATA_SETUP_FAILURE	An error encountered while setting up data.	Setting up of the data failed.
BX-701002	QUERY_INVALID_FAILURE	The query is invalid. The expected query format is similar to a SQL select statement. Possible cause is [{cause}].	The query is not a valid SQL query.
BX-701003	QUERY_NULL_FAILURE	The query cannot be empty.	The query is empty.
BX-701004	QUERY_INVALID_DATETIME_VALUE	The datetime value [{0}] is incorrect.	The datetime value is invalid.
BX-701005	QUERY_INVALID_PROCESS_ID	Process instance with id [{id}] cannot be found.	Unable to find the corresponding process instance with the id provided.
BX-701006	QUERY_INVALID_PANG_ID	The specified query/pang id [{id}] is invalid. Enter a valid id of integer type.	The pang id is invalid.
BX-701007	QUERY_INVALID_ACTIVITY_NAME	Activity [{activity}] is not found in the process template.	Unable to find the activity in the process template.

Error Code	Message Name	Description	Comments
BX-701008	QUERY_NO_ACTIVITY_INSTANCE	Activity [{activity}] has not yet started for this process instance.	Activity has not yet started for the process instance.
BX-701009	QUERY_INVALID_PRIORITY	Priority [{priorityValue}] is invalid. Enter 100(LOW), 200(NORMAL), 300(HIGH) or 400 (EXCEPTIONAL).	Priority value for the query is not one of the valid values 100, 200, 300, 400.
BX-701010	QUERY_PARAMETER_NOT_DEFINED	Parameter [{parameter}] not defined.	Query parameter is not defined.
BX-701011	QUERY_INVALID_ACTIVITY_ID	The specified activity id [{activityId}] is invalid. Enter a valid string that is, pvm:010A.2.1c.	The specified activity id is invalid.
BX-701012	QUERY_DEADLINE_NOT_IN_USE	Deadline not in use for activity [{activity}].	Deadline is not in use for activity.
BX-701013	QUERY_MODULE_NOT_FOUND	Module [{module}] with version [{version}] not found.	Unable to find module version.
BX-701014	QUERY_WILDCARD_SELECTION_NOT_ALLOWED	No wild card (*) selection is allowed in paginated queries.	The resolution is not applicable. Contact TIBCO Support.
BX-701015	QUERY_INVALID_STATUS_STRING	An invalid status value has been selected.	The resolution is not applicable. Contact TIBCO Support.

Error Code	Message Name	Description	Comments
BX-701016	QUERY_UNAUTHORIZE_D_INSTANCE_OPERATION	User is not authorized to perform this operation on this instance.	User does not have permission to perform this operation. Request permission from your BPM system administrator.
BX-701017	QUERY_OPERATION_NOT_FOUND	Process [{process}] operation [{operation}] not found.	The operation name in the process does not match the start operation in the request.
BX-701018	QUERY_INVALID_PROCESS_STATE	Process [{process}] is not in the valid state.	The process is not in the valid state.
BX-701019	QUERY_PROCESSNAME_NOT_FOUND	Module version application with process name not found	Process not found in the module
BX-701020	QUERY_UNPRIVILEGED_INSTANCE_OPERATION	User is not privileged to perform this operation on this instance	User does not have permission to perform this operation. Request permission from your BPM system administrator
BX-701101	BULK_OPERATION_LIMIT_EXCEEDED_EXCEPTION	We cannot perform the operation for instances. This number surpasses the default limit of. You may specify a new limit by using the java property, com.tibco.bx.bulkoperation.maxsize.	Operation limit exceeded. You may specify a new limit by using the java property, com.tibco.bx.bulkoperation.maxsize.
BX-701102	BULK_OPERATION_	We cannot complete the operation [{operation}] for	This is an informational message. This information is

Error Code	Message Name	Description	Comments
	SPECIFIC_INSTANCE_FAILURE	the instance [{instance}]. See the exception in log.	conveyed when the operation cannot be performed on a particular instance for a bulk operation. The bulk operations can be either cancel, resume, or suspend. The operation may not be performed because it could be invalid for the particular process instance state.
BX-701103	BULK_OPERATION_INSTANCES_FAILURE	We can only complete the following operation for instances due to an exception. See the exception in log.	This is an internal product error. Contact TIBCO Support
BX-701130	OPERATION_FAILED	Operation failed: {operation}. See Log for details	Operation failed. See Log for more information.
BX-702001	DEBUGGER_INITIALIZATION_FAILURE	An error occurred while initializing the debug. Cause: {cause}	Unable to initialize the debugger due to error.
BX-702002	DEBUGGER_NOT_AVAILABLE	Debugger not available	Debugger is not available.
BX-702003	DEBUGGER_OPERATION_FAILED	Debugger operation [{operation}] failed	An operation in the debugger failed.
BX-703001	AUTHORIZATION_FAILURE	Authorization failed.	Exception occurred when trying to request authorization from the DE service. Check if

Error Code	Message Name	Description	Comments
			the DE service is up and running.
BX-703002	SUBJECT_HAS_NO_PRINCIPAL	Subject has no principal.	The resolution is not applicable. Contact TIBCO Support.
BX-703003	TOO_MANY_ORG_IDS	Too many organization ids: {0}	You have created too many organization ids. The current maximum is six.
BX-800001	PROCESS_TERMINATED	Process terminated	Process terminated due to an unhandled exception. See cause for details.
BX-800002	PROCESS FAILED	Process failed: [{0}] [{1}]	Process faulted due to a specific cause. Same as BX-800003 but is thrown to a page flow.
BX-800003	PROCESS_EXIT_WITHFAULT	Process ended with fault	Process faulted due to a specific cause. See cause for details.
BX-800004	GENERATED_FAULT_REPLY_FAILED	Generated fault reply failed	Could not generate a service exception due to the error. See error message for details.
BX-800005	ACTION_FAILED_TO_COMPLETE	Action [{action}] failed to complete	Action failed to complete. See the message for specific action details.
BX-800006	PROCESS_SUSPENDED_ON_ERROR	Process suspended on error: [{error}]	Process was suspended due to the error. Obsolete in BPM 2.0.

Error Code	Message Name	Description	Comments
BX-800007	PARAMETER_VALUE_IS_NULL	ParameterName cannot be null.	Parameter name has to be specified. Enter a valid name.
BX-800008	TASK_UPDATE_FAILED	Task update from [{0}] failed.	Task could not be updated with a signal due to the error. See error details.
BX-800009	TASK_REPORTED_ERROR	Task reported an error	Task reported an error, logged before the process is halted. Process can be resumed to fail, retried if an error is intermittent or a task can be ignored. See halt data for details.
BX-800010	SIGNAL_UPGRADE_ERROR	Global signal upgrade validation error	Cannot upgrade global signal application due to the validation exception. See global signal validation rules for a list of supported changes.
BX-900001	EXTENSION_ACTIVITY_NOT_registerED	Extension activity [{extensionActivity}] not registered, defaults to empty activity.	Extension activity with a particular name is not registered.
BX-900002	EXTENSION_ACTIVITY_NAMESPACE_NOT_registerED	Extension activity namespace [{extensionActivityNamespace}] not recognized, defaults to empty activity.	Extension activity with a particular namespace is not registered.
BX-900003	DUPLICATE_PREFIX_DEFINITION	Duplicate prefix definition: prefix [{prefix}], namespace1	Duplicate prefix encountered while creating a process.

Error Code	Message Name	Description	Comments
		[{namespace1}], namespace2 [{namespace2}]	
BX-905001	ADD_PROCESS_DEFINITION	Adding definition for process [{process}] module [{module}]	Creating a process definition for a particular module.
BX-905002	CREATE_MODULE	Creating module [{module}] version [{version}]	Creating a module with a particular name and version.
BX-905003	CREATE_SUBPROCESS	Sub-Process instance [{subProcessInstance}] created for module [{module}], process [{process}], parent process id [{parentProcessId}].	Subprocess instance created for a particular module and process definition by a specific parent.
BX-905004	CREATE_PROCESS	Creating process instance: module [{module}], process [{process}]	Creating process instance for a particular module and process.
BX-905005	PROCESS_CREATED	Process instance [{processInstance}] created for module [{module}], process [{process}]	Process instance created for a particular module and process.
BX-905006	SET_READY_FAILED	setReady error: Could not find a task for the following URI: [{uri}], userData: [{userData}]	The resolution is not applicable. Contact TIBCO Support.
BX-905007	SERVICE_NOT_FOUND	Dynamic service not found	Dynamic service not found, possibly a configuration error
BX-	MISSING_	Service for module version	Service not found, possibly a

Error Code	Message Name	Description	Comments
905008	SERVICE	application not found	configuration error
BX-905009	SUB_PROCESS_FAILED	Subprocess failed	Subprocess failure, please refer to the error message for more details
BX-905010	TEMPLATE_INSTANCE_CREATED	Template instance created for application module version, process	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
BX-905011	SINGLETON_CREATED	Singleton created for application module version, process	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
BX-905012	SINGLETON_REMOVED	Singleton removed for application module version, process	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
BX-905013	APP_CREATED	Application created	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
BX-905014	APP_REMOVED	Application removed	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.

Error Code	Message Name	Description	Comments
BX-905015	INVALID_MEMORY_MODE	Invalid memory mode	Invalid engine memory mode used. This is an internal product error. Contact TIBCO Support.
BX-905016	CONFIRM_FAILURE	Failed to confirm message	Exception while confirming the message, please refer to the reason for more details.
BX-905017	TOO_MANY_PROCESSES	Found more than one process	Found one more than one process while invoking a subprocess.
BX-905018	PROCESS_MANAGER_INIT_FAILED	Exception occurred when initializing process manager	This is an internal product error. Contact TIBCO Support
BX-905019	SELECTION_FAILURE	Invalid selection	Thrown when a selection operation performed either in a function or in an assignment, encounters an error. See the reason for more details.
BX-905020	SIGNAL_APP_UPGRADE_ERROR	Global signal application upgrade validation error	Global signal application upgrade encountered a validation error. See the reason for more details.
BX-905021	SIGNAL_APP_DUPLICATE	Global signal application version, component version deployment encountered a duplicate	Cannot create a global signal application with this name and version as one already exists.
BX-905022	MISSING_SIGNAL_APP	Global signal application with version not found	Unable to find global signal application with this version.

Error Code	Message Name	Description	Comments
			Try redeploying the application.
BX-905023	SIGNAL_NOT_FOUND	Global signal definition not found application with version	Unable to find global signal definition in this application. Possibly the project was built using a newer global signal application.
BX-905024	UNEXPECTED_TRANSACTION	Transaction is already associated with a thread	Transaction was associated with a thread when it is not expected. Contact TIBCO Support.
BX-905025	TOO_MANY_SIGNALS	There are more than listeners with correlation for global signal definition	Too many global signal event handlers are listening with the same correlation value. Maximum value can be adjusted using the com.tibco.bx.maxGlobalSignalListenerCount system property.
BX-905026	GLOBAL_DATA_CHANGE_NOTIFICATION_LISTENER_INIT FAILED	Exception occurred when initializing the global data change notification listener.	This is an internal product error. Contact TIBCO Support.
BX-905027	GLOBAL_DATA_SUBSCRIPTION_ERROR	Exception occurred when subscribing for global data notification	This is an internal product error. Contact TIBCO Support
BX-905028	TOO_MANY_RECEIVERS	Duplicate starter for the same key and shared resource found in the application.	Ensure that only one starter exists for a given key and shared resource value

Error Code	Message Name	Description	Comments
BX-905029	CHECKPOINT_RECOVERY	Recovering from checkpoint	This is an informational message and indicates that the process is being recovered from a checkpoint.
BX-910001	ACTIVITY_ENTER_METHOD	Enter method {{methodName}}.	The resolution is not applicable. Contact TIBCO Support.
BX-910002	ACTIVITY_CONFIGURATION_INFO	Configuration info is {{configurationInfo}}.	The resolution is not applicable. Contact TIBCO Support.
BX-910003	ACTIVITY_DEBUG_MSG	{0} [{1}].	The resolution is not applicable. Contact TIBCO Support.
BX-910004	ACTIVITY_EXCEPTION_MSG	Exception Cause is {{cause}} Exception Message is {{message}} Exception Stack is {{stack}}	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110001	ACTIVITY_DATABASE_NO_CONNECTION_DATA_SOURCE	Cannot get connection data source. Perhaps, the data source property is incorrect or missing".	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110002	ACTIVITY_DATABASE_NO_CONNECTION_PROFILE	No connection profile is found.	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110003	ACTIVITY_DATABASE_INVALID_STORED_	Invalid procedure name specified. It cannot be null.	The resolution is not applicable. Contact TIBCO Support.

Error Code	Message Name	Description	Comments
PROCEDURE_NAME			
BX-DB-110004	ACTIVITY_DATABASE_MISSING_SQL_STATEMENT	SQL statement cannot be empty.	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110005	ACTIVITY_DATABASE_IMPROPER_SQL_UPDATE_STATEMENT	SQL must be an UPDATE/INSERT/DELETE statement. Invalid SQL is [{sql}].	Improper SQL is provided.
BX-DB-110006	ACTIVITY_DATABASE_WRONG_NUMBER_OF_INPUT_PARAMETERS	[{numberOfSqlParameter}s] input parameters declared in the SQL statement but [{numberOfInputParameter}s] input parameters provided.	Incorrect number of input parameters not matching the number of SQL parameters.
BX-DB-110007	ACTIVITY_DATABASE_INVALID_OPERATION	Specified database operation [{sqlDatabaseOperation}] is invalid. Use design tool to design database process.	The database operation is invalid. Use the design tool to design the database process.
BX-DB-110008	ACTIVITY_DATABASE_INVALID_RETURN_VARIABLE	Data variable type specified for the parameter [{parameter}] does not have the capacity to hold the returned data.	The return variable is invalid and cannot hold the returned data.
BX-	ACTIVITY_	Cannot find Factory create	The defined BOM type used

Error Code	Message Name	Description	Comments
DB-110009	DATABASE_INVALID_CDS_FACTORY_CREATE_METHOD	method [{factoryCreateMethod}].	to hold the database query results is incorrect. Ensure that the BOM attributes match the database attribute names that are queried.
BX-DB-110010	ACTIVITY_DATABASE_INVALID_CDS_FACTORY_CLASS	Cannot find Factory class [{factoryClass}].	The defined BOM type used to hold the database query results is incorrect. Ensure that the BOM attributes match the database attribute names that are queried.
BX-DB-110011	ACTIVITY_DATABASE_NO_OUT_PARAMETER_VARIABLE	There is no OUT parameter defined to contain the database query results.	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110012	ACTIVITY_DATABASE_CANNOT_CONNECT_TO_DATABASE	CannotGetDatabaseConnection.	Unable to connect to the database. Ensure that the resource template points to the correct database.
BX-DB-110013	ACTIVITY_DATABASE_SET_COLUMN_ERROR	Problem setting the column result for columnName [{columnName}] as the following type [{type}] is not supported. Exception is [{exception}]	Unable to set the result for a particular column as the type is not supported. See the exception for more information.
BX-DB-110014	ACTIVITY_DATABASE_SET_BOM_COLUMN	Not able to set the database table column [{columnName}] for BOM [{bom}]. At design time,	The resolution is not applicable. Contact TIBCO Support.

Error Code	Message Name	Description	Comments
	ERROR	please ensure that there are BOM attribute labels that match the database table column names.	
BX-DB-110015	DATABASE_STORED_PROCEDURE_CONFIGURATION_ERROR	Not able to retrieve metadata information for stored procedure [{procedureName}]	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110016	DATABASE_XA_DATABASE_SUPPORT_ERROR	Database activity participation in a XA transaction is not supported. Reconfigure data source to be non-XA. Exception Cause is [{cause}] Exception Message is [{message}] Exception Stack is [{stack}]	The database is configured to be XA transaction supported. Configure data source to be non-XA transaction supported.
BX-DB-110017	DATABASE_SET_CALLABLE_STATEMENT_ERROR	Problem setting the parameter [{parameter}] for index [{index}] with type [{type}] and value [{value}]. Exception is [{exception}]	The resolution is not applicable. Contact TIBCO Support.
BX-DB-110018	DATABASE_SET_CALLABLE_STATEMENT_PARAMETER_NAME_ERROR	Problem finding the input parameter that matches the stored procedure parameter [{parameter}].	The resolution is not applicable. Contact TIBCO Support.
BX-EMAIL-	EMAIL_ATTACHMENT_	Mail attachment not found	EMAIL_ATTACHMENT_FILE_NOT_FOUND_MSG =

Error Code	Message Name	Description	Comments
100001	FILE_NOT_FOUND		RtnCode = [{0}] RtnMsg = You may have specified an incorrect filename for an attachment, or the attachment may have been deleted.
BX-EMAIL-100002	EMAIL_SERVER_UNAVAILABLE	SMTP Connect Mail Error	EMAIL_SERVER_UNAVAILABLE_MSG = RtnCode = [{0}] RtnMsg = An error occurred connecting to the SMTP server. First, check your server configuration. Second, check that the SMTP server is running and check the network configuration.
BX-EMAIL-100003	EMAIL_INVALID_FROM_ADDRESS	Mail From email address is not valid	EMAIL_INVALID_FROM_ADDRESS_MSG = RtnCode = [{0}] RtnMsg = A valid Mail From address must be provided. Perhaps, one must exist on your SMTP server.
BX-EMAIL-100004	EMAIL_UNKNOWN_RECIPIENT	Unknown mail recipient	EMAIL_UNKNOWN_RECIPIENT_MSG = RtnCode = [{0}] RtnMsg = You may have made a mistake in entering the recipient's address, or the address may not exist.
BX-EMAIL-100005	EMAIL_SEND_COMMUNICATION_ERROR_ON_ERROR	Error sending mail data command	EMAIL_SEND_COMMUNICATION_ERROR_MSG = RtnCode = [{0}] RtnMsg = There was a problem communicating with

Error Code	Message Name	Description	Comments
			the SMTP server. Check that the SMTP server is running, and check the network configuration.
BX-EMAIL-100006	EMAIL_UNKNOWN_HOST	UnknownHostException	EMAIL_UNKNOWN_HOST_MSG = RtnCode = [{0}] RtnMsg = Unknown Host [{1}]
BX-EMAIL-100010	EMAIL_UNKNOWN_ERROR	Unknown mail error	EMAIL_UNKNOWN_ERROR_MSG = RtnCode = [{0}] RtnMsg = Unknown error.
BX-EMAIL-100011	ACTIVITY_EMAIL_INPUT_REQUIRED	Input Field [{inputField}] is required.	Input field is required for email.

TEA Agent Error Codes

This section describes the error messages that can be reported by the TEA agent.

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-200001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300000	{0}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-300001	The AppSpace [{0}] in Domain [{1}] configured successfully. Restart AppSpace to apply changes	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300002	Found matches:	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300003	Created Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300004	Deleted Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300005	Created AppSpace [{0}] in Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300006	Deleted AppSpace [{0}] in Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300007	Created AppNode [{0}] in AppSpace [{1}] of Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300008	Deleted AppNode [{0}] in AppSpace [{1}] of Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300009	Deployed Application [{2}] in AppSpace [{1}] of Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Uploaded Archive [{1}] in Domain	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
TEAAGENT-300010	[{0}]	Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300011	Deleted Archive [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300012	Undeployed Application [{2}] in AppSpace [{1}] in Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300013	Deleted Archive [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300014	Configured AppNode [{0}] of AppSpace [{1}] in Domain [{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300015	Uploaded Archive [{1}] in Domain [{0}]. Application deployed in the following AppSpace(s) [{2}] is out of sync. Please redeploy.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300016	Deployed Application [{2}] in AppSpace [{1}] of Domain [{0}]. The AppSpace [{1}] does not have any AppNodes.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300017	AppNode[{0}] in AppSpace[{1}] in Domain[{2}] is using [{3}]:[{4}] for {5} interface	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300018	Configured Application [{0}]. Restart the Application for changes to take effect.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-300019	Enabled engine debug port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300020	Enabled engine debug port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300021	Disabled statistics collection for Applications in AppNode [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300022	Enabled statistics collection for Applications in AppNode [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300023	Published Application [{2}] endpoint to Mashery in AppSpace [{1}] in Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300024	Enabled statistics collection for Application [{0}]{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300025	Disabled statistics collection for Application [{0}]{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-300031	Failed to publish Application [{2}] endpoint to Mashery in AppSpace [{1}] in Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-400000	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	{0}	Internal product defect. Contact

Error Codes	Error Message	Error Resolution
TEAAGENT-500000		TIBCO Support.
TIBCO-BW-TEAAGENT-500001	Failed to start TEA Agent, {0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500002	Error encountered during shutdown of TEA Agent	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500003	Provide entity name to be created	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500005	Provide entity name to be stopped	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500006	Provide domain name	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500007	Provide AppSpace name	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500008	Provide AppNode name	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500009	Provide AppNode HTTP port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-	Provide application name	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500010		
TIBCO-BW-TEAAGENT-500011	Provide library name	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500012	Provide object key	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500013	TEA Operation {0} is not available.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500014	Failed to disable statistics collection for Application	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500020	Failed to extract TEA Agent web application into [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500201	Domain [{0}] is not present.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500202	More than one Domain [{0}] is found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500203	AppSpace [{0}] in Domain [{1}] does not exist.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500204	More than one AppSpace {0} in Domain [{1}] is found.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-500205	Machine {0} is not present.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500206	More than one Machine {0} is found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500207	Provide agent name.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500208	Agent {0} is not present.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500209	More than one Agent {0} is found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500210	Provide EAR File Name.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500211	Archive [{0}] not found in Domain [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500212	More than one Archive [{0}] in Domain [{1}] found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500213	Use "show --help" to see available type of entities.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Entity [{0}] not found. Use "show --	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
TEAAGENT-500214	help" to see available entity types.	Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500215	Application version is not present. Application {0} in Domain {1} AppSpace{2} not found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500216	Application {0} in Domain {1} AppSpace{2} not found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500217	More than one application {0} in Domain {1} AppSpace{2} is found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500218	Provide installation Name.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500219	Provide machine name.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500220	AppNode [{0}] in AppSpace [{1}] in Domain [{2}] not found.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500300	Failed to register BW TEA agent [{0}] with TEA server, <CausedBy\$gt; {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500301	Failed to update data store with current TEA Agent details	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-	Failed to upload ear file into Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500302		
TIBCO-BW-TEAAGENT-500303	Invalid pagination boundaries	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500304	Name contains invalid characters and does not comply with naming conventions. Valid characters are upper and lower case characters of the alphabet as well as digits, '.' and '-'.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500305	Name length exceeds 100 characters and it will be truncated to satisfy the length limit	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500306	Name contains invalid characters.\nAllowed characters are upper and lower case characters of the alphabet as well as digits, " ", ":" and "-".\n.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500307	Configuration of AppSpace [{0}] in Domain [{1}] failed, {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500308	Library version missing.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500309	Failed to create Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-	Failed to delete Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500310		
TIBCO-BW-TEAAGENT-500311	Failed to delete AppSpace [{0}] in Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500312	Failed to create AppSpace [{0}] in Domain [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500313	Failed to create AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500314	Failed to delete AppNode [{0}] in AppSpace [{1}] in Domain [{2}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500315	Failed to deploy Application from archive [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500316	Profile file [{0}] does not exist.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500317	Failed to upload Archive [{1}] in Domain [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500318	Failed to delete Archive [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500319	profileFile and profileName are mutually exclusive arguments.	Provide one the two possible arguments, but not both at the same time

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-500320	Failed to undeploy Application [{2}] in AppSpace [{1}] of Domain [{0}]	Check BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500321	Failed to create entity of type [{0}] with name [{1}] reason: {2}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500322	Failed to delete Agent [{0}]	Check BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500323	Failed to configure AppNode [{0}] in AppSpace [{1}] of Domain [{2}]<Cause\$gt; : {3}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500324	Failed to get BWAgents.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500325	Failed to obtain machine records.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500326	Failed to obtain installation records.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500327	Failed to obtain BWAgent log.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500328	Failed to obtain BWAgent configuration	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Failed to obtain Application	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
TEAAGENT-500329	configuration	Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500330	Failed to obtain AppNode records.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500331	The value of the {0} argument has to be a valid port number, valid range is [0-65335]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500332	The mandatory argument {0} is missing.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500400	Failed to obtain Application metrics	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500401	Failed to stop process starters	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500402	Failed to start process starters	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500403	Failed to resume Application instance	Check BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500404	Failed to resume Application	Check BWAgent log file for further details.
TIBCO-BW-TEAAGENT-	Failed to pause Application instance	Check BWAgent log file for further details.

Error Codes	Error Message	Error Resolution
500405	TIBCO-BW-TEAAGENT- Failed to pause Application instance	Check BWAgent log file for further details.
500406	TIBCO-BW-TEAAGENT- Failed to stop Application	Check BWAgent log file for further details.
500407	TIBCO-BW-TEAAGENT- Failed to stop Application instance	Check BWAgent log file for further details.
500408	TIBCO-BW-TEAAGENT- Failed to start Application instance	Check BWAgent log file for further details.
500409	TIBCO-BW-TEAAGENT- Failed to start Application	Check BWAgent log file for further details.
500410	TIBCO-BW-TEAAGENT- Failed to obtain AppNode log.	The resolution is not applicable. Contact TIBCO Support.
500411	TIBCO-BW-TEAAGENT- Failed to obtain AppNode thread dump.	The resolution is not applicable. Contact TIBCO Support.
500412	TIBCO-BW-TEAAGENT- Failed to start AppNode	The resolution is not applicable. Contact TIBCO Support.
500413	TIBCO-BW-TEAAGENT- Failed to stop AppNode	The resolution is not applicable. Contact TIBCO Support.
500414		

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-500415	Failed to obtain AppNode names.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500416	Failed to stop AppSpace	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500417	Failed to start AppSpace	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500418	Failed to obtain machines of an AppSpace	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500419	Failed to obtain softwares of an installation.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500420	Failed to obtain machine states	Check BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500421	Provide port number	Provide a valid port.
TIBCO-BW-TEAAGENT-500422	Provide interface	Provide an interface name, e.g. IP address or localhost
TIBCO-BW-TEAAGENT-500423	Port is unavailable	Choose a different port.
TIBCO-BW-	BWAgent [{0}] is using [{1}]:[{2}] as	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
TEAAGENT-500424	the {3} interface and port	Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500425	AppSpace [{0}] already exists in domain [{1}]	Choose a different name for the AppSpace.
TIBCO-BW-TEAAGENT-500426	Failed to configure Application [{0}]	Check the BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500427	Invalid port number. Valid port range is (0, 65535).	Provide a port in the valid port range between 0 and 65535. Note, ports below 1024 do require the BWAgent executable to be granted administrator permissions.
TIBCO-BW-TEAAGENT-500428	Provide destination for the backup file.	Provide a valid destination for the backup file. See Admin Guide.
TIBCO-BW-TEAAGENT-500429	Destination argument is a folder where a file argument was expected.	Provide a file name as destination argument instead of a folder.
TIBCO-BW-TEAAGENT-500430	Failed to backup domain [{0}]	Check the BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500431	Failed to configure Domain [{0}]	Check the BWAgent log file for further details.
TIBCO-BW-TEAAGENT-500432	Failed to obtain Profile configuration	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-TEAAGENT-500433	Invalid request.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500434	AppInst not found	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500435	Failed to obtain application instance configuration.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500436	No AppNodes available.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500436	Failed to obtain agent system information	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500437	Failed to enable engine debug port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500438	Failed to enable engine debug port	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500439	Failed to get BWEngine info	Check bwagent.log file for more information
TIBCO-BW-TEAAGENT-500440	Failed to get Applications of Archive [{0}] in Domain [{1}]	Check the BWAgent log file for further details.
TIBCO-BW-	Failed to start TEA Agent. Network	Specify a value for the

Error Codes	Error Message	Error Resolution
TEAAGENT-500500	name property not specified. Check configuration and restart.	bw.agent.networkName property in the bwagent.ini file.
TIBCO-BW-TEAAGENT-500501	Failed to disable statistics collection for Applications in AppNode [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500502	Failed to enable statistics collection for Applications in AppNode [{0}], {1}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500503	Failed to get runtime info for AppNode [{0}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500509	Failed to get activity instances	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500510	Failed to get Activity stats	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500511	Failed to get Process stats	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500512	Failed to get stats collection enablement	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-500513	Failed to enable statistics collection for Application [{0}]{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-TEAAGENT-	Failed to disable statistics collection for Application [{0}]{1}]	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
500514		
TIBCO-BW-TEAAGENT-000001	{0}	Internal product defect. Contact TIBCO Support.

Design Time Error Codes

This section describes the error messages that can be reported at design time.

Error Codes	Error Message	Error Resolution
TIBCO-BW-DT-VALIDATION-500023	Cyclic reference detected in process {0}. Reference {1} points to {2}. This might cause the application to reach an impaired state at runtime.	Inspect the reference binding on the process. BWEngine does not support references that point to the same process. This reference needs to be removed. Point to another process/sub process to correct this.
TIBCO-BW-DT-VALIDATION-500024	One or more sources mapped for activity {0} contain invalid references.	Delete existing links and create links again before deploying to runtime.
TIBCO-BW-DT-VALIDATION-500025	Process configuration error. The variable with the name [{0}] is no longer being referenced in the process [{1}].	Remove this variable or quick fix.
TIBCO-BW-DT-VALIDATION-500026	External Shared Module error. The Module [{0}] is out of sync. It is not present on the current Target Definition.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-DT-VALIDATION-500027	Folder: " {0} " contains special characters.	Replace the special characters with alphanumeric characters, "-", "_", or whitespaces.
BW_VALIDATION_MODULE_VERSION_CONFIG_ERROR-500620	The Bundle-Version of the BusinessWorks module [{0}] must end with .qualifier in the manifest file [META-INF/MANIFEST.MF]	The resolution is not applicable. Contact TIBCO Support.
APPLICATION_MANIFEST_VERSION_ERROR-501005	The Bundle-Version of the Application [{0}] must end with .qualifier in the manifest file [META-INF/MANIFEST.MF].	The resolution is not applicable. Contact TIBCO Support.

Palettes

This section describes the error messages that can be reported by the activities or entities associated with palettes.

File Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the File palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-FILE-000001	{0}	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-FILE-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-FILE-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-FILE-300001	{0}	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-FILE-400001	{0}	This is a warning message and it highlights situations that may affect the activity execution.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-FILE-500000	File name [{0}] is not valid.	Ensure that the file name must not be an empty or null string.
TIBCO-BW-PALETTE-FILE-500001	File [{0}] was not found.	Ensure that the file indicated by fileName exists at the given location.
TIBCO-BW-PALETTE-FILE-500002	File [{0}] already exists.	Ensure that the Overwrite checkbox in the general tab is checked or delete the existing file.
TIBCO-BW-PALETTE-FILE-500003	An exception [{0}] occurred when attempting to write to the file [{1}].	Ensure that the file name is valid and the access permissions are set appropriately.
TIBCO-BW-PALETTE-FILE-500004	Unable to create file [{0}] due to file or directory denoted by the pathname [{1}] does not exist.	Ensure that the createNonExistingDirectory option in the general tab is checked.
TIBCO-BW-PALETTE-FILE-500005	Cannot read the binary content from the file [{0}].	Ensure that the file name is valid and the access permissions are set appropriately.
TIBCO-BW-PALETTE-FILE-500006	Cannot read the string content from the file [{0}].	Ensure that the file name is valid and the access permissions are set appropriately.
TIBCO-BW-PALETTE-FILE-500007	The file encoding [{0}] is not valid.	Ensure that the encoding provided is valid.
TIBCO-BW-PALETTE-FILE-500009	Unable to rename the file from [{0}] to file [{1}].	Ensure that the file or directory name is valid and the access permissions are set appropriately.
TIBCO-BW-	Unable to rename the file from [{0}] to	Ensure that the source file and

Error Codes	Error Message	Error Resolution
PALETTE-FILE-500010	file [{1}]. The destination file exists and its type is different than the type of the source file.	destination file are both of the same type.
TIBCO-BW-PALETTE-FILE-500011	The file activity [{0}] cannot be used to move a directory.	Ensure that the directories cannot be moved unless they have the same parent directory.
TIBCO-BW-PALETTE-FILE-500012	Cannot remove the file [{0}].	Ensure that the file or directory name is valid and the access permissions are set appropriately.
TIBCO-BW-PALETTE-FILE-500013	An exception [{0}] occurred when attempting to create the file [{1}].	Ensure that the file or directory name is valid and the access permissions are set appropriately.
TIBCO-BW-PALETTE-FILE-500014	Cannot overwrite the file [{0}] to file [{1}], when the overwrite flag is not selected in the activity configuration.	Ensure that the Overwrite checkbox on the general tab is selected or delete the existing file explicitly.
TIBCO-BW-PALETTE-FILE-500015	Cannot copy a directory [{0}] to an existing file [{1}].	Ensure that the source should not be a directory when the destination exists and is a file.
TIBCO-BW-PALETTE-FILE-500016	Cannot copy multiple files [{0}] to an existing file [{1}].	Ensure that when using a pattern in source it should not match with multiple files to copy into a single destination file.
TIBCO-BW-PALETTE-FILE-500017	Cannot create missing path [{0}].	Ensure that the createNonExistingDirectory in the general tab is checked.
TIBCO-BW-PALETTE-FILE-500018	Cannot copy from file [{0}] to file [{1}].	Ensure that the file or directory name is valid and the access permissions are set appropriately.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-FILE-500019	The file name value provided for the activity input is empty or null.	Ensure that the fileName must not be an empty or null string.
TIBCO-BW-PALETTE-FILE-500020	File [{0}] was not found due to fault [{1}].	Ensure that the file indicated by fileName exists at the given location.
TIBCO-BW-PALETTE-FILE-500502	The ProcessStarter activity [{0}] failed to generate a new event due to an exception [{1}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-FILE-500503	The Signal-In activity [{0}] failed to generate a new event due to an exception [{1}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-FILE-500021	The File Poller ProcessStarter activity [{0}] failed to generate a new event due to an exception [{1}] since it is in the stopped state.	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-FILE-500022	The Waitforfilechange Signal-In activity [{0}] failed to generate a new event due to an exception [{1}] since it is in the stopped state.	This is an internal product error. Contact TIBCO Support.

FTP Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the FTP palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-	Unable to establish FTP connection for the FTP function	Ensure that FTP connection parameters are set properly.

Error Codes	Error Message	Error Resolution
FTP-500003	[{0}]. Encountered error [{1}].	
TIBCO-BW-PALETTE-FTP-500004	File [{0}] already exists.	Ensure that the Overwrite Existing File checkbox is checked or delete the file on the server.
TIBCO-BW-PALETTE-FTP-500005	Error in PUT or MPUT command.	Error in PUT or MPUT command. See Fault Tab for details.
TIBCO-BW-PALETTE-FTP-500006	Error in GET or MGET command.	Error in GET or MGET command. See Fault Tab for details.
TIBCO-BW-PALETTE-FTP-500008	Client is not initialized [{0}].	Contact TIBCO Support.
TIBCO-BW-PALETTE-FTP-500010	Error in PUT or MPUT command. Local file specified cannot be found [{0}].	Ensure that the local file is specified for the PUT or MPUT command.
TIBCO-BW-PALETTE-FTP-500012	Unexpected reply code. Returned Code [{0}]. Expected Code [{1}].	Contact TIBCO Support.
TIBCO-BW-PALETTE-FTP-500013	Invalid username or password.	Ensure that the username or password is valid.
TIBCO-BW-PALETTE-FTP-500014	Error in executing remote command [{0}].	Contact TIBCO Support.
TIBCO-BW-PALETTE-FTP-500019	FTP Connection Test Failed. Encountered error [{0}].	Ensure that the username or password is valid.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-FTP-500020	File [{0}] does not exist.	Ensure that the file exists at a given location.
TIBCO-BW-PALETTE-FTP-500022	Error establishing active data socket. Reason [{0}].	Contact TIBCO Support.
TIBCO-BW-PALETTE-FTP-500024	Error performing MGET. Reason: MGET is not supported for FTP via Proxy	Contact TIBCO Support.
TIBCO-BW-PALETTE-FTP-500025	Error in PUT or MPUT command.Error:[{0}].	Error in PUT or MPUT command. See Fault Tab for details.
TIBCO-BW-PALETTE-FTP-500026	Error in GET or MGET command.Error:[{0}].	Error in GET or MGET command. See Fault Tab for details.

General Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks General Activities palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-GENERALACTIVITIES-VALIDATION-500001	Activity configuration error. The end time must be greater than start time for Timer activity [{0}] in the process [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-GENERALACTIVITIES-000001	The Timer ProcessStarter activity [{0}] failed to generate a new event due to exception [{1}]	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-GENERALACTIVITIES-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-GENERALACTIVITIES-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-GENERALACTIVITIES-300001	{0}	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-GENERALACTIVITIES-400001	{0}	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-GENERALACTIVITIES-500000	Error executing external command [{0}]: [{1}].	Ensure that the activity is configured correctly.
TIBCO-BW-PALETTE-GENERALACTIVITIES-500001	Error accessing file or directory [{0}]: [{1}].	Ensure that the file or directory name is valid and the access permissions are set appropriately.
TIBCO-BW-PALETTE-GENERALACTIVITIES-	No command specified.	Ensure that the specified field in the

Error Codes	Error Message	Error Resolution
500002		activity input is configured with the correct data.
TIBCO-BW-PALETTE-GENERALACTIVITIES-500003	Input data error in field [{0}] expecting a valid [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-GENERALACTIVITIES-500004	Sleep interval value [{0}] is not valid.	Ensure that the sleep interval is a positive long value.
TIBCO-BW-PALETTE-GENERAL-ACTIVITIES-500001	Activity configuration error. The {2} Shared Variable must be configured for {3} Shared Variable activity [{0}] in the process [{1}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-GENERAL-ACTIVITIES-500002	Activity configuration error. A Timeout expression configured for the CheckPoint Activity [{0}] in the process [{1}] must be a valid integer expression.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-GENERAL-ACTIVITIES-500003	Activity configuration error. A DuplicateKey expression configured for the CheckPoint Activity [{0}] in the process [{1}] must be cast to a string. The expression should be configured as [string({2})].	The resolution is not applicable. Contact TIBCO Support.

HTTP Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks HTTP palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-HTTP-000001	{0}	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-HTTP-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-HTTP-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-HTTP-300001	{0}	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-HTTP-400001	{0}	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-HTTP-500001	The HTTP Server replied with a [{0}] status code.	Check the status code to know the reason for the error.
TIBCO-BW-PALETTE-HTTP-500002	The HTTP Server replied with a [{0}] status code	Check the status code to know the reason for the error.
TIBCO-BW-	An exception was thrown while trying to	Correct the configuration of

Error Codes	Error Message	Error Resolution
PALETTE- HTTP- 500003	initialize the HTTP client.	the Send HTTP Request activity.
TIBCO-BW- PALETTE- HTTP- 500004	An exception occurred while trying to initialize the HTTP server: [{0}]	Check the exception and correct the configuration of the HTTP Connector resource or HTTP ProcessStarter.
TIBCO-BW- PALETTE- HTTP- 500005	A POST Method cannot send parameters if the message body is specified	Correct the input data of the Send HTTP Request activity. Make sure that the message body is not specified when parameters are used.
TIBCO-BW- PALETTE- HTTP- 500006	A GET Method doesn't have a message body	Correct the input data of the Send HTTP Request activity. Make sure that the message body is not specified for a GET request.
TIBCO-BW- PALETTE- HTTP- 500007	Invalid endpoint URL	Correct either the HTTP client configuration or the input data of the Send HTTP Request activity.
TIBCO-BW- PALETTE- HTTP- 500008	Invalid input data. The encoding is not supported	Correct the input data. Make sure that the encoding is supported. See the documentation.
TIBCO-BW- PALETTE- HTTP- 500009	The HTTP method [{0}] is not valid	Correct the input data of the Send HTTP Request activity. Make sure that the HTTP method is valid.
TIBCO-BW-	An exception was thrown while trying to	Correct the input data. See

Error Codes	Error Message	Error Resolution
PALETTE- HTTP- 500010	url-encode the data	the documentation.
TIBCO-BW- PALETTE- HTTP- 500011	Attachment not supported for the HTTP method [{0}]. Only HTTP 'POST' can send attachments	Check the input of the Send HTTP Request activity. Only the 'POST' method can send attachments.
TIBCO-BW- PALETTE- HTTP- 500012	Error serializing attachment data, Cause: [{0}]	Check the exception and correct the attachment data.
TIBCO-BW- PALETTE- HTTP- 500013	An IOException was thrown while trying to execute the HTTP method	System exception.
TIBCO-BW- PALETTE- HTTP- 500014	An exception was thrown while trying to execute the HTTP method. The Reason-code is [{0}]	System exception.
TIBCO-BW- PALETTE- HTTP- 500015	An IOException was thrown while trying to read the response	System exception.
TIBCO-BW- PALETTE- HTTP- 500016	An IOException was thrown while trying to send the response	System exception.
TIBCO-BW- PALETTE- HTTP-	An Exception was thrown while trying to send the response	System exception.

Error Codes	Error Message	Error Resolution
500017	TIBCO-BW-PALETTE-HTTP-500019 The header [{0}] is defined as a non-repeating Header in Input Headers. This header cannot have multiple occurrences in DynamicHeaders.	Correct the input data.
TIBCO-BW-PALETTE-HTTP-500020	The HTTP ProcessStarter [{0}] failed to generate a new event due to exception [{1}]	Check the exception and correct the configuration of the HTTP connector or HTTP receiver.
TIBCO-BW-PALETTE-HTTP-500021	Failed to reply to the HTTP ProcessStarter activity. This error can occur if the HTTP Response activity is executed after recovering from a check-pointed BusinessWorks process instance.	The check-point activity must not be placed between the HTTP ProcessStarter and Send HTTP Response activity.
TIBCO-BW-PALETTE-HTTP-500022	Failed to authenticate the request. Username and Password is not set.	Check if the identity resource referenced in the HTTP Client resource contains a username and password.
TIBCO-BW-PALETTE-HTTP-500022	Failed to authenticate the request.	Check if the LDAP resource is configured on the HTTP Connector resource.
TIBCO-BW-PALETTE-HTTP-500023	Value not specified for the dynamic header [{0}]	Correct the input data.
TIBCO-BW-PALETTE-HTTP-500024	Reply for field cannot be blank.	Select a value for Reply For Field in the Send HTTP Response activity.

Java Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks Java palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-000001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-200001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-300001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-400001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-500001	The JAVA ProcessStarter activity [{0}] failed to generate a new event due to exception {1}	Ensure that the correct object passed to the 'onEvent' method in the specified Java class. Refer to the declared class implementation for details.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-500002	Illegal onEvent(Object output)/onError(Throwable throwable) method call. OnEvent/OnError method must not be called in the init method or during the initialization phase.	Remove the onEvent(Object output) method call in the init method.
TIBCO-BW-PALETTE-JAVA-PROCESSSTARTER-500003	The JAVA ProcessStarter activity [{0}] failed to generate a new event due to exception [{1}] since it is in the stopped state.	Ensure that the ProcessStarter has been stopped properly.
TIBCO-BW-PALETTE-JAVA-000001	[{0}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-100001	[{0}]	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-JAVA-200001	[{0}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JAVA-300001	[{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-JAVA-400001	[{0}]	This is a warning message and it highlights situations that may affect the activity execution.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-501005	Internal error occurred. Class=[{0}], Method=[{1}], Cause=[{2}]	Make sure that the Java Global Instance resource has properly referenced.
TIBCO-BW-PALETTE-JAVA-500504	Input data error in field [{0}] because [{1}].	Ensure that the correct values are provided for the method parameter elements that are in the activity input tab.
TIBCO-BW-PALETTE-JAVA-500604	Output data error in field [{0}] because [{1}].	Ensure that the getter methods are returning the correct values to display the activity output tab.
TIBCO-BW-PALETTE-JAVA-500605	Output data error in field [{0}] value cannot be null.	Ensure that the getter methods are not returning null to display the activity output tab.
TIBCO-BW-PALETTE-JAVA-500606	Output data error in field [{0}] value is not serializable.	Ensure that the getter method returns a serializable Java class to display the activity output tab.
TIBCO-BW-PALETTE-JAVA-500001	While executing method [{0}], encountered exception [{1}] [{2}].	Correct the error stated in the exception message and retry.
TIBCO-BW-PALETTE-JAVA-500013	Activity input data conversion error. Exception [{0}] occurred while trying to render the activity input data. [{1}]	Incorrect object reference was specified for the declared Java class. Ensure that the correct Java object reference is provided for the declared Java class element shown in the input tab of this activity.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-500014	Activity output data conversion error. Exception [{0}] occurred while trying to create the activity output data. [{1}]	Ensure that the unsupported data types are not utilized or referenced in your Java class.
TIBCO-BW-PALETTE-JAVA-500017	The Java class [{0}] is not found in the classpath. Encountered ClassNotFoundException [{1}].	Ensure that the specified class file is contained in the classpath.
TIBCO-BW-PALETTE-JAVA-500019	Activity input error. The activity received an incorrect value for the method parameters. IllegalArgumentException occurred while trying to construct an instance of the Java class [{0}]: [{1}]	Ensure that the correct values are provided for the constructor parameter elements that are in the activity input tab.
TIBCO-BW-PALETTE-JAVA-500020	Unable to construct an instance of the Java class [{0}]. Encountered exception [{1}] [{2}].	Correct the error stated in the exception message and retry.
TIBCO-BW-PALETTE-JAVA-500021	The constructor for the Java class [{0}] raised exception [{1}]. [{2}]	The exception was raised by the constructor of the declared Java class. Refer to the Java class implementation for details.
TIBCO-BW-PALETTE-JAVA-500026	Unable to obtain information for the method [{0}] from the class [{1}]. Encountered NoSuchMethodException [{2}].	Reconfigure this activity or verify that the declared Java class has not changed since the last configuration.
TIBCO-BW-PALETTE-JAVA-500027	Unable to obtain information for the method [{0}] from the class [{1}]. Encountered	Correct the error stated in the exception message and retry.

Error Codes	Error Message	Error Resolution
	SecurityException [{2}].	
TIBCO-BW-PALETTE-JAVA-500031	Activity input error. The activity received an incorrect value for the method parameters. When attempting to invoke the method [{0}], encountered IllegalArgumentException [{1}].	Ensure that the correct values are provided for the method parameter elements that are in the activity input tab.
TIBCO-BW-PALETTE-JAVA-500032	Activity input error. The activity received an incorrect Java object for the declared Java class [{0}]. The activity required an instance of the Java class [{1}], but received an instance of the Java class [{2}]: [{3}]	Ensure that the correct Java object reference is provided for the declared Java class element shown in the input tab of this activity. Ensure that the classpath refers to the correct declared class.
TIBCO-BW-PALETTE-JAVA-500033	Activity input error. The activity received an incorrect Java object for the declared Java class [{0}]. The Java object received is not compatible with the Java object required by this activity. The activity required an instance of the Java class [{1}]: [{2}]	Ensure that the correct Java object reference is provided for the declared Java class element shown in the input tab of this activity. Ensure that the classpath refers to the correct declared class.
TIBCO-BW-PALETTE-JAVA-500034	Activity input error. The activity received 'null' value for the declared Java class. The activity required an instance of the class [{0}], but received a 'null'.	Ensure that the correct Java object reference is provided for the declared Java class element shown in the input tab of this activity. The preceding activity that provides the input value for this activity should not produce a null for its output.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-500035	Unable to invoke the method [{0}]. Encountered exception [{1}] [{2}].	Correct the error stated in the exception message and retry.
TIBCO-BW-PALETTE-JAVA-500036	Unable to invoke the cleanup method [{0}]. Encountered exception [{1}] [{2}].	Correct the error stated in the exception message and retry.
TIBCO-BW-PALETTE-JAVA-500037	The method [{0}] raised exception [{1}]. [{2}].	The exception was raised by the method of the specified Java class. Refer to the declared class implementation for details.
TIBCO-BW-PALETTE-JAVA-500038	The cleanup method [{0}] raised exception [{1}]. [{2}].	The exception was raised by the method of the specified Java class. Refer to the declared class implementation for details.
TIBCO-BW-PALETTE-JAVA-500042	Activity input error. The activity required instance of class [{0}], but received a 'null' value for the declared Java class.	Ensure that the correct Java object reference is provided for the declared Java class element shown in the input tab of this activity. The preceding activity that provides the input value for this activity should not produce a null for its output.
TIBCO-BW-PALETTE-JAVA-500043	Activity input error. The activity received incorrect Java object for the declared Java class. The activity required an instance of a class [{0}], but received instance of a class [{1}].	Ensure that the correct Java object reference is provided for the declared Java class element shown in the input tab of this activity. Ensure that the classpath refers to the correct declared class.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-500046	Data Conversion error. When attempting to convert Java object to XML data, encountered exception [{0}].	Ensure that unsupported data types are not utilized or referenced in your Java class.
TIBCO-BW-PALETTE-JAVA-500047	Data Conversion error. When attempting to convert XML data to Java object, encountered exception [{0}].	Ensure that unsupported data types are not utilized or referenced in your Java class.
TIBCO-BW-PALETTE-JAVA-500063	Runtime error. Illegal onEvent (Object output)/onError (Throwable error) method call. OnEvent/OnError method must not be called in the init method or during the initialization phase.	Remove the onEvent(Object output) method call in the init method.
TIBCO-BW-PALETTE-JAVA-500065	Runtime error. The output type defined by the getOutputObjectType() does not match with the type that is passed in to onEvent(Object object).	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-500064	The Java Process Starter onStop method [{0}] raised exception [{1}]. [{2}].	The exception was raised by the onStop method of the specified Java class. Refer to the declared class implementation for details.
TIBCO-BW-PALETTE-JAVA-500066	The Java Process Starter onShutdown method [{0}] raised exception [{1}]. [{2}].	The exception was raised by the 'onShutdown' method of the specified Java class. Refer to the declared class implementation for details.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JAVA-501067	Internal error occurred while loading the Class=[{0}], Cause=[{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JAVA-501069	Internal error occurred. Method=[{0}] references a Class=[{1}] no longer exists. Cause=[{2}]	Make sure that the Class referenced the method is valid.
TIBCO-BW-PALETTE-JAVA-500070	Activity input error. The activity does not receive proper input.	Ensure that the input content is not empty.
TIBCO-BW-PALETTE-JAVA-500071	Unable to obtain information for the method [{0}] from the class [{1}].	Reconfigure this activity or verify that the declared Java class has not changed since the last configuration.

JDBC Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the JDBC palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JDBC-000001	The JDBC activity [{0}] is NOT part of a JDBC Transaction Group. However, the activity references the same shared resource as used in the group	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-JDBC-200001	The JDBC activity [{0}] is the first activity in the JDBC Transaction.	This is a debug message and the resolution is not applicable.
TIBCO-BW-	JDBC activity [{0}] initialized successfully.	This is a debug message

Error Codes	Error Message	Error Resolution
PALETTE-JDBC-200002		and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200003	JDBC activity [{0}] task submitted to Threadpool for execution	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200004	Executing SQL Statement [{0}] for activity [{1}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200005	Connection received from Datasource for activity [{0}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200006	Parameters set for activity [{0}] with SQL statement [{1}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200007	Output for activity [{0}] is [{1}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200008	Executing an SQL Statement for activity [{0}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-	Executing Prepared Statement for activity [{0}].	This is a debug message and the resolution is not applicable.

Error Codes	Error Message	Error Resolution
200009	TIBCO-BW-PALETTE-JDBC-200010	Successfully executed SQL statement [{0}] for activity [{1}].
TIBCO-BW-PALETTE-JDBC-200011	Last subset reached for activity [{0}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200012	Process in subset output for activity [{0}] with noofRecords [{1}] is [{2}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200013	All parameters set successfully on Statement for activity [{0}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200014	Number of updates for JDBC Update activity is [{0}].	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-200015	Number of updates for JDBC Update activity is 0. Executing Insert Statement [{0}] since the activity is in Upsert mode.	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-JDBC-500001	Batch updates failed on update number [{0}].	Check the activity configuration and if the database is up.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JDBC-500002	Invalid procedure name specified. Procedure name cannot be null.	Check the activity configuration procedure name field.
TIBCO-BW-PALETTE-JDBC-500003	{0} input parameters declared in the SQL statement but no input parameters provided.	Check the activity configuration prepared parameters table.
TIBCO-BW-PALETTE-JDBC-500004	Duplicate field name [{0}] found. Modify the query and create unique aliases for duplicate fields.	Modify the query and create unique aliases for duplicate fields.
TIBCO-BW-PALETTE-JDBC-500005	Improper SQL statement used. {0}	Check the syntax of the SQL Statement specified.
TIBCO-BW-PALETTE-JDBC-500006	Exception occurred when attempting to create a JDBC connection for the JDBC transaction.	Check the Shared Resource configuration that is configured with this activity and also that the database is running.
TIBCO-BW-PALETTE-JDBC-500007	Missing Input Value for required Column [{0}].	Check the input tab of the activity and set the column value
TIBCO-BW-PALETTE-JDBC-500009	SQL Exception occurred (SQL STATE = {0}) - detailMessage - {1}	Check the activity configuration and the state of the database that the activity is connected to.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JDBC-500010	{0} is not a valid timezone.	Check the activity configuration input tab and enter a valid timezone
TIBCO-BW-PALETTE-JDBC-500011	Could not create connection to server using Shared Resource [{0}].	Check the JDBC Connection Shared Resource configuration that is configured on the activity.
TIBCO-BW-PALETTE-JDBC-500012	INVALID_JDBC_ACTIVITY_CONFIGURATION = Invalid Activity Configuration. Missing required configuration Field [{0}] in activity [{1}]	Check the activity configuration and enter values for missing fields specified in the message.
TIBCO-BW-PALETTE-JDBC-500013	INVALID_SQL_STATEMENT = Invalid Activity Configuration. Invalid SQL Statement [{0}] in activity [{1}] expected a statement with [{2}]	Check the activity configuration for the SQL statement syntax.
TIBCO-BW-PALETTE-JDBC-500014	PREPARED_PARAMETERS_MORE_THAN_QUESTION_MARKS = Invalid Activity Configuration. Number of Prepared parameters in activity configuration exceed number of '?' in SQL Statement	Check the activity configuration for the Prepared parameters specified.
TIBCO-BW-PALETTE-JDBC-500015	PREPARED_PARAMETERS_LESS_THAN_QUESTION_MARKS = Invalid Activity Configuration. Number of Prepared parameters in the activity configuration is less than the number of '?' in SQL Statement	Check the activity configuration for the Prepared parameters specified.
TIBCO-BW-PALETTE-JDBC-500016	BATCH_UPDATE_WITHOUT_PREPARED_PARAMS = Batch Update mode works only with Prepared statements	Check the SQL statement in the activity configuration to ensure that it is a SQL statement

Error Codes	Error Message	Error Resolution
		with prepared parameters.
TIBCO-BW-PALETTE-JDBC-500019	JDBC Connection login timed out.	Check the configuration details or increase the login timeout.

JMS Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks JMS palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JMS-000001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JMS-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JMS-200001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JMS-300001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-JMS-400001	{0}	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-JMS-500001	Invalid configuration data. JMS connection reference is not specified.	Check activity configuration for the JMS Connection Reference.
TIBCO-BW-PALETTE-JMS-500002	Invalid configuration data. Specified connection reference is not found in repository. {0}	Check activity configuration for the JMS Connection Reference.
TIBCO-BW-PALETTE-JMS-500003	Invalid configuration data. JMS destination is not specified.	Check activity configuration for the JMS Destination field.
TIBCO-BW-PALETTE-JMS-500004	Error occurred when attempting to create Durable Subscriber	Check activity configuration for the Durable Subscription name box and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500005	Failed to create connection to the JMS server. {0}	Check JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500006	Unable to create a session to receive messages [{0}].	Check JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500007	Unable to create a reply session/producer [{0}]	Check JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500008	Unable to find destination [{0}] on JMS server	Check JMS Server if the destination name specified in the error message exists.
TIBCO-BW-	Error occurred when attempting to create	Check JMS Connection

Error Codes	Error Message	Error Resolution
PALETTE-JMS-500009	MessageConsumer	shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500010	Error occurred when attempting to resolve destination [{0}]	Check JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500011	Invalid configuration data. JMS Reply To Destination Not Specified.	Check the activity configuration and specify a value in the JMS Reply To field.
TIBCO-BW-PALETTE-JMS-500012	Error occurred when attempting to send a JMS message	Check the activity configuration, input data, JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500013	Error occurred when attempting to receive a JMS message	Check the activity configuration, JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500014	Error occurred when attempting to confirm a JMS message	Check the activity configuration, JMS Connection shared resource configuration and if the JMS server is running.
TIBCO-BW-PALETTE-JMS-500015	Failed to Reply for JMS ProcessStarter [{0}]. This error can occur if the JMSReply activity is executed after recovering from a check-pointed BusinessWorks process instance.	There is no resolution for this error.

Mail Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the Mail palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-MAIL-000001	[{0}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-MAIL-100001	[{0}]	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-MAIL-200001	[{0}]	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-MAIL-300001	[{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-MAIL-400001	[{0}]	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-MAIL-500005	Invalid input data. Reason: Error parsing input data.	Ensure that the destination addresses given are valid.
TIBCO-BW-PALETTE-MAIL-500007	Invalid input data. Reason: Both the comma and semicolon cannot be used at the same time to separate addresses: [{0}]	Ensure that both the comma and semicolon cannot be used at the same time to separate addresses.
TIBCO-BW-PALETTE-MAIL-500020	Error connecting to the mail server. Reason: unknown host - connection parameters: [{0}].	Ensure that the host provided is valid.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-MAIL-500033	Error building mail message. Cause: [{0}].	Ensure that the input message details are properly given.
TIBCO-BW-PALETTE-MAIL-500035	From address [{0}] is not valid.	Ensure that the From address must not be empty or null string
TIBCO-BW-PALETTE-MAIL-500036	Error sending mail message.	Ensure that the SMTP shared resource configuration is appropriately specified.
TIBCO-BW-PALETTE-MAIL-500037	The system cannot find the file specified: [{0}].	Ensure that the file exists at a given location.
TIBCO-BW-PALETTE-MAIL-500038	Invalid recipient address in To, CC or BCC [{0}, {1}, {2}].	Ensure recipient addresses given must be valid.
TIBCO-BW-PALETTE-MAIL-500001	Host cannot be null	Ensure that the host must not be null value.
TIBCO-BW-PALETTE-MAIL-500002	Username cannot be null when using Authentication	Ensure that the username value must not be null when using authentication.
TIBCO-BW-PALETTE-MAIL-500003	Password cannot be null when using Authentication	Ensure that the password value must not be null when using authentication.
TIBCO-BW-PALETTE-MAIL-500004	Error closing mail server connection. Cause: [{0}].	Ensure that the Mail receiver configuration is appropriately given.
TIBCO-BW-	Mail provider for protocol [{0}] not	Ensure that the mail provider jar is

Error Codes	Error Message	Error Resolution
PALETTE-MAIL-500008	found. Make sure that the provider jar is in java classpath.	in java classpath.
TIBCO-BW-PALETTE-MAIL-500009	Configuration error in field [{0}] the value must be a valid Host Name.	Ensure that the host name for mail receiver must be valid.
TIBCO-BW-PALETTE-MAIL-500010	Error connecting to the mail server - connect exception; connection parameters: [Host:{0}, Port:{1}, User:{2}].	Ensure that the mail server is up or check whether the connection parameters are properly configured.
TIBCO-BW-PALETTE-MAIL-500011	Could not connect to mail server - invalid username in field [{0}] and/or invalid password.	Ensure that the username and password provided are valid.
TIBCO-BW-PALETTE-MAIL-500012	The default mail folder was not found on mail server.	Ensure that the Mail receiver configuration is appropriately given.
TIBCO-BW-PALETTE-MAIL-500013	The INBOX mail folder was not found on mail server.	Ensure that the Mail receiver configuration is appropriately given.
TIBCO-BW-PALETTE-MAIL-500014	Error getting folder on mail server.	Ensure that the Mail receiver configuration is appropriately given.
TIBCO-BW-PALETTE-MAIL-500015	Mail is already deleted, Receive Mail activity has 'Delete Mail' turned on.	Ensure that the delete mail option on Receive Mail activity general tab is unchecked or don't use explicit confirm.
TIBCO-BW-PALETTE-MAIL-500021	Error connecting to the mail server using connection parameters: [{0}]	Ensure that the mail server is up or verify connection parameters.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-MAIL-500022	Error while polling mail server: cannot open INBOX folder.	Ensure that the mail server is up or verify connection parameters.
TIBCO-BW-PALETTE-MAIL-500023	Error parsing received mail.	Ensure that the Mail receiver configuration is appropriately given.
TIBCO-BW-PALETTE-MAIL-500024	Error while polling mail server: cannot close INBOX folder.	Ensure that the mail server is up or verify connection parameters.
TIBCO-BW-PALETTE-MAIL-500025	Unexpected error while polling mail server.	Ensure that the mail server is up or verify connection parameters.
TIBCO-BW-PALETTE-MAIL-500026	The Receive Mail ProcessStarter activity [{0}] failed to generate a new event due to exception [{1}] since it is in the stopped state.	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-MAIL-300001	Marking msg {0} for confirmation.	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.

Parse Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the Parse palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-	{0}	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
PARSE-000001		
TIBCO-BW-PALETTE-PARSE-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-PARSE-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-PARSE-300001	{0}	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-PARSE-400001	{0}	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-PARSE-500000	Cannot find data format schema resource [{0}]	Check if Data format shared resource is configured.
TIBCO-BW-PALETTE-PARSE-500001	Cannot create schema from data format schema.	Check if the schema is valid.
TIBCO-BW-PALETTE-PARSE-500002	Exception in parse eval: [{0}]	An error occurred while processing, refer to the exception thrown and correct the activity configuration or input.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-PARSE-500003	Line length must be > 0	Check if line length is greater than zero.
TIBCO-BW-PALETTE-PARSE-500004	Hit EOF on row [{0}] field [{1}] spanning columns [{2}] to [{3}] last row contents was: [{4}]	Check the configuration of number of records in input of Parse Data activity. It may be more than the records present in the file.
TIBCO-BW-PALETTE-PARSE-500005	Input type is not specified.	Check configuration of Input type on Parse Data activity. Ensure either File or String is configured.
TIBCO-BW-PALETTE-PARSE-500006	Please specify the Input type field.	Check configuration of Input type on Parse Data activity. Ensure either File or String is configured.
TIBCO-BW-PALETTE-PARSE-500007	Data format resource not specified.	Check if Data format shared resource is configured on the activity.
TIBCO-BW-PALETTE-PARSE-500008	Specify the data format resource.	Check if Data format shared resource is configured on the activity.
TIBCO-BW-PALETTE-PARSE-500009	File [{0}] cannot be opened using encoding method [{1}]	Check the encoding configuration on Parse Data activity. Ensure encoding supported by file is selected.
TIBCO-BW-PALETTE-	Format Type must be selected.	Ensure that the Format type is configured on Data Format shared

Error Codes	Error Message	Error Resolution
PARSE-500011		resource.
TIBCO-BW-PALETTE-PARSE-500012	Line is too long. Specified Line Delimiter may not match file content.	Check field offsets configuration on Data Format shared resource.
TIBCO-BW-PALETTE-PARSE-500013	There are not enough data for the number of required fields in a row.	Check field offsets configuration on Data Format shared resource.
TIBCO-BW-PALETTE-PARSE-500014	Error while parsing headers in the mime message.	Ensure that the input message has MIME headers.
TIBCO-BW-PALETTE-PARSE-500015	An I/O exception occurred while parsing SOAP payload in the root part.	Ensure that the SOAP payload is well formed and valid.
TIBCO-BW-PALETTE-PARSE-500016	An Unexpected exception occurred while parsing Message. Root cause is [{0}]	UNEXPECTED_EXCEPTION.resolution =This is an internal product error. Contact TIBCO Support
TIBCO-BW-PALETTE-PARSE-500017	The SOAP Message doesn't exist in the Root part.	Ensure that the input message has SOAP payload in it.
TIBCO-BW-PALETTE-PARSE-500018	Soap Envelope has invalid XML content.	Ensure that the SOAP payload is valid and well formed.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-PARSE-500019	One or more mime parts have the same Content-Id value in the Mime Message.	Ensure that in input message does not have the same content id for different mime parts.
TIBCO-BW-PALETTE-PARSE-500020	The xop:Include element must have an 'href' attribute.	Ensure that in the SOAP payload, the xop:Include element has href attribute.
TIBCO-BW-PALETTE-PARSE-500021	Content_Id header is not found in mime part of the Mime Message.	Ensure that each mime part has content-id header and corresponding value.
TIBCO-BW-PALETTE-PARSE-500022	Invalid Content Type Field in the Mime Message.	Ensure that the media type starts with 'multipart'.
TIBCO-BW-PALETTE-PARSE-500023	Boundary attribute not found in the Mime Message.	Ensure that the 'boundary' attribute is not missing in the mime header.
TIBCO-BW-PALETTE-PARSE-500024	The startinfo parameter is missing in the Mime Message.	Ensure that the startinfo attribute is present in the mime header.
TIBCO-BW-PALETTE-PARSE-500025	The startinfo parameter is not starting with 'application/soap+xml' in the Mime Message.	Ensure that the startinfo attribute has 'application/soap+xml' as value.
TIBCO-BW-PALETTE-	Content Type header is not found in the Mime Message.	Ensure that the mime message has 'content-type' header.

Error Codes	Error Message	Error Resolution
PARSE-500026		
TIBCO-BW-PALETTE-PARSE-500027	Media type of root part is not 'application/xop+xml' in the Mime Message.	Ensure that the root part's media type is 'application/xop+xml'
TIBCO-BW-PALETTE-PARSE-500028	'type' parameter is not present in root part of the Mime Message.	Ensure that the root part has 'type' parameter.
TIBCO-BW-PALETTE-PARSE-500029	startInfo parameter and type parameter, of root part, does not match in the Mime Message.	Ensure that the value of startInfo parameter and type parameter is the same in the root part of the Mime Message.
TIBCO-BW-PALETTE-PARSE-500030	ERROR_LINE_LESS_THAN_MAX_ LENGTH=Line length [{0}] is less than max Field Offset [{1}] ERROR_LINE_LESS_THAN_MAX_ LENGTH.errorCode=500030 ERROR_LINE_LESS_THAN_MAX_ LENGTH.resolution	Ensure that the Line length is not less than max Field Offset.

Rendezvous Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks Rendezvous palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-RV-000001	{0}	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-RV-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-RV-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-RV-300001	{0}	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-300002	Advisory: [{0}] subject, message [{1}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-300004	Listening on subject [{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-300005	Received message on subject [{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-	Not confirming message because it has	This is an informational

Error Codes	Error Message	Error Resolution
PALETTE-RV-300006	already been confirmed seqno: [{0}]	message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-300009	Sending RV request on subject [{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-300010	RV Listening on reply subject [{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-300011	RV Publishing Message on subject [{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-RV-400001	{0}	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-RV-400003	RV Message encoding [{0}] not supported.	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-RV-500001	Error in sending message	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-RV-500002	Error serializing the message	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-RV-500004	Error in processing event: [{0}]	Look at the exception for more information.
TIBCO-BW-PALETTE-RV-500005	Cannot create TibrvQueue: [{0}]	Look at the exception for more information.
TIBCO-BW-PALETTE-RV-500007	Cannot create reply listener for subject: [{0}]	Look at the exception for more information.
TIBCO-BW-PALETTE-RV-500008	Cannot activate TIBRV listener for subject: [{0}]: Exception: [{1}]	Look at the exception for more information.
TIBCO-BW-PALETTE-RV-500009	Error in sending reply	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-RV-500015	Error Occurred while receiving an RV Message so the RV EventSource activity [{0}] failed to generate a new event due to exception [{1}]	Look at the exception for more information.
TIBCO-BW-PALETTE-RV-500018	Advisory listening queue caught exception: [{0}]	Look at the exception for more information.
TIBCO-BW-PALETTE-RV-500010	The RV Subscriber ProcessStarter activity [{0}] failed to generate a new event due to exception [{1}] since it is in the stopped state.	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-RV-500011	The WaitforRVMessage Signal In activity [{0}] failed to generate a new event due to exception [{1}] since it is in the stopped state.	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-RV-500012	Failed to Reply for [{0}]. This error can occur if the RV reply to request activity is executed after recovering from a check-pointed BusinessWorks process instance.	Make sure that RV reply to request activity must be used before checkpoint is taken.

REST and JSON Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks REST and JSON palette.

REST Palette Error Messages

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-REST-100005	An error occurred while parsing.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-REST-100006	Error occurred during JSON transformation.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-REST-100008	The selected encoding <<Encoding Name>> is not valid.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-	Encoding error occurred.	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
PALETTE- REST- 100009		Contact TIBCO Support.
TIBCO-BW- PALETTE- REST- 100010	The encoded byte content is empty.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW- PALETTE- REST- 100012	The input document's root element does not match the desired output's root element.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW- PALETTE- REST- 100013	An error occurred while validating output.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW- PALETTE- REST- 100014	An error occurred in render activity: Improper Invocation: Schema does not have a top-level array.	Check the RenderJSON activity configuration.
TIBCO-BW- PALETTE- REST- 100016	An error occurred while converting JSON to XML.	Check ParseJSON activity configuration.
TIBCO-BW- PALETTE- REST- 100040	No schema definition was found for the specified type	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW- PALETTE- REST-	Elements with Anonymous types are not supported for XSD mode. Please select an Element with a named type.	The resolution is not applicable. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution	
200029	TIBCO-BW-PALETTE-REST-200030	Missing value for the ACCEPT HTTP header. Since CUSTOM Response Type is selected in the configuration, a value MUST be provided for the ACCEPT HTTP header.	Provide a value for the ACCEPT HTTP header.
TIBCO-BW-PALETTE-REST-200031	Missing value for CONTENT-TYPE HTTP header. Since CUSTOM Request Type is selected in the configuration, a value MUST be provided for the CONTENT-TYPE HTTP header.	Provide a value for the CONTENT-TYPE HTTP header.	
TIBCO-BW-PALETTE-REST-200032	Username or Password cannot be null when using Basic Authentication with the REST Invoke Activity.	Check the Identity Shared Resource configuration that is used by the HTTP Client Shared Resource to make sure the password or the username is not null.	
TIBCO-BW-PALETTE-REST-200033	An IOException was thrown while trying to execute the HTTP Method at the resource path.	Check client/server shared resources configuration.	
TIBCO-BW-PALETTE-REST-400000	Spec file is not found for JSON transformation. Provide the path to the file or a valid JSON transformation spec string.	Provide a valid JSON spec file for transformation.	
TIBCO-BW-PALETTE-REST-400001	Input JSON String not found. Provide a valid JSON string for transformation.	Provide a valid JSON string file for transformation.	

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-REST-400002	Input spec file is not valid. Provide a valid spec file for JSON for transformation.	Provide a valid JSON spec file for transformation.
TIBCO-BW-PALETTE-REST-400003	Input JSON is not valid. Provide a valid JSON string for transformation.	Provide a valid JSON string for transformation.
TIBCO-BW-PALETTE-REST-400004	JSON Transformation could not be completed.	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-REST-400005	JSON Transformation returned null. Provide a valid Input JSON and Spec JSON Content.	Input file and spec file do not match. Provide valid input.
TIBCO-BW-PALETTE-REST-2000027	Client received a 4xx response for invocation at the resource path.	Check the Invoke REST API activity configuration.
TIBCO-BW-PALETTE-REST-2000028	Client received a 5xx response for invocation at the resource path.	Check service configuration.

TCP Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks TCP palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-TCP-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-PALETTE-TCP-500001	Cannot start TCP Receiver on Host [{0}], Port [{1}]. Reason: [{2}].	Correct Host and Port and retry.
TIBCO-BW-PALETTE-TCP-500003	Invalid Port; port must be numeric. Error: [{0}]	The Port must be numeric.
TIBCO-BW-PALETTE-TCP-500004	No value specified for the 'data' input field.	Specify a value in the 'data' input field.
TIBCO-BW-PALETTE-TCP-500006	Error reading TCP data. Reason: [{0}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-TCP-500008	Error opening TCP Connection. Reason: [{0}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-TCP-500009	Error opening TCP Connection. Reason: Host [{0}] unknown.	Invalid Host, correct the error and retry.
TIBCO-BW-PALETTE-TCP-500013	Exception closing TCP Connection. Reason: [{0}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-TCP-500014	Could not read from TCP connection. The input connection is either invalid or closed.	The input connection is either invalid or closed. Correct the error and retry.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-TCP-500015	Could not write to TCP connection. The input connection is either invalid or closed.	The input connection is either invalid or closed. Correct the error and retry.
TIBCO-BW-PALETTE-TCP-500016	Cannot start TCP Receiver on Host=[{0}], Port=[{1}]. Another TCP Receiver is already running with the same configuration.	Check Host and Port and retry.
TIBCO-BW-PALETTE-TCP-500017	Error closing TCP connection. Reason: No connection is available, which matches the input connection key.	Match the input connection key while closing connection.
TIBCO-BW-PALETTE-TCP-500018	Error writing data. Reason: [{0}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-TCP-500021	Timeout while reading TCP data	Possible causes for this error are: (1) The data is being read before it is written. (2) If the data that is written is text/binary and it is being read as binary/text. (3) If the data is written with/without separator and is being read without/with separator.
TIBCO-BW-PALETTE-TCP-500022	IOException occurred while retrieving XML Output for activity [{0}].	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-TCP-500023	The TCP Receiver Process Starter activity [{0}] failed to generate a new event due to	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
	exception [{1}] since it is in the stopped state.	
TIBCO-BW-PALETTE-TCP-500024	The Wait For TCP Request activity [{0}] failed to generate a new event due to exception [{1}] since it is in the stopped state.	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-TCP-500025	Invalid SSL Configurations. Reason: [{0}].	There is error with the SSL Configurations. Correct the SSL Configurations and then retry.
TIBCO-BW-PALETTE-TCP-500026	Cannot start TCP Receiver on Port [{0}]. Reason: [{1}].	Correct Port and retry.

XML Palette Error Codes

This section describes the error messages that can be reported by the activities or entities associated with the ActiveMatrix BusinessWorks XML palette.

Error Codes	Error Message	Error Resolution
TIBCO-BW-PALETTE-XML-000001	[{0}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-PALETTE-XML-100001	[{0}]	This is a trace message and the resolution is not applicable.
TIBCO-BW-PALETTE-	[{0}]	This is a debug message and the resolution is not applicable.

Error Codes	Error Message	Error Resolution
XML-200001	[{0}]	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-PALETTE-XML-300001	[{0}]	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-PALETTE-XML-500000	Internal error occurred Class=[{0}], Method=[{1}], Reason=[{2}].	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-PALETTE-XML-500001	Unable to serialize the XML due to exception [{0}].	Ensure that the input XML node is properly given.
TIBCO-BW-PALETTE-XML-500002	Unable to parse the XML due to exception [{0}].	Ensure that the provided input XML is well formed and valid.
TIBCO-BW-PALETTE-XML-500003	Exception [{0}] occurred during the XSLT transformation. Exception detail [{1}].	Ensure that the provided input XML and input XSLT are properly given.
TIBCO-BW-PALETTE-XML-500004	The XSLT transformation Style sheet provided for the activity input is empty or null.	Ensure to provide the XSLT either in the configuration or in the activity input.
TIBCO-BW-PALETTE-XML-500005	The selected encoding [{0}] is not valid.	Ensure that the provided encoding is valid.
TIBCO-BW-PALETTE-	Encountered encoding error [{0}].	Ensure that the provided encoding is correct.

Error Codes	Error Message	Error Resolution
XML-500006		
TIBCO-BW-PALETTE-XML-500007	The encoded bytes content is empty.	Ensure that the input content is not empty.
TIBCO-BW-PALETTE-XML-500008	Encountered error [{0}] while trying to detect the encoding from the XML.	Ensure that the provided input byte content is correct.
TIBCO-BW-PALETTE-XML-500009	Activity input error. The activity does not receive proper input.	Ensure that the input content is not empty.

Shared Resources

This section describes the error codes that can be reported by various shared resources.

Shared Resource Framework Error Codes

The Shared Resource Framework is responsible for the creating and managing the shared resources required by the product applications. This section describes the error messages that can be reported by the Shared Resource Framework.

Error Codes	Error Message
TIBCO-BW-SR-FRWK-000010	Shared Resource Creation Error. The ResourceDependencyHandler object returned by [{0}#create()] is null.
TIBCO-BW-SR-FRWK-500001	{0}
TIBCO-BW-SR-FRWK-502000	Failed to {0} SharedResource [{1}] for Module [{2}:{3}], DeploymentUnit [{4}:{5}]{6}
TIBCO-BW-SR-FRWK-503000	Unable to start SharedResource [{0}] {1}. <Reason>: {2}
TIBCO-BW-SR-COMMON-001101	Unable to get IdentitySubject from Trinity for {0}.
TIBCO-BW-SR-COMMON-001102	Object is not of type IdentitySubject for {0}.
TIBCO-BW-SR-COMMON-001103	Unable to get IdentityTrust from Trinity for {0}.

Error Codes	Error Message
TIBCO-BW-SR- COMMON-001104	Object is not of type IdentityTrust for {0}.
TIBCO-BW-SR- COMMON-001105	Unsupported PrivateKey.
TIBCO-BW-SR- COMMON-001105	Key not found.
TIBCO-BW-SR- COMMON-001105	Problem extracting Key.
TIBCO-BW-SR- THREADPOOL- 502000	Failed to {0} Thread Pool resource [{1}]
TIBCO-BW-SR- THREADPOOL- 500001	Failure during execution of pending task {0} in work queue on ThreadPool shutdown.
TIBCO-BW-SR- THREADPOOL- 500002	Could not submit task {0} for execution.
TIBCO-BW-SR- THREADPOOL- 500003	No matching time unit found for {0}, possible values are {NANOSECONDS, MICROSECONDS, MILLISECONDS, SECONDS, MINUTES, HOURS, DAYS}.
TIBCO-BW-SR- THREADPOOL- 500004	No matching rejection policy found for {0}, possible values are {BLOCKING, CALLER_RUNS, ABORT}.
TIBCO-BW-SR-	Keep Alive Time should be greater than or equal to zero.

Error Codes	Error Message
THREADPOOL-500005	
TIBCO-BW-SR-THREADPOOL-500006	Maximum Pool Size should be greater than zero and less than or equal Core pool size.
TIBCO-BW-SR-THREADPOOL-500007	Core Pool Size should be greater than or equal to zero.
TIBCO-BW-SR-THREADPOOL-500008	Minimum Pool Size should be greater than or equal to zero.

Data Format Error Codes

This section describes the error messages that can be reported by the Data Format shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-DATAFORMAT-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-DATAFORMAT-500000	Failed to {0} Data Format resource [{1}]	Check the configuration of the Data Format shared resource.

FTP Connection Error Codes

This section describes the error messages that can be reported by the FTP Connection shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-FTP-500004	Failed to {0} FTP Connection resource [{1}]	Correct the error and retry.
TIBCO-BW-SR-FTP-200001	{0}	This is a debug message and the resolution is not applicable.

HTTP Client Error Codes

This section describes the error messages that can be reported by the HTTP Client shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-HTTP-CLIENT-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-HTTP-CLIENT-500000	Failed to {0} HTTP Client resource [{1}]	Check the configuration of the HTTP Client resource.
TIBCO-BW-SR-HTTP-CLIENT-500001	Username or Password is not specified in Identity	Specify a username and password in the Identity shared resource.
TIBCO-BW-SR-HTTP-CLIENT-500002	Username or Password is not set in the identity resource for basic HTTP authentication	Check if the username and password is specified in the Identity shared resource.

HTTP Connector Error Codes

This section describes the error messages that can be reported by the HTTP Connector shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-HTTP-CONNECTOR-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-SR-HTTP-CONNECTOR-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-HTTP-CONNECTOR-300003	Error while stopping the HTTP endpoint [{0}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-HTTP-CONNECTOR-300004	Error while stopping HTTP context [{0}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-HTTP-CONNECTOR-500000	Failed to {0} HTTP Connector resource [{1}]	Check the configuration of the HTTP Connector resource.
TIBCO-BW-SR-HTTP-CONNECTOR-500003	Failed to create the HTTP Connector resource [{0}] with the specified configuration. Check the configuration settings.	Check the configuration of the HTTP Connector resource.
TIBCO-BW-SR-	Unable to start the HTTP Server instance for resource [{0}]	Check the configuration of the HTTP Connector resource.

Error Codes	Error Message	Error Resolution
HTTP-CONNECTOR-500004		
TIBCO-BW-SR-HTTP-CONNECTOR-500005	Failed to activate the HTTP endpoint [{0}] because of exception [{1}]	Check the exception and correct the configuration of the HTTP Connector resource or HTTP Event source.
TIBCO-BW-SR-HTTP-CONNECTOR-500006	The HTTP server instance cannot be started, because it is not configured	Check the configuration of the HTTP Connector resource or HTTP Event source.
TIBCO-BW-SR-HTTP-CONNECTOR-500007	The HTTP server instance [{0}] occurred an error when stopped	System exception.
TIBCO-BW-SR-HTTP-CONNECTOR-500008	Failed to deactivate the HTTP endpoint [{0}]	System exception.
TIBCO-BW-SR-HTTP-CONNECTOR-500009	Failed to get URL for the HTTP endpoint [{0}]	Check the host and port configuration on the HTTP Connector resource.
TIBCO-BW-SR-HTTP-CONNECTOR-500010	Unable to find Application bundle [{0}]	System exception.
TIBCO-BW-SR-HTTP-CONNECTOR-	Failed to create the HTTP Connector resource [{0}] configured with port [{1}]	Check the port configured on the HTTP Connector resource is not in use.

Error Codes	Error Message	Error Resolution
500012		
TIBCO-BW-SR- HTTP- CONNECTOR- 500013	LDAP resource is not configured on the HTTP Connector resource [{0}].	Check if LDAP resource is configured on the HTTP Connector.

Java Global Instance Error Codes

This section describes the error messages that can be reported by the Java Global Instance shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-JAVA-500001	BW6_EXCP_NAME_EXISTS = A connector configuration with the name "[{0}" already exists with pid [{1}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-SR-JAVA-500002	Unable to find Application bundle [{0}]	This is an internal product error. Contact TIBCO Support.
TIBCO-BW-SR-JAVA-500003	Unable to construct an instance of the Java class [{0}]. Encountered an exception [{1}] [{2}].	Correct the error stated in the exception message and retry.
TIBCO-BW-SR-JAVA-500004	Activity input error. The activity received an incorrect value for the method parameters. IllegalArgumentException occurred while trying to construct an instance of the Java class [{0}]: [{1}]	Ensure that the correct values are provided for the constructor parameter elements that are in the activity input tab.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-JAVA-500005	The constructor for the Java class [{0}] raised an exception [{1}]. [{2}]	The exception was raised by the constructor of the declared Java class. Refer to the Java class implementation for details.
TIBCO-BW-SR-JAVA-500006	The Java class [{0}] is not found in the classpath. Encountered ClassNotFoundException [{1}].	Ensure that the specified class file is contained in the classpath.
TIBCO-BW-SR-JAVA-500007	Unable to obtain information for the method [{0}] from the class [{1}]. Encountered NoSuchMethodException [{2}].	Reconfigure this activity or verify that the declared Java class has not changed since the last configuration.
TIBCO-BW-SR-JAVA-500008	Unable to obtain information for the cleanup method [{0}] from the class [{1}]. NoSuchMethodException occurred. [{2}]	Reconfigure this activity or verify that the declared Java class has not changed since the last configuration.
TIBCO-BW-SR-JAVA-500009	The cleanup method [{0}] raised an exception [{1}]. [{2}]	The exception was raised by the method of the specified Java class. Refer to the declared class implementation for details.
TIBCO-BW-SR-JAVA-500010	Unable to invoke the cleanup method [{0}]. Exception [{1}] occurred. [{2}]	Correct the error stated in the exception message and retry.
TIBCO-BW-SR-JAVA-500012	Unable to invoke the cleanup method [{0}]. Encountered an exception [{1}] [{2}].	The exception was raised by the method of the specified Java class. Refer to the declared class

Error Codes	Error Message	Error Resolution
		implementation for details.
TIBCO-BW-SR-JAVA-500014	Received an incorrect value for the method [{0}] parameter to get access the BW Module properties. Exception occurred: [{1}]	Ensure that the correct values are provided for the method parameter to get access the BW Module properties.
TIBCO-BW-SR-JAVA-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-JAVA-200002	Failed to {0} Java Global Instance resource [{1}]	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR-JAVA-000001	Delete Called on configuration that does not exist with pid [{0}]	The resolution is not applicable. Contact TIBCO Support.

JMS Connection Error Codes

This section describes the error messages that can be reported by the JMS Connection shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-JMS-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR-	{0}	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
JMS-200001		Contact TIBCO Support.
TIBCO-BW-SR- JMS-300001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR- JMS-400001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR- JMS-502000	Failed to {0} JMS Connection resource [{1}]	Check JMS Connection Shared resource configuration.

JDBC Connection Error Codes

This section describes the error messages that can be reported by the JDBC Connection shared resource.

Error Codes	Error Message	Error Resolution
TIBCO- BW-SR- JDBC- 300001	Received an update request for an existing configuration with PID=[{0}] and Shared resource name [{1}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO- BW-SR- JDBC- 300002	Updating Password for Shared Resource with PID [{0}] and name[{1}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO- BW-SR- JDBC- 300003	Updating Username for Shared Resource with PID [{0}] and name[{1}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-JDBC-300004	Updating Database URL [{0}] for Shared Resource with PID[{1}] and name[{2}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-JDBC-300005	<p>Ignoring Hot Update for configuration with PID=[{0}] and name[{1}].</p> <p>Unsupported parameters updated. Only Username, Password, and URL is supported</p>	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-JDBC-300006	Adding new configuration for Shared Resource with name [{0}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-JDBC-300007	Deleting Configuration for Shared Resource with name[{0}]	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-JDBC-300008	Following drivers have been loaded in the framework [{0}]. Following Shared Resource Configurations have been deployed before these drivers were loaded [{1}].	This is an informational message and it highlights the runtime progress of the shared resource. The resolution is not applicable.
TIBCO-BW-SR-JDBC-400001	Exception occurred while closing a bad connection with [Vendor ErrorCode:{0}] and SQL STATE[{1}]	This is a warning message. A JDBC connection was marked invalid by the driver and was removed from the pool. This connection could not be closed successfully.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-JDBC-400002	Maximum permitted connections reached. Cannot create a new connection. Waiting for a connection to be available.	This is a warning message. The JDBC Connection Pool has reached the maximum limit specified by the user. Jobs created wait for a connection to be available before proceeding. Increasing the max connections to a suitable value for the application solves this issue.
TIBCO-BW-SR-JDBC-400003	No suitable DataSourcefactory found for driver [{0}]. The shared resource {1} might NOT resolve. The configuration will wait for a driver to be available.	This is a warning message. This message prints out information about a driver not being loaded at the current time. Since the framework has not finished loading, there is a chance of the driver being loaded later. It is safe to ignore this message.
TIBCO-BW-SR-JDBC-502000	Failed to {0} JDBC Connection resource [{1}].	A JDBC connection lifecycle error has occurred. Check the connection configuration and restart the application if necessary.
TIBCO-BW-SR-JDBC-500001	Exception occurred while trying to retrieve a connection from the JDBC Connection pool	Check the connection configuration and if the database is up and running.
TIBCO-BW-SR-JDBC-500002	Failed to create a new connection to the database server. Database URL [{0}], UserName [{1}], SQLSTATE [{2}]	Check the connection configuration and if the database is up and running.
TIBCO-BW-SR-JDBC-500003	The database driver [{0}] is not found. Ensure that the DataSourceFactory bundle providing this driver is available in the	Run the appropriate script using BWInstall from the bin folder to add the JDBC driver to the runtime environment.

Error Codes	Error Message	Error Resolution
	environment.	
TIBCO-BW-SR-JDBC-200001	Destroying all Unused connections.	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-JDBC-200002	Published Event to Event Admin on topic {0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-JDBC-000001	Delete Called on configuration that does not exist with pid [{0}]	This is an internal product error. Contact TIBCO Support.

JNDI Configuration Error Codes

This section describes the error messages that can be reported by the JNDI Configuration shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-JNDI-100001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR-JNDI-200001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR-JNDI-300001	{0}	The resolution is not applicable. Contact TIBCO Support.
TIBCO-BW-SR-	{0}	The resolution is not applicable.

Error Codes	Error Message	Error Resolution
JNDI-400001		Contact TIBCO Support.
TIBCO-BW-SR-JNDI-502000	Failed to {0} JNDI Configuration resource [{1}]	Check JNDI Configuration shared resource configuration.

Proxy Configuration Error Codes

This section describes the error messages that can be reported by the Proxy Configuration shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-HTTP-PROXY-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-HTTP-PROXY-500000	Failed to {0} Proxy Configuration resource [{1}]	Check the configuration of Proxy shared resource.

Rendezvous Transport Error Codes

This section describes the error messages that can be reported by the Rendezvous transport shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-RV-000001	{0}	This is an internal product error. Contact TIBCO Support.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-RV-100001	{0}	This is a trace message and the resolution is not applicable.
TIBCO-BW-SR-RV-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-RV-300001	{0}	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-SR-RV-400001	{0}	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-SR-RV-400002	RV Transport Resource configuration error. The CM Name field is not configured correctly. If omitted, a unique, non-reusable name will be generated for the duration of the transport.	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-SR-RV-500000	Failed to create RV Transport due to exception [{0}]	Look at the exception for more information.
TIBCO-BW-SR-RV-500006	Failed to {0} RV Transport resource [{1}]	This is an internal product error. Contact TIBCO Support.

SMTP Resource Error Codes

This section describes the error messages that can be reported by the SMTP shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-MAIL-200001	{0}	This is a debug message and the resolution is not applicable.
TIBCO-BW-SR-MAIL-300001	Adding new configuration [{0}].	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-SR-MAIL-300002	Deleting configuration [{0}].	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-SR-MAIL-300004	Mail Session created successfully.	This is an informational message and it highlights the runtime progress of the activity. The resolution is not applicable.
TIBCO-BW-SR-MAIL-400001	Called update on an existing configuration [{0}]. Resource will be recreated.	This is a warning message and it highlights situations that may affect the activity execution.
TIBCO-BW-SR-MAIL-500001	Problem extracting mail SSL information from Trinity for JNDI [{0}].	Ensure that the SSL shared resource is appropriately configured.
TIBCO-	Mail Session creation failed.	Ensure that the SMTP shared resource is appropriately configured.

Error Codes	Error Message	Error Resolution
BW-SR-MAIL-500002	Handler for MimeType [{0}] not found.	Ensure that the MimeType is valid.
TIBCO-BW-SR-MAIL-500005	Failed to start SMTP Connection Shared Resource [{0}].	Ensure that the SMTP shared resource is appropriately configured.
TIBCO-BW-SR-MAIL-500006		

TCP Connection

This section describes the error messages that can be reported by the TCP Connection shared resource.

Error Codes	Error Message	Error Resolution
TIBCO-BW-SR-TCP-500004	Failed to {0} TCP Connection resource [{1}]	Correct the error and retry.
TIBCO-BW-SR-TCP-200001	{0}	This is a debug message and the resolution is not applicable.

TIBCO Documentation and Support Services

For information about this product, you can read the documentation, contact TIBCO Support, and join TIBCO Community.

How to Access TIBCO Documentation

Documentation for TIBCO products is available on the [Product Documentation website](#), mainly in HTML and PDF formats.

The [Product Documentation website](#) is updated frequently and is more current than any other documentation included with the product.

Product-Specific Documentation

The following documentation for this product is available on the [TIBCO ActiveMatrix BusinessWorks™](#) page:

- *TIBCO ActiveMatrix BusinessWorks™ Release Notes*
- *TIBCO ActiveMatrix BusinessWorks™ Installation*
- *TIBCO ActiveMatrix BusinessWorks™ Application Development*
- *TIBCO ActiveMatrix BusinessWorks™ Bindings and Palettes Reference*
- *TIBCO ActiveMatrix BusinessWorks™ Concepts*
- *TIBCO ActiveMatrix BusinessWorks™ Error Codes*
- *TIBCO ActiveMatrix BusinessWorks™ Getting Started*
- *TIBCO ActiveMatrix BusinessWorks™ Maven Plug-in*
- *TIBCO ActiveMatrix BusinessWorks™ Migration*
- *TIBCO ActiveMatrix BusinessWorks™ Performance Benchmarking and Tuning*
- *TIBCO ActiveMatrix BusinessWorks™ REST Implementation*
- *TIBCO ActiveMatrix BusinessWorks™ Refactoring Best Practices*

- *TIBCO ActiveMatrix BusinessWorks™ Samples*

How to Contact Support for TIBCO Products

You can contact the Support team in the following ways:

- To access the Support Knowledge Base and getting personalized content about products you are interested in, visit our [product Support website](#).
- To create a Support case, you must have a valid maintenance or support contract with a Cloud Software Group entity. You also need a username and password to log in to the [product Support website](#). If you do not have a username, you can request one by clicking **Register** on the website.
- To submit ideas, suggestions, or feedback for TIBCO products, visit our [product Support website](#).

How to Join TIBCO Community

TIBCO Community is the official channel for TIBCO customers, partners, and employee subject matter experts to share and access their collective experience. TIBCO Community offers access to Q&A forums, product wikis, and best practices. It also offers access to extensions, adapters, solution accelerators, and tools that extend and enable customers to gain full value from TIBCO products. In addition, users can submit and vote on feature requests from within the [TIBCO Ideas Portal](#). For a free registration, go to [TIBCO Community](#).

Legal and Third-Party Notices

SOME CLOUD SOFTWARE GROUP, INC. (“CLOUD SG”) SOFTWARE AND CLOUD SERVICES EMBED, BUNDLE, OR OTHERWISE INCLUDE OTHER SOFTWARE, INCLUDING OTHER CLOUD SG SOFTWARE (COLLECTIVELY, “INCLUDED SOFTWARE”). USE OF INCLUDED SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED CLOUD SG SOFTWARE AND/OR CLOUD SERVICES. THE INCLUDED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER CLOUD SG SOFTWARE AND/OR CLOUD SERVICES OR FOR ANY OTHER PURPOSE.

USE OF CLOUD SG SOFTWARE AND CLOUD SERVICES IS SUBJECT TO THE TERMS AND CONDITIONS OF AN AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER AGREEMENT WHICH IS DISPLAYED WHEN ACCESSING, DOWNLOADING, OR INSTALLING THE SOFTWARE OR CLOUD SERVICES (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH LICENSE AGREEMENT OR CLICKWRAP END USER AGREEMENT, THE LICENSE(S) LOCATED IN THE “LICENSE” FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE SAME TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

This document is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of Cloud Software Group, Inc.

TIBCO, the TIBCO logo, the TIBCO O logo, ActiveMatrix BusinessWorks, ActiveSpaces, Business Studio, TIBCO Business Studio, TIBCO Designer, TIBCO Enterprise Administrator, Enterprise Message Service, Rendezvous, and TIBCO Runtime Agent are either registered trademarks or trademarks of Cloud Software Group, Inc. in the United States and/or other countries.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only. You acknowledge that all rights to these third party marks are the exclusive property of their respective owners. Please refer to Cloud SG’s Third Party Trademark Notices (<https://www.cloud.com/legal>) for more information.

This document includes fonts that are licensed under the SIL Open Font License, Version 1.1, which is available at: <https://scripts.sil.org/OFL>

Copyright (c) Paul D. Hunt, with Reserved Font Name Source Sans Pro and Source Code Pro.

Cloud SG software may be available on multiple operating systems. However, not all operating system platforms for a specific software version are released at the same time. See the "readme" file for the availability of a specific version of Cloud SG software on a specific operating system platform.

THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. CLOUD SG MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S), THE PROGRAM(S), AND/OR THE SERVICES DESCRIBED IN THIS DOCUMENT AT ANY TIME WITHOUT NOTICE.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "README" FILES.

This and other products of Cloud SG may be covered by registered patents. For details, please refer to the Virtual Patent Marking document located at <https://www.cloud.com/legal>.



Copyright © 2001-2026. Cloud Software Group, Inc. All Rights Reserved.