



TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP

Installation

Version 6.5.1 | March 2025

Contents

Contents	2
Installation Overview	4
Installation Requirements	5
Installation Account and Permission Requirements	5
System Requirements	6
Platform	6
Disk Space	6
Software Requirements	6
Installing by Using the TIBCO Universal Installer	8
Installation Environment	8
Installation Components and Profiles	9
Installation Modes and Procedures	10
Installing in GUI Mode	10
Installing in Console Mode	11
Installing in Silent Mode	12
Installing by Using an Update Site	14
Installing the Plug-in by Using the Public Update Site	14
Installing the Plug-in by Using a Local Update Site or Directory	16
Installing the Plug-in by Using BusinessWorks Plug-ins Manager	17
Uninstalling by Using the TIBCO Universal Installer	20
Uninstalling in GUI Mode	20
Uninstalling in Console Mode	22
Uninstalling in Silent Mode	22

Uninstalling by Using an Update Site	25
Uninstalling the Plug-in by Using the Public Update Site or Local Update Site	25
Uninstalling the Plug-in by Using BusinessWorks Plug-ins Manager	26
Troubleshooting Installation	29
TIBCO Documentation and Support Services	30
Legal and Third-Party Notices	32

Installation Overview

You can install TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP either by using the TIBCO Universal Installer or an update site.

- [Installing by Using the TIBCO Universal Installer](#)

You can install the plug-in by using the TIBCO Universal Installer, in the following modes: GUI, console, and silent. To skip to the procedure, see [Installation Modes and Procedures](#).

- [Installing by Using an Update Site](#)

You can install the plug-in from within TIBCO Business Studio™ for BusinessWorks™ by using the public update site maintained by TIBCO, using a local update site managed by your organization, or BusinessWorks Plug-ins Manager.

The plug-in must be installed into an existing installation environment where TIBCO ActiveMatrix BusinessWorks™ is already installed. The installation environment of ActiveMatrix BusinessWorks™ is referenced as *TIBCO_HOME*.

**Note:**

- If a previous version of the plug-in is already installed in *TIBCO_HOME* where the new version is to be installed, you must uninstall the previous version before installing the new version.
- TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.

Installation Requirements

Before you install the plug-in, ensure that your system meets all the hardware and software requirements and you have appropriate privileges to run the installer.

Installation Account and Permission Requirements

To install on Microsoft Windows, Linux, or macOS, you must have appropriate privileges. Privileges differ for various platforms.

i Note: Use the same installer account to install all ActiveMatrix BusinessWorks products.

Platform	Account Privileges
Microsoft Windows	<p>Only users with administrator privileges can install the plug-in. If you do not have administrator privileges, the installer automatically exits.</p> <p>To install the product on a network drive, ensure that the account used for installation has permission to access the network drive.</p>
Linux	<p>Any type of user, regular (non-root) user and super-user (root), can install on Linux.</p> <p>A graphic environment such as CDE or X Windows is required to run the installer in GUI mode.</p>
macOS	<p>Any type of user, regular (non-root) user and super-user (root), can install on macOS.</p>

System Requirements

Ensure that your system meets the hardware and software requirements before installing the plug-in.

Platform

Before you run the installer, ensure that the appropriate platform is supported. For information about supported operating system platforms, versions, and the required patches, see the [Readme](#) file.

Disk Space

The installer requires some space in the local directory before installation, and additional space in the local directory to run the installer. Ensure that sufficient space is available in the directory that you want to use as the installation environment (*TIBCO_HOME*).

i Note: While installing the product, avoid running other processes that use disk space in the installation environment directory. If another process uses disk space while the installer is copying files, the installer might fail and display a failure message.

Software Requirements

Ensure that you have installed the required software before you run the installer. For information about supported products and versions, see the [Readme](#) file.

The following table lists required and optional TIBCO products:

Software	Description
TIBCO ActiveMatrix BusinessWorks™	<p>Required.</p> <p>ActiveMatrix BusinessWorks supports your integration project throughout the project life cycle. It includes a common graphical user interface for configuration, process design, and deployment.</p>
TIBCO® Enterprise Administrator	<p>Optional.</p> <p>TIBCO Enterprise Administrator consists of a TIBCO Enterprise Administrator server, a web user interface for the server, and a shell interface, with which you can manage the applications that you create in TIBCO Business Studio for BusinessWorks.</p>

Installing by Using the TIBCO Universal Installer

You can install the ActiveMatrix BusinessWorks™ Plug-in for AMQP by using the TIBCO Universal Installer, in the following modes: GUI, console, and silent.

Ensure that your system meets all the requirements described in the [Installation Requirements](#) section.

i Note: The plug-in must be installed in the same installation environment where ActiveMatrix BusinessWorks is installed. Stop all running processes in the installation environment before the installation.

Using the TIBCO Universal Installer, you can select the installation environment and the installation component.

If you are using the TIBCO Universal Installer for the first time to install the plug-in, review the following topics before the installation:

- [Installation Environment](#)
- [Installation Components and Profiles](#)
- [Installation Modes and Procedures](#)

Installation Environment

An installation environment isolates product installations. A product installed in one installation environment cannot access components in other installation environments.

An installation environment is the top-level installation directory for TIBCO products. An installation environment consists of the following properties:

Property	Description
Directory	Identifies the directory where the product is installed.
<i>TIBCO_HOME</i>	It is the top-level installation directory for TIBCO products.
Name	Identifies the name of the folder where the product is installed.

Installation Components and Profiles

Different installation components are associated with different functions. Using the TIBCO Universal Installer, you can select installation components during the installation.

Installation components are grouped into different installation profiles. One installation profile is associated with one or more installation components. When you select a profile, the components grouped to the selected profile are installed. By default, the **Typical** installation profile is selected, therefore, the Design and Runtime installation components are installed.

The following installation components are available for the plug-in:

Component	Description
TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP Design	This component includes the palettes, shared resources, and samples that show how the plug-in interacts with ActiveMatrix BusinessWorks. You can configure your own business process in TIBCO Business Studio for BusinessWorks with an Eclipse user interface. Note: This component cannot be installed alone without the runtime component.
TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP Runtime	This component passes and converts data to and from vendor applications. The parameters of data exchange are stored in projects that are created by using the plug-in palette.

Installation Modes and Procedures

You can run the TIBCO Universal Installer in GUI, console, or silent mode. Each mode is supported on all platforms. Ensure that your system meets all the requirements described in [Installation Requirements](#).

i Note: The plug-in must be installed in an existing installation environment where ActiveMatrix BusinessWorks is installed. Stop all running processes in the installation environment before the installation.

Installation Mode	Description	Reference
GUI	In GUI mode, the installer contains panels where you can select a product, product location, and so on. To invoke the installer in GUI mode, double-click the executable file.	Installing in GUI Mode
Console	In console mode, you can run the installer on a command line. This is useful if your machine does not have a GUI environment.	Installing in Console Mode
Silent	In silent mode, the installer installs the product without prompting you for information. The installer uses either default or custom settings that are saved in a response file.	Installing in Silent Mode

Installing in GUI Mode

In GUI mode, the installer prompts you for information regarding the installation environment, installation profile, and other installation information.

Before you begin

1. Ensure that ActiveMatrix BusinessWorks is already installed. The plug-in must be installed in the same installation environment where ActiveMatrix BusinessWorks is installed.
2. Download the installation package from [TIBCO eDelivery](#). To download the

installation package, the TIBCO account credentials (username and password) are required. If you do not have a username and password, contact [TIBCO Support](#).

3. Extract the content of the package to a local directory.
4. Stop all running processes in the installation environment.

Procedure

1. Navigate to the directory where you extracted the package.
2. To start the installation, run the executable file of the TIBCO Universal Installer for the required platform.
3. On the **Welcome** page of the installation wizard, click **Next**.
4. Accept the license agreement and click **Next**.
5. On the **Installation Profile Selection** page, select **Use an existing *TIBCO_HOME*** and choose the installation environment where ActiveMatrix BusinessWorks is installed and then click **Next**. For more information, see [Installation Environment](#).
6. On the **Installation Profile Selection** page, select an installation profile to specify the installation components to be installed. Or select the **Customize Installation** checkbox to select the installation components. Click **Next**. For more information, see [Installation Components and Profiles](#).
7. On the **Pre-Install Summary** page, review the information and click **Next**.
8. On the **Post-Install Summary** page, review the installation details and click **Finish**.

What to do next

Open TIBCO Business Studio for BusinessWorks and create a project to start using the plug-in. For more information, see the *TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP User Guide*.

Installing in Console Mode

In console mode, you can run the installer from the command line. The installer prompts for values on a console window and you can move through the installation by responding to the prompts.

Before you begin

1. Ensure that ActiveMatrix BusinessWorks is already installed. The plug-in must be installed in the same installation environment where ActiveMatrix BusinessWorks is installed.
2. Download the installation package from [TIBCO eDelivery](#). To download the installation package, the TIBCO account credentials (username and password) are required. If you do not have a username and password, contact [TIBCO Support](#).
3. Extract the content of the package to a local directory.
4. Stop all running processes in the installation environment.

Procedure

1. On a command line, navigate to the local directory where you extracted the installation package.
2. To start the installation, run the following command:

```
<TIBCO Universal Installer executable file> -console
```

3. Respond to the messages on the command line.
The installation options are the same as GUI mode. For more information, see [Installing in GUI Mode](#).
4. When the installation is completed, press Enter to exit the installer.

What to do next

Open TIBCO Business Studio for BusinessWorks and create a project to start using the plug-in. For more information, see the *TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP User Guide*.

Installing in Silent Mode

In silent mode, you can run the installer without user input by pointing the installer to an existing response file. A default response file named `TIBCOUniversalInstaller_bwpluginamqp_<version>.silent` is packaged with the TIBCO Universal Installer. Before launching the silent installation, you must edit the response file with the information about

your environment. It is recommended to make a copy of the default response file then edit that file and use it for the installation.

- If you invoke the installer with the `-silent` argument, the installer reads the input from the default response file.
- If you invoke the installer with the `-silent -V responseFile=<filename>` argument, the installer reads the input from the specified response file.

Before you begin

1. Ensure that ActiveMatrix BusinessWorks is already installed. The plug-in must be installed in the same installation environment where ActiveMatrix BusinessWorks is installed.
2. Download the installation package from [TIBCO eDelivery](#). To download the installation package, the TIBCO account credentials (username and password) are required. If you do not have a username and password, contact [TIBCO Support](#).
3. Extract the content of the package to a local directory.
4. Stop all running processes in the installation environment.

Procedure

1. On the command line, navigate to the local directory where you extracted the installation package.
2. To start the installation, run the following command:

```
<TIBCO Universal Installer executable file> -silent -V responseFile="<my_response_filename>"
```

i Note: If you copy the response file to another directory, not the local directory containing the installer, then provide the absolute path of the response file.

What to do next

Open TIBCO Business Studio for BusinessWorks and create a project to start using the plug-in. For more information, see the *TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP User Guide*.

Installing by Using an Update Site

You can install the plug-in in the following ways. For details about installation procedures, see the *Installation* guide provided with the respective plug-in.

Installation method	Description	Reference
Public update site	You can install the plug-in from within TIBCO Business Studio for BusinessWorks by using the public update site.	Installing the Plug-in by Using the Public Update Site
Local update site or directory	You can install the plug-in from within TIBCO Business Studio for BusinessWorks by using a local update site or a shared directory managed by your organization.	Installing the Plug-in by Using a Local Update Site or Directory
BusinessWorks Plug-ins Manager	You can install the plug-in from within TIBCO Business Studio for BusinessWorks using the BusinessWorks Plug-ins Manager.	Installing the Plug-in by Using BusinessWorks Plug-ins Manager

Installing the Plug-in by Using the Public Update Site

You can install plug-ins from within TIBCO Business Studio for BusinessWorks by using the public update site maintained by TIBCO.

Before you begin

Ensure that design time is supported for your operating system platform.

Procedure

1. Depending on the platform applicable to your plug-in, start TIBCO Business Studio for BusinessWorks:

Platform	Step
Microsoft Windows	Click Start > All Programs > TIBCO > TIBCO_HOME > TIBCO Business Studio <studio_version> > Studio for Designers
Linux or macOS	Run the TIBCO Business Studio for BusinessWorks executable file in the <i>TIBCO_HOME/studio/<studio_version>/eclipse</i> directory.

For the list of platforms supported by your plug-in, see the [Readme](#) file.

2. On the menu bar, click **Help > Install New Software** to open the installation wizard.
3. On the **Install** page, in the **Work with** field, enter the URL of the public update site, <http://update.tibco.com/eclipse/bw/<version>>. Here the two-digit *bw-version* at the end of the address reflects the version of your ActiveMatrix BusinessWorks you are using.

You can save the URL by adding it to the list of available software sites using the TIBCO Business Studio for BusinessWorks menu **Window > Preferences > Install/Update > Available Software Sites**.

4. From the list of available plug-ins, select the plug-in you want to install. Click **Next**.



Note: You can select more than one plug-in from the list to install multiple plug-ins at the same time.

5. On the **Install Details** page, review the components you want to install. Click **Next**.
6. On the **Review Licenses** page, review and accept the license agreement.
7. To start the installation, click **Finish**.

What to do next

Restart TIBCO Business Studio for BusinessWorks to verify that the plug-in is installed successfully.

Installing the Plug-in by Using a Local Update Site or Directory

You can install ActiveMatrix BusinessWorks Plug-in for AMQP from within TIBCO Business Studio for BusinessWorks by using a local site or directory maintained by your organization.

Before you begin

- Ensure that you downloaded the software package from the TIBCO download site and stored it in an appropriate location, such as a local update site or a directory. The default package name has the TIB_<plugin_name>_<version>_p2installer.zip format.
- Ensure that design time is supported for your operating system platform.

Procedure

1. Depending on the platform applicable to your plug-in, start TIBCO Business Studio for BusinessWorks:

Platform	Step
Microsoft Windows	Click Start > All Programs > TIBCO > TIBCO_HOME > TIBCO Business Studio <studio_version> > Studio for Designers
Linux or macOS	Run the TIBCO Business Studio for BusinessWorks executable file in the <i>TIBCO_HOME/studio/<studio_version>/eclipse</i> directory.

For the list of platforms supported by your plug-in, see the [Readme](#) file.

2. On the menu bar, click **Help > Install New Software** to open the installation wizard.
3. On the **Install** page, click **Add** to add an update site you want to work with.

i Note: You can add only one update site at a time. Repeat the following steps to add multiple repositories that contain the downloaded software packages.

- a. In the Add Repository dialog, click **Local** or **Archive** to locate the plug-in installation package you want to install, and then click **OK**.
 - b. The selected plug-in installation package is added to the **Location** field. Click **OK**. The plug-in installation package is added to the list of available software on the Install page.
4. On the **Install** page, select the plug-in you want to install. Click **Next**.



Note: You can select more than one plug-in from the list to install multiple plug-ins at the same time.

5. On the **Install Details** page, review the components you want to install. Click **Next**.
6. On the **Review Licenses** page, review and accept the license agreement.
7. To start the installation, click **Finish**.

What to do next

Restart TIBCO Business Studio for BusinessWorks to verify that the plug-in is installed successfully.

Installing the Plug-in by Using BusinessWorks Plug-ins Manager

You can install the plug-in from within TIBCO Business Studio for BusinessWorks by using BusinessWorks Plug-ins Manager. TIBCO recommends that you use the same mode for installing and uninstalling the plug-in.

Before you begin

To install the plug-in by using the plug-ins manager, read the following considerations:

- You must have version 6.7.0 or later of ActiveMatrix BusinessWorks.
- Ensure that design time is supported for your operating system platform.

The software package must be available at the update site:

<http://update.tibco.com/eclipse/bw/<version>>


Here, the *bw-version* at the end of the address reflects the version of ActiveMatrix BusinessWorks you are using.


Procedure

1. Depending on the platform applicable to your plug-in, start TIBCO Business Studio for BusinessWorks:


Platform	Step
Microsoft Windows	Click Start > All Programs > TIBCO > TIBCO_HOME > TIBCO Business Studio <studio_version> > Studio for Designers
Linux or macOS	Run the TIBCO Business Studio for BusinessWorks executable file in the <i>TIBCO_HOME/studio/<studio_version>/eclipse</i> directory.

For the list of platforms supported by your plug-in, see the [Readme](#) file.

2. Open BusinessWorks Plug-ins Manager in one of the following ways:
 - On the menu bar, click **Help > BusinessWorks Plug-ins Manager**.
 - When a process is open, in the **Palette** section (right pane), click the **Plug-ins Manager** icon .



The BusinessWorks Plug-ins Manager dialog opens, listing all the plug-ins available on the public update site.

To open the documentation of a plug-in, on the plug-in tile, click the **View documentation** icon  or right-click and select the relevant option.

3. In the BusinessWorks Plug-ins Manager dialog, select one or more plug-ins that you want to install, and then click **Install**.

The list of plug-ins is displayed based on your selection of options on the **Options** tab.

4. In the Install wizard, perform the following steps:
 - a. On the **Install** page, confirm that the required plug-ins are selected for installation and click **Next**.
 - b. On the **Install Details** page, review the plug-in details and click **Next**.
 - c. To continue, accept the terms of agreement and click **Finish**.

What to do next

Restart TIBCO Business Studio for BusinessWorks to verify that the plug-in is installed successfully.

Uninstalling by Using the TIBCO Universal Installer

You can uninstall the plug-in using the TIBCO Universal Installer, in the following modes: GUI, console, and silent.

**Note:**

- TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.
- Before uninstalling the plug-in, stop all running processes in the installation environment.

- [Uninstalling in GUI Mode](#)
- [Uninstalling in Console Mode](#)
- [Uninstalling in Silent Mode](#)

Uninstalling in GUI Mode

You can uninstall all the products or specific products from a selected *TIBCO_HOME* when using the TIBCO Universal Installer to uninstall the plug-in in GUI mode.

**Note:**

- TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.
- Before uninstalling the plug-in, stop all running processes in the installation environment.

Procedure

1. Navigate to the `TIBCO_HOME/tools/universal_installer` directory.
2. Run the executable file of the TIBCO Universal Installer for the required platform.
3. On the **TIBCO Installation Manager** page, select **Uninstall Products from a TIBCO Home Location**.
4. From the **TIBCO Home Location** list, select the `TIBCO_HOME` where the product is installed. Click **Next**.
5. On the **Welcome** page, click **Next**.
6. On the **Uninstallation Type** page, select an uninstallation option and click **Next**.

Option	Description
Custom Uninstall	You can select the products to be removed.
Typical Uninstall	You cannot select the products. All the products in the selected <code>TIBCO_HOME</code> are removed.

7. If you select **Custom Uninstall** in the previous step, select the checkbox next to the product to be uninstalled in the **Product Uninstall Selection** page. Click **Next**.
8. On the **Pre-Uninstall Summary** page, review the product to be uninstalled. Click **Uninstall**.
9. On the **Post-Uninstall Summary** page, click **Finish** to complete the uninstallation process and exit the installer.
10. If you have uninstalled all the software in the selected `TIBCO_HOME`, delete the folders in the installation environment and user home.

What to do next

After you have uninstalled all the software in the selected `TIBCO_HOME`, delete the residual folders (if any) in the installation environment and user home.

Uninstalling in Console Mode

If you are not working in a GUI environment, you can uninstall the software in console mode.

**Note:**

- TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.
- Before uninstalling the plug-in, stop all running processes in the installation environment.

Procedure

1. On a command line, navigate to the TIBCO_HOME/tools/universal_installer directory.
2. To start the uninstallation, run the following command:

```
<TIBCO Universal Installer executable file -console
```

3. Respond to the messages on the command line.

The uninstallation options are the same as GUI mode. For more information, see [Uninstalling in GUI Mode](#).

4. When the uninstallation is completed, press Enter to exit the installer.

Uninstalling in Silent Mode

In silent mode, you can uninstall the product from the command line.

i Note:

- TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.
- Before uninstalling the plug-in, stop all running processes in the installation environment.

Before you begin

1. Navigate to the local directory where you extracted the installation package.
2. Copy the `TIBCOUniversalInstaller_bwpluginamqp_<version>.silent` response file to the `TIBCO_HOME/tools/universal_installer` directory, rename the file to `mysilent.silent`, and remove the existing entries in the `mysilent.silent` file.
3. Add the following parameters to the `mysilent.silent` file by using the `<entry key="keyname">keyvalue</entry>` syntax:

```
<entry key="uninstallProductID">bwpluginamqp</entry>
<entry key="uninstallProductVersion">6.5.1</entry>
<entry key="uninstallTIBCOHome">c:/tibco</entry>
```

Procedure

1. Navigate to the `TIBCO_HOME/tools/universal_installer` directory.
2. Run the following command:

```
<TIBCO Universal Installer executable file> -silent -V responseFile="<my_response_filename>"
```

- i Note:** If you copy the response file to another directory, not the local directory containing the installer, then provide the absolute path of the response file.

3. You can also use the command-line options to override the value in the silent file. The following options are supported:
 - `-V uninstallTIBCOHome="<TIBCO_HOME path>"`

- -V uninstallProductID="`<productID>`"
- -V uninstallProductVersion="`<product version>`"
- -V uninstallAllProducts="true"

Command-Line Options	Description
uninstallTIBCOHome	The path to the <i>TIBCO_HOME</i> where you want to run the uninstaller. This value is validated before the uninstallation can proceed in silent mode.
uninstallProductID	The ID of the product that you want to uninstall as defined in the feature config or _installInfo.xml file. A wildcard "*" can be used to uninstall all products. The uninstallAllProducts="true" option must be used to uninstall all products.
uninstallProductVersion	The version of the product that you specified with the uninstallProductID value. If not specified, all versions matching the uninstallProductID are removed.
uninstallAllProducts	This option must be used in addition to setting uninstallProductID="*" in the silent file to uninstall all products.

Uninstalling by Using an Update Site

You can uninstall the plug-in in the following ways. For details about uninstallation procedures, see the *Installation* guide provided with the respective plug-in.

Uninstallation method	Description	Reference
Uninstall using the public update site	You can uninstall the plug-in from within TIBCO Business Studio for BusinessWorks by using the public update site.	Uninstalling the Plug-in by Using the Public Update Site or Local Update Site
Uninstall using BusinessWorks Plug-ins Manager	You can uninstall the plug-ins from within TIBCO Business Studio for BusinessWorks by using the BusinessWorks Plug-ins Manager.	Uninstalling the Plug-in by Using BusinessWorks Plug-ins Manager

Uninstalling the Plug-in by Using the Public Update Site or Local Update Site

You can uninstall the plug-in from within TIBCO Business Studio for BusinessWorks by using the public update site maintained by TIBCO.



Note: TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.

Before you begin

Depending on the platform applicable to your plug-in, start TIBCO Business Studio for BusinessWorks:

Platform	Step
Microsoft Windows	Click Start > All Programs > TIBCO > TIBCO_HOME > TIBCO Business Studio <studio_version> > Studio for Designers
Linux or macOS	Run the TIBCO Business Studio for BusinessWorks executable file in the <i>TIBCO_HOME/studio/<studio_version>/eclipse</i> directory.

For the list of platforms supported by your plug-in, see the [Readme](#) file.

Procedure

1. On the menu bar, select **Help > About TIBCO Business Studio for BusinessWorks**.
2. Click **Installation Details**.
The TIBCO Business Studio for BusinessWorks(TM) Installation Details dialog is displayed.
3. Select the plug-in to uninstall and click **Uninstall**.
4. On the **Uninstall Details** page, review the items to uninstall and click **Finish**.

What to do next

Restart TIBCO Business Studio for BusinessWorks to verify that the plug-in is uninstalled successfully.

Uninstalling the Plug-in by Using BusinessWorks Plug-ins Manager

You can uninstall the plug-in from within TIBCO Business Studio for BusinessWorks by using BusinessWorks Plug-ins Manager.

Note: TIBCO recommends that you use the same mode for uninstallation that you used for installing the plug-in. Using different methods for installation and uninstallation might cause some problems during uninstallation.

Before you begin

Depending on the platform applicable to your plug-in, start TIBCO Business Studio for BusinessWorks:


Platform	Step
Microsoft Windows	Click Start > All Programs > TIBCO > TIBCO_HOME > TIBCO Business Studio <studio_version> > Studio for Designers
Linux or macOS	Run the TIBCO Business Studio for BusinessWorks executable file in the <i>TIBCO_HOME/studio/<studio_version>/eclipse</i> directory.

For the list of platforms supported by your plug-in, see the [Readme](#) file.

Procedure

1. On the menu bar, click **Help > BusinessWorks Plug-ins Manager**.

Optionally, click the **Plug-ins Manager** icon  in the Palette section.



The BusinessWorks Plug-ins Manager dialog opens, listing all the plug-ins available on the public update site.

2. On the **Options** tab, select the **Show only installed plug-ins** checkbox and select the plug-ins to uninstall.
3. Click **Uninstall**.

The Uninstall Details dialog is displayed.

4. In the Uninstall Details dialog, review the components to uninstall.
5. To start the plug-ins uninstallation, click **Finish**.

What to do next

Restart TIBCO Business Studio for BusinessWorks to verify that the plug-in is uninstalled successfully.

Troubleshooting Installation

If you encounter problems with the installation or uninstallation, first ensure that your system meets all the requirements. Then, check the installer log for potential problems.

Depending on the platform applicable to your plug-in, select the location of the installer log file. The installer log file, `tibco_universal_installer.username_install.log`, is available at the following locations:

Platform	Location
Microsoft Windows	<code>C:\Users\username\.TIBCO\install_timestamp</code>
Linux	<code>user_home_dir/.TIBCO/install_timestamp</code>
macOS	<code>Users/user_home_dir/.TIBCO/install_timestamp</code>

The installer log file captures the following information:

- Detailed information regarding the user that invoked the installer, host name, operating system details, and so on
- List of installed assemblies
- Information related to the Ant scripts run by the installer

To change the location of the installer log file, specify the `-V logFile="myLogFile"` option when you run the installer.

TIBCO Documentation and Support Services

For information about this product, you can read the documentation, contact TIBCO Support, and join TIBCO Community.

How to Access TIBCO Documentation

Documentation for TIBCO products is available on the [Product Documentation website](#), mainly in HTML and PDF formats.

The [Product Documentation website](#) is updated frequently and is more current than any other documentation included with the product.

Product-Specific Documentation

The documentation for this product is available on the [TIBCO ActiveMatrix BusinessWorks™ Plug-in for AMQP Product Documentation](#) page.

How to Contact Support for TIBCO Products

You can contact the Support team in the following ways:

- To access the Support Knowledge Base and getting personalized content about products you are interested in, visit our [product Support website](#).
- To create a Support case, you must have a valid maintenance or support contract with a Cloud Software Group entity. You also need a username and password to log in to the [product Support website](#). If you do not have a username, you can request one by clicking **Register** on the website.

How to Join TIBCO Community

TIBCO Community is the official channel for TIBCO customers, partners, and employee subject matter experts to share and access their collective experience. TIBCO Community offers access to Q&A forums, product wikis, and best practices. It also offers access to extensions, adapters, solution accelerators, and tools that extend and enable customers to gain full value from TIBCO products. In addition, users can submit and vote on feature

requests from within the [TIBCO Ideas Portal](#). For a free registration, go to [TIBCO Community](#).

Legal and Third-Party Notices

SOME CLOUD SOFTWARE GROUP, INC. (“CLOUD SG”) SOFTWARE AND CLOUD SERVICES EMBED, BUNDLE, OR OTHERWISE INCLUDE OTHER SOFTWARE, INCLUDING OTHER CLOUD SG SOFTWARE (COLLECTIVELY, “INCLUDED SOFTWARE”). USE OF INCLUDED SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED CLOUD SG SOFTWARE AND/OR CLOUD SERVICES. THE INCLUDED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER CLOUD SG SOFTWARE AND/OR CLOUD SERVICES OR FOR ANY OTHER PURPOSE.

USE OF CLOUD SG SOFTWARE AND CLOUD SERVICES IS SUBJECT TO THE TERMS AND CONDITIONS OF AN AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER AGREEMENT WHICH IS DISPLAYED WHEN ACCESSING, DOWNLOADING, OR INSTALLING THE SOFTWARE OR CLOUD SERVICES (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH LICENSE AGREEMENT OR CLICKWRAP END USER AGREEMENT, THE LICENSE(S) LOCATED IN THE “LICENSE” FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE SAME TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

This document is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of Cloud Software Group, Inc.

TIBCO, the TIBCO logo, the TIBCO O logo, ActiveMatrix BusinessWorks, Business Studio, and TIBCO Business Studio are either registered trademarks or trademarks of Cloud Software Group, Inc. in the United States and/or other countries.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only. You acknowledge that all rights to these third party marks are the exclusive property of their respective owners. Please refer to Cloud SG’s Third Party Trademark Notices (<https://www.cloud.com/legal>) for more information.

This document includes fonts that are licensed under the SIL Open Font License, Version 1.1, which is available at: <https://scripts.sil.org/OFL>

Copyright (c) Paul D. Hunt, with Reserved Font Name Source Sans Pro and Source Code Pro.

Cloud SG software may be available on multiple operating systems. However, not all operating system platforms for a specific software version are released at the same time. See the “readme” file for the availability of a specific version of Cloud SG software on a specific operating system platform.

THIS DOCUMENT IS PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. CLOUD SG MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S), THE PROGRAM(S), AND/OR THE SERVICES DESCRIBED IN THIS DOCUMENT AT ANY TIME WITHOUT NOTICE.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "README" FILES.

This and other products of Cloud SG may be covered by registered patents. For details, please refer to the Virtual Patent Marking document located at <https://www.cloud.com/legal>.

Copyright © 2015-2025. Cloud Software Group, Inc. All Rights Reserved.