

TIBCO® MDM Add-on for Global Data Synchronization

Release Notes

*Software Release 3.0.1
August 2016*

Important Information

SOME TIBCO SOFTWARE EMBEDS OR BUNDLES OTHER TIBCO SOFTWARE. USE OF SUCH EMBEDDED OR BUNDLED TIBCO SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED TIBCO SOFTWARE. THE EMBEDDED OR BUNDLED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER TIBCO SOFTWARE OR FOR ANY OTHER PURPOSE.

USE OF TIBCO SOFTWARE AND THIS DOCUMENT IS SUBJECT TO THE TERMS AND CONDITIONS OF A LICENSE AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED SOFTWARE LICENSE AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER LICENSE AGREEMENT WHICH IS DISPLAYED DURING DOWNLOAD OR INSTALLATION OF THE SOFTWARE (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH SOFTWARE LICENSE AGREEMENT OR CLICKWRAP END USER LICENSE AGREEMENT, THE LICENSE(S) LOCATED IN THE "LICENSE" FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

This document contains confidential information that is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of TIBCO Software Inc.

TIBCO, Two-Second Advantage,, TIBCO BusinessConnect, TIBCO ActiveMatrix BusinessWorks, TIBCO Enterprise Message Service, TIBCO MDM, TIBCO MDM Studio are either registered trademarks or trademarks of TIBCO Software Inc. in the United States and/or other countries.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

THIS SOFTWARE MAY BE AVAILABLE ON MULTIPLE OPERATING SYSTEMS. HOWEVER, NOT ALL OPERATING SYSTEM PLATFORMS FOR A SPECIFIC SOFTWARE VERSION ARE RELEASED AT THE SAME TIME. SEE THE README FILE FOR THE AVAILABILITY OF THIS SOFTWARE VERSION ON A SPECIFIC OPERATING SYSTEM PLATFORM.

THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. TIBCO SOFTWARE INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAM(S) DESCRIBED IN THIS DOCUMENT AT ANY TIME.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "READ ME" FILES.

Copyright © 1999-2016 TIBCO Software Inc. All rights reserved.

TIBCO Software Inc. Confidential Information

Preface

TIBCO® MDM provides Global Data Synchronization (GDSN) functionality through an add-on component, to be installed over the base version of TIBCO MDM.

This ensures accuracy and efficiency both inside the enterprise as well as throughout the value chain so that multiple processes are optimally coordinated. TIBCO MDM delivers a multi-domain horizontal platform to manage all types of information including products, customers, vendors, reference data, trading partners, and so on.

Topics

- [Typographical Conventions, page iv](#)
- [Connecting with TIBCO Resources, page vi](#)




Typographical Conventions

The following typographical conventions are used in this manual.

Table 1 General Typographical Conventions

Convention	Use
<i>TIBCO_HOME</i> <i>ENV_HOME</i>	<p>Many TIBCO products must be installed within the same home directory. This directory is referenced in documentation as <i>TIBCO_HOME</i>. The default value of <i>TIBCO_HOME</i> depends on the operating system. For example, on Windows systems, the default value is C:\tibco.</p> <p>Other TIBCO products are installed into an <i>installation environment</i>. Incompatible products and multiple instances of the same product are installed into different installation environments. An environment home directory is referenced in documentation as <i>ENV_HOME</i>. The default value of <i>ENV_HOME</i> depends on the operating system. For example, on Windows systems the default value is C:\tibco.</p>
code font	<p>Code font identifies commands, code examples, filenames, pathnames, and output displayed in a command window. For example:</p> <p>Use MyCommand to start the foo process.</p>
bold code font	<p>Bold code font is used in the following ways:</p> <ul style="list-style-type: none">• In procedures, to indicate what a user types. For example: Type admin.• In large code samples, to indicate the parts of the sample that are of particular interest.• In command syntax, to indicate the default parameter for a command. For example, if no parameter is specified, MyCommand is enabled: MyCommand [enable disable]
<i>italic font</i>	<p>Italic font is used in the following ways:</p> <ul style="list-style-type: none">• To indicate a document title. For example: See <i>TIBCO ActiveMatrix BusinessWorks Concepts</i>.• To introduce new terms For example: A portal page may contain several portlets. <i>Portlets</i> are mini-applications that run in a portal.• To indicate a variable in a command or code syntax that you must replace. For example: MyCommand <i>PathName</i>

Table 1 General Typographical Conventions (Cont'd)

Convention	Use
Key combinations	<p>Key name separated by a plus sign indicate keys pressed simultaneously. For example: Ctrl+C.</p> <p>Key names separated by a comma and space indicate keys pressed one after the other. For example: Esc, Ctrl+Q.</p>
	The note icon indicates information that is of special interest or importance, for example, an additional action required only in certain circumstances.
	The tip icon indicates an idea that could be useful, for example, a way to apply the information provided in the current section to achieve a specific result.
	The warning icon indicates the potential for a damaging situation, for example, data loss or corruption if certain steps are taken or not taken.

Connecting with TIBCO Resources

How to Join TIBCOCommunity

TIBCOCommunity is an online destination for TIBCO customers, partners, and resident experts. It is a place to share and access the collective experience of the TIBCO community. TIBCOCommunity offers forums, blogs, and access to a variety of resources. To register, go to <http://www.tibcommunity.com>.

How to Access TIBCO Documentation

Documentation for this and other TIBCO products is available on the TIBCO Documentation site:

<https://docs.tibco.com>

Documentation on the TIBCO Documentation site is updated more frequently than any documentation that might be included with the product. To ensure that you are accessing the latest available help topics, visit us at <https://docs.tibco.com>.

How to Contact TIBCO Support

For comments or problems with this manual or the software it addresses, contact TIBCO Support as follows:

- For an overview of TIBCO Support, and information about getting started with TIBCO Support, visit this site:

<http://www.tibco.com/services/support>

- If you already have a valid maintenance or support contract, visit this site:

<https://support.tibco.com>

Entry to this site requires a user name and password. If you do not have a user name, you can request one.

Contents

Typographical Conventions	iv
Connecting with TIBCO Resources	vi
How to Join TIBCOCommunity	vi
How to Access TIBCO Documentation	vi
How to Contact TIBCO Support	vi
New Features	2
Changes in Functionality	3
Deprecated and Removed Features	4
Deprecated Features	4
Removed Features	4
Migration and Compatibility	5
Information for users on TIBCO Collaborative Information Manager 8.2.x and TIBCO MDM Add-on for Global Data Synchronization 1.2.1	5
Information for users on TIBCO Collaborative Information Manager 8.2.x and TIBCO MDM Add-on for Global Data Synchronization 3.0.0	6
Information for users on TIBCO MDM 8.3.x and TIBCO MDM Add-on for Global Data Synchronization 1.2.1	8
Information for users on TIBCO MDM 8.3.x and TIBCO MDM Add-on for Global Data Synchronization 3.0.0	8
Closed Issues	10
Known Issues	11

Release Notes

Check the TIBCO Product Support web site at <https://support.tibco.com> for product information that was not available at release time. Entry to this site requires a username and password. If you do not have a username, you can request one. You must have a valid maintenance or support contract to use this site.



For migration information, refer the *TIBCO MDM Add-on for Global Data Synchronization Installation Guide*.

Topics

- [New Features, page 2](#)
- [Changes in Functionality, page 3](#)
- [Deprecated and Removed Features, page 4](#)
- [Closed Issues, page 10](#)
- [Known Issues, page 11](#)

New Features

There are no new features in version 3.0.1 of TIBCO MDM Add-On for Global Data Synchronization. However, this release is to support the latest MDM release.

MDM 9.0.0 release Support

This release supports only MDM 9.0.0 HF-002 onwards.

Changes in Functionality

There are no changes in functionality in version 3.0.1 of TIBCO MDM Add-On for Global Data Synchronization.

Deprecated and Removed Features

No features are deprecated or removed in version 3.0.1 of TIBCO MDM Add-On for Global Data Synchronization.

Deprecated Features

Affected Component	Description	Deprecated in Release
--------------------	-------------	-----------------------

Removed Features

Affected Component	Description	Deprecated in Release	Removed in Release
--------------------	-------------	-----------------------	--------------------

Migration and Compatibility

The following are instructions on how to migrate from a previous release to version 3.0.1 of TIBCO MDM Add-On for Global Data Synchronization.

Information for users on TIBCO Collaborative Information Manager 8.2.x and TIBCO MDM Add-on for Global Data Synchronization 1.2.1

If you are currently on TIBCO Collaborative Information Manager 8.2.x and TIBCO GDSN 1.2.1:

1. Install TIBCO MDM 9.0.0.
2. Run the latest applicable hotfix for TIBCO MDM 9.0.0 HF-002 onwards.
3. Run the TIBCO MDM Add-On for Global Data Synchronization Migration wizard from the Configurator.
4. Specify the upgrade details like previous and new installation locations of the MQ_HOME directory and click **Next**.
5. Specify the existing and new common values (MQ_COMMON_DIR) and configuration (ConfigValues.xml) information and click **Next**.
6. Select **Complete Migration** and click **Next**.
7. Specify the database details like database name, user name, and password.
8. Click **Finish**.
9. Repeat steps 3 to 5 and select the Rules migration option.
10. A warning is displayed. Click **OK** to ignore the warning. However, if you have modified the `orglist.txt` and `orglist-processSelection.txt` files, click **Finish**.
11. Install the latest version of TIBCO MDM Add-on For Global Data Synchronization 3.0.
12. Run the Add-On Plug-in Installer from the Configurator.
13. To run the Add-On Plug-in Installer from the Configurator, Select **Tools > Add-On Plug-in Installer**.
14. Select **Plugin for Global Data Synchronization Add-on - 3.0.1** from the **Plug-in Type** drop-down list.

15. Select **Migration to Existing Version**.
 - Select **3.0.1** from **To Version**.
 - Select **1.2** from **From Version**.
16. Click **Next**.
17. Select the **Complete** option.
18. Click **Next**.
19. Specify the **MQ_COMMON_DIR** path and click **Next**.
20. Specify the database details like database name, user name, and password.
21. Click **Finish**.

Information for users on TIBCO Collaborative Information Manager 8.2.x and TIBCO MDM Add-on for Global Data Synchronization 3.0.0

If you are currently on TIBCO Collaborative Information Manager 8.2.x and TIBCO GDSN 3.0.0:

1. Install TIBCO MDM 9.0.0.
2. Run the latest applicable hotfix for TIBCO MDM 9.0.0 HF-002 onwards.
3. Run the TIBCO MDM Add-On for Global Data Synchronization Migration wizard from the Configurator.
4. Specify the upgrade details like previous and new installation locations of the **MQ_HOME** directory and click **Next**.
5. Specify the existing and new common values (**MQ_COMMON_DIR**) and configuration (**ConfigValues.xml**) information and click **Next**.
6. Select **Complete Migration** and click **Next**.
7. Specify the database details like database name, user name, and password.
8. Click **Finish**.
9. Repeat steps 3 to 5 and select the Rules migration option.
10. A warning is displayed. Click **OK** to ignore the warning. However, if you have modified the **orglist.txt** and **orglist-processSelection.txt** files, click **Finish**.
11. Install the latest version of TIBCO MDM Add-on For Global Data Synchronization 3.0.

12. Copy the following jars:
 - From GDSN_HOME\lib\plugins to MQ_HOME\lib\plugins
 - From GDSN_HOME lib\props to MQ_HOME\lib\props
13. Specify the **MQ_COMMON_DIR** path and click **Next**.
14. Specify the database details like database name, user name, and password.
15. Click **Finish**.

Information for users on TIBCO MDM 8.3.x and TIBCO MDM Add-on for Global Data Synchronization 1.2.1

If you are currently on TIBCO MDM 8.3.x:

1. Install TIBCO MDM 9.0.0.
2. Migrate from TIBCO MDM 8.3.x to TIBCO MDM 9.0.0. Follow the instructions in the TIBCO MDM 9.0.0 release notes to migrate.
3. Run the latest applicable hotfix for TIBCO MDM 9.0.0 HF-002 onwards.
4. Install the latest version of TIBCO MDM Add-on For Global Data Synchronization 3.0.1.
5. Run the Add-On Plug-in Installer from the Configurator.
6. To run the Add-On Plug-in Installer from the Configurator, Select **Tools > Add-On Plug-in Installer**.
7. Select **Plugin for Global Data Synchronization Add-on - 3.0.1** from the **Plug-in Type** drop-down list.
8. Select **Migration to Existing Version**.
 - Select **3.0.1** from **To Version**.
 - Select **1.2** from **From Version**.
9. Click **Next**.
10. Select the **Complete** option.
11. Click **Next**.
12. Specify the **MQ_COMMON_DIR** path and click **Next**.
13. Specify the database details like database name, user name, and password.
14. Click **Finish**.

Information for users on TIBCO MDM 8.3.x and TIBCO MDM Add-on for Global Data Synchronization 3.0.0

If you are currently on TIBCO MDM 8.3.x:

1. Install TIBCO MDM 9.0.0.
2. Migrate from TIBCO MDM 8.3.x to TIBCO MDM 9.0.0. Follow the instructions in the TIBCO MDM 9.0.0 release notes to migrate.
3. Run the latest applicable hotfix for TIBCO MDM 9.0.0 HF-002 onwards.

4. Install the latest version of TIBCO MDM Add-on For Global Data Synchronization 3.0.1.
5. Copy the following jars:
 - From GDSN_HOME\lib\plugins to MQ_HOME\lib\plugins
 - From GDSN_HOME lib\props to MQ_HOME\lib\props
6. Specify the **MQ_COMMON_DIR** path and click **Next**.
7. Specify the database details like database name, user name, and password.
8. Click **Finish**.

Closed Issues

There are no closed issues to report in version 3.0.1 of TIBCO MDM Add-On for Global Data Synchronization.

Known Issues

There are no known issues to report in version 3.0.1 of TIBCO MDM Add-On for Global Data Synchronization.

