

TIBCO Enterprise Message Service™

Release Notes

*Software Release 8.1.0
April 2014*

Important Information

SOME TIBCO SOFTWARE EMBEDS OR BUNDLES OTHER TIBCO SOFTWARE. USE OF SUCH EMBEDDED OR BUNDLED TIBCO SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED TIBCO SOFTWARE. THE EMBEDDED OR BUNDLED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER TIBCO SOFTWARE OR FOR ANY OTHER PURPOSE.

USE OF TIBCO SOFTWARE AND THIS DOCUMENT IS SUBJECT TO THE TERMS AND CONDITIONS OF A LICENSE AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED SOFTWARE LICENSE AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER LICENSE AGREEMENT WHICH IS DISPLAYED DURING DOWNLOAD OR INSTALLATION OF THE SOFTWARE (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH SOFTWARE LICENSE AGREEMENT OR CLICKWRAP END USER LICENSE AGREEMENT, THE LICENSE(S) LOCATED IN THE "LICENSE" FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

This document contains confidential information that is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of TIBCO Software Inc.

TIBCO, Two-Second Advantage, The Power of Now, TIB, Information Bus, TIBCO Enterprise Message Service, TIBCO Rendezvous, TIBCO Enterprise, TIBCO SmartSockets, TIBCO ActiveMatrix BusinessWorks, and TIBCO Hawk are either registered trademarks or trademarks of TIBCO Software Inc. in the United States and/or other countries.

Enterprise Java Beans (EJB), Java Platform Enterprise Edition (Java EE), Java 2 Platform Enterprise Edition (J2EE), and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle Corporation in the U.S. and other countries.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

THIS SOFTWARE MAY BE AVAILABLE ON MULTIPLE OPERATING SYSTEMS. HOWEVER, NOT ALL OPERATING SYSTEM PLATFORMS FOR A SPECIFIC SOFTWARE VERSION ARE RELEASED AT THE SAME TIME. SEE THE README FILE FOR THE AVAILABILITY OF THIS SOFTWARE VERSION ON A SPECIFIC OPERATING SYSTEM PLATFORM.

THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. TIBCO SOFTWARE INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAM(S) DESCRIBED IN THIS DOCUMENT AT ANY TIME.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "READ ME" FILES.

Copyright © 1997-2014 TIBCO Software Inc. ALL RIGHTS RESERVED.

TIBCO Software Inc. Confidential Information

Contents

Preface	v
Related Documentation	vi
TIBCO Enterprise Message Service Documentation	vi
Other TIBCO Product Documentation	vi
Third Party Documentation	vii
Typographical Conventions	viii
Connecting with TIBCO Resources	xi
How to Join TIBCOCommunity	xi
How to Access TIBCO Documentation	xi
How to Contact TIBCO Support	xi
Release Notes	1
New Features	2
Release 8.1	2
Release 8.0	5
Changes in Functionality	8
Release 8.1	8
Release 8.0	8
Deprecated and Removed Features	10
Release 8.1	10
Release 8.0	11
Migration and Compatibility	12
Release 8.1	12
Release 8.0	12
Closed Issues	13
Known Issues	21

Preface

TIBCO is proud to announce the latest release of TIBCO Enterprise Message Service™. This release is the latest in a long history of TIBCO products that leverage the power of the Information Bus® to enable truly event-driven IT environments. To find out more about how TIBCO Enterprise Message Service and other TIBCO products are powered by TIB® technology, please visit us at www.tibco.com.

TIBCO Enterprise Message Service software lets application programs send and receive messages according to the Java Message Service (JMS) protocol. It also integrates with TIBCO Rendezvous and TIBCO SmartSockets messaging products.

Topics

- [Related Documentation, page vi](#)
- [Typographical Conventions, page viii](#)
- [Connecting with TIBCO Resources, page xi](#)

Related Documentation

This section lists documentation resources you may find useful.

TIBCO Enterprise Message Service Documentation

The following documents form the TIBCO Enterprise Message Service documentation set:

- *TIBCO Enterprise Message Service User's Guide* Read this manual to gain an overall understanding of the product, its features, and configuration.
- *TIBCO Enterprise Message Service Central Administration* Read this manual for information on the central administration interface.
- *TIBCO Enterprise Message Service Installation* Read the relevant sections of this manual before installing this product.
- *TIBCO Enterprise Message Service C & COBOL Reference* The C API reference is available in HTML and PDF formats.
- *TIBCO Enterprise Message Service Java API Reference* The Java API reference can be accessed only through the HTML documentation interface.
- *TIBCO Enterprise Message Service .NET API Reference* The .NET API reference can be accessed only through the HTML documentation interface.
- *TIBCO Enterprise Message Service Release Notes* Read the release notes for a list of new and changed features. This document also contains lists of known issues and closed issues for this release. This document is available only in PDF format.

Other TIBCO Product Documentation

You may find it useful to read the documentation for the following TIBCO products:

- TIBCO Rendezvous[®]
- TIBCO SmartSockets[®]
- TIBCO Hawk[®]
- TIBCO EMS[®] Client for z/OS (CICS)
- TIBCO EMS[®] Client for z/OS (MVS)
- TIBCO EMS[®] Client for IBM i

Third Party Documentation

- Java™ Message Service specification, available through <http://www.oracle.com/technetwork/java/jms/index.html>.
- *Java™ Message Service* by Richard Monson-Haefel and David A. Chappell, O'Reilly and Associates, Sebastopol, California, 2001.
- Java™ Authentication and Authorization Service (JAAS) *LoginModule Developer's Guide* and *Reference Guide*, available through <http://www.oracle.com/technetwork/java/javase/jaas/index.html>.

Typographical Conventions

The following typographical conventions are used in this manual.

Table 1 General Typographical Conventions

Convention	Use
<i>TIBCO_HOME</i> <i>ENV_NAME</i> <i>EMS_HOME</i>	<p>TIBCO products are installed into an installation environment. A product installed into an installation environment does not access components in other installation environments. Incompatible products and multiple instances of the same product must be installed into different installation environments.</p> <p>An installation environment consists of the following properties:</p> <ul style="list-style-type: none">• Name Identifies the installation environment. This name is referenced in documentation as <i>ENV_NAME</i>. If you specify a custom environment name, on Microsoft Windows the name becomes a component of the path to the product shortcut in the Windows Start > All Programs menu.• Path The folder into which the product is installed. This folder is referenced in documentation as <i>TIBCO_HOME</i>. The value of <i>TIBCO_HOME</i> depends on the operating system. For example, on Windows systems, the default value is C:\tibco. <p>TIBCO Enterprise Message Service installs into a directory within <i>TIBCO_HOME</i>. This directory is referenced in documentation as <i>EMS_HOME</i>. The value of <i>EMS_HOME</i> depends on the operating system. For example on Windows systems, the default value is C:\tibco\ems\8.1.</p>
code font	<p>Code font identifies commands, code examples, filenames, pathnames, and output displayed in a command window. For example:</p> <p>Use MyCommand to start the foo process.</p>
bold code font	<p>Bold code font is used in the following ways:</p> <ul style="list-style-type: none">• In procedures, to indicate what a user types. For example: Type admin.• In large code samples, to indicate the parts of the sample that are of particular interest.• In command syntax, to indicate the default parameter for a command. For example, if no parameter is specified, MyCommand is enabled: MyCommand [enable disable]

Table 1 General Typographical Conventions (Cont'd)




Convention	Use
<i>italic font</i>	<p>Italic font is used in the following ways:</p> <ul style="list-style-type: none"> • To indicate a document title. For example: See <i>TIBCO ActiveMatrix BusinessWorks Concepts</i>. • To introduce new terms. For example: A portal page may contain several portlets. <i>Portlets</i> are mini-applications that run in a portal. • To indicate a variable in a command or code syntax that you must replace. For example: <code>MyCommand PathName</code>
Key combinations	<p>Key name separated by a plus sign indicate keys pressed simultaneously. For example: <code>Ctrl+C</code>.</p> <p>Key names separated by a comma and space indicate keys pressed one after the other. For example: <code>Esc, Ctrl+Q</code>.</p>
	The note icon indicates information that is of special interest or importance, for example, an additional action required only in certain circumstances.
	The tip icon indicates an idea that could be useful, for example, a way to apply the information provided in the current section to achieve a specific result.
	The warning icon indicates the potential for a damaging situation, for example, data loss or corruption if certain steps are taken or not taken.

Table 2 Syntax Typographical Conventions

Convention	Use
[]	<p>An optional item in a command or code syntax.</p> <p>For example:</p> <p><code>MyCommand [optional_parameter] required_parameter</code></p>
	<p>A logical OR that separates multiple items of which only one may be chosen.</p> <p>For example, you can select only one of the following parameters:</p> <p><code>MyCommand para1 param2 param3</code></p>

Table 2 *Syntax Typographical Conventions*

Convention	Use
{ }	<p>A logical group of items in a command. Other syntax notations may appear within each logical group.</p> <p>For example, the following command requires two parameters, which can be either the pair param1 and param2, or the pair param3 and param4.</p> <pre>MyCommand {param1 param2} {param3 param4}</pre> <p>In the next example, the command requires two parameters. The first parameter can be either param1 or param2 and the second can be either param3 or param4:</p> <pre>MyCommand {param1 param2} {param3 param4}</pre> <p>In the next example, the command can accept either two or three parameters. The first parameter must be param1. You can optionally include param2 as the second parameter. And the last parameter is either param3 or param4.</p> <pre>MyCommand param1 [param2] {param3 param4}</pre>

Connecting with TIBCO Resources

How to Join TIBCOCommunity

TIBCOCommunity is an online destination for TIBCO customers, partners, and resident experts. It is a place to share and access the collective experience of the TIBCO community. TIBCOCommunity offers forums, blogs, and access to a variety of resources. To register, go to <http://www.tibcommunity.com>.

How to Access TIBCO Documentation

You can access TIBCO documentation here:

<http://docs.tibco.com>

How to Contact TIBCO Support

For comments or problems with this manual or the software it addresses, contact TIBCO Support as follows:

- For an overview of TIBCO Support, and information about getting started with TIBCO Support, visit this site:

<http://www.tibco.com/services/support>

- If you already have a valid maintenance or support contract, visit this site:

<https://support.tibco.com>

Entry to this site requires a user name and password. If you do not have a user name, you can request one.

Release Notes

This document includes release notes for TIBCO Enterprise Message Service, Software Release 8.1.0.

Check the TIBCO Product Support web site at <https://support.tibco.com> for product information that was not available at release time. Entry to this site requires a username and password. If you do not have a username, you can request one. You must have a valid maintenance or support contract to use this site.

Topics

- [New Features, page 2](#)
- [Changes in Functionality, page 8](#)
- [Deprecated and Removed Features, page 10](#)
- [Migration and Compatibility, page 12](#)
- [Closed Issues, page 13](#)
- [Known Issues, page 21](#)

New Features

This section lists features added since the last major release of this product.

Release 8.1

The following are new features in this release:

JAAS Authentication Modules

TIBCO now supports several compiled and fully functional JAAS modules that can be used to authenticate users in the EMS server. For more information, see Chapter 10, JAAS Authentication Modules, in the *TIBCO Enterprise Message Service User's Guide*.

Topic Prefetch Property for Routes

You can now specify a prefetch value for topics at the route level. This allows you to assign larger values for WAN routing functions.

If `topic_prefetch` is not set, the route uses the `prefetch` value specified for the topic. If a `topic_prefetch` is set for the route and a different `prefetch` is set for the topic, the `topic_prefetch` value overrides the destination prefetch.

Both properties are described in the *TIBCO Enterprise Message Service User's Guide*.

Secondary Log Files

JSON-configured servers in fault-tolerant mode can now specify separate log files for the primary and secondary servers in the pair. See the `secondary_logfile` parameter description in the *TIBCO Enterprise Message Service User's Guide*.

Increased Network Threads

You can now control the number of network threads used by the EMS server without assigning them to specific cores. For more information, see the description for the `network_thread_count` parameter and the section on Increasing Network Threads without Setting Thread Affinity in the *TIBCO Enterprise Message Service User's Guide*.

Documentation Separated from the Product Installer

TIBCO Enterprise Message Service documentation is no longer bundled with the installer. You can obtain the documentation from

<https://docs.tibco.com/products/tibco-enterprise-message-service>.

This link opens documentation for the most recently released version of Enterprise Message Service. Click the version tabs to access documentation for other releases of the product.

Central Administration Features

See the *TIBCO Enterprise Message Service Central Administration* guide for details on these new features.

- **Central Administration Groups** You can now change the default JAAS groups that are used to authenticate users when JAAS is enabled.
 - `--jaas-admins` allows you to change the groups given administrative privileges in Central Administration.
 - `--jaas-guests` allows you to change the groups given guest privileges in Central Administration.

For more information on JAAS groups, see the section on Configuring JAAS Authentication in the *TIBCO Enterprise Message Service Central Administration* guide.

- **Central Administration Max Deployments** The `--keep-max-deployments` option for Central Administration allows you to limit the number of deployments kept in the Recent Deployments list.

.NET Library Support for JMS 2.0

For information on the .NET library and functions, see the *.NET API reference*, accessible through the HTML documentation interface.

C Library Support for JMS 2.0

See the *TIBCO Enterprise Message Service C & COBOL Reference* for more information on these functions.

- **Shared Subscriptions** The following new functions are added to the Shared Subscriptions feature:
 - `tibemsSession_CreateSharedConsumer`
 - `tibemsSession_CreateSharedDurableConsumer`
 - `tibemsAdmin_GetSubscriptions`
 - `tibemsSubscriptionInfo`

- **Asynchronous Sending** The C API now supports the asynchronous sending feature, which permits message producers to send messages asynchronously, offloading the notification of the success or failure to another thread.

- `tibemsMsgProducer_AsyncSend`
- `tibemsMsgProducer_AsyncSendEx`
- `tibemsMsgProducer_AsyncSendToDestination`
- `tibemsMsgProducer_AsyncSendToDestinationEx`
- `tibemsMsgCompletionCallback`

- **Delivery Delay** The C API now supports the Delivery Delay feature, which permits message publisher to specify a delivery time for messages. The EMS server will only deliver the message after the delivery time specified when the message is published.

- `tibemsMsgProducer_SetDeliveryDelay`
- `tibemsMsgProducer_GetDeliveryDelay`
- `tibemsMsg_GetDeliveryTime`

Release 8.0

The following are new features in this release:

Support for JMS 2.0

This release adds support for the JMS 2.0 specification. Currently, this support is offered only to Java clients. The features added with JMS 2.0 include:

- **Delivery Delay** Message publishers can now specify a delivery time for messages. The EMS server will only deliver the message after the time delivery time specified when the message is published. For more information, see the section on Delivery Delay in the *TIBCO Enterprise Message Service User's Guide*.
- **Asynchronous Sending** Message producers can now send messages asynchronously, offloading the notification of the success or failure to another thread and thereby increasing performance in certain situations. For details, see the section on Sending Messages Synchronously and Asynchronously in the *TIBCO Enterprise Message Service User's Guide*.

- **Shared Subscriptions** An application can now share the work of message consumption across multiple topic consumers. When message consumers share a subscription to a topic, only one consumer will receive a published message. For details, see the section on Shared Subscriptions for Topics in the *TIBCO Enterprise Message Service User's Guide*.

Additionally, the following new Java admin API methods implement the Shared Subscriptions feature:

```
— ConsumerInfo.getSharedSubscriptionName
— ConsumerInfo.isShared
— TopicInfo.getDurableSubscriptionCount
— TopicInfo.getSubscriptionCount
```

For details on these Java admin API methods, see the *API Reference*, available through the HTML documentation. For details on the equivalent C and .NET admin methods, see the *TIBCO Enterprise Message Service C & COBOL Reference* and the *API Reference*.

- **Simplified API** In addition to the API provided with the JMS 1.1 specification, which is now called the Classic API, the JMS 2.0 specification offers a simpler and less verbose API called the Simplified API. For details, see the section on the JMS 2.0 Specification in the *TIBCO Enterprise Message Service User's Guide*.

Central Administration Monitoring

The monitoring feature allows you to see various metrics (depending on level of statistics configured in the EMS server) as well as runtime configuration settings. For details, see the section on Monitoring Servers in the *TIBCO Enterprise Message Service Central Administration*.

IBM System SSL Application ID

The new function `tibemsSSLParams_System_SetApplicationId` sets the application ID for IBM System SSL implementations. For more information, see the *TIBCO Enterprise Message Service C & COBOL Reference*.

Logging Enhancement

A new `tibemsd` parameter has been introduced that allows you to specify the maximum number of log files you want to keep. See the description for `logfile_max_count` in the *TIBCO Enterprise Message Service User's Guide*.

JNDI Lookup

The EMS .NET API now supports JNDI lookup of `EMSDTCConnectionFactory` objects. An administrator can now create a `EMSDTCConnectionFactory` in JNDI and an EMS .NET application will be able to look it up using either `LookupContext` or `LdapLookupContext`

Changes in Functionality

This section lists changes in functionality since the last major release of this product.

Release 8.1

The following are changes in functionality in this release.

- **Rendezvous Libraries Dynamically Loaded** With this release of TIBCO Enterprise Message Service, the EMS server dynamically loads Rendezvous libraries that are included in the EMS package.

In the next release, Rendezvous libraries will not be included in the EMS package. Instead, users who have enabled Rendezvous transports to exchange messages with EMS must configure the `tibemsd` parameter `module_path` to point to previously installed Rendezvous libraries. That is, if `tibrv_transports=enabled`, then the `module_path` parameter must include a path to the appropriate Rendezvous libraries.

For software release 8.1.0, the path specified in the `module_path` parameter must point to a Rendezvous release 8.2.0 and later.

- **Administration Tool Commands** As of this release, most commands in the administration tool are now unavailable when a server using a JSON configuration file is not in the active state. In such a situation, the only commands available are `show state`, `shutdown` and `rotatelog`.
- **Microsoft Visual Studio 2010** TIBCO Enterprise Message Service is now designed for use with Microsoft Visual Studio 2010. Visual Studio 2005 (also known as VC8) is no longer supported. C and .NET developers on Windows platforms must upgrade to Visual Studio 2010.

Release 8.0

The following are changes in functionality in this release.

- **Hibernate Installation Procedure** You can now elect to download and install Hibernate Core for Java during the installation of TIBCO Enterprise Message Service. See the *TIBCO Enterprise Message Service Installation* guide for more information.
- **Installation Options** Three Installation profiles are now available, allowing you to choose just the client or server, or to select a full development installation.

- **Administration Tool Commands and Topic Consumers** With this release and the introduction of shared subscriptions, the relationship between topic subscriptions and topic consumers has changed. Most importantly, the number of subscriptions to a topic is not always equal to the number of consumers.

As a result, the output produced by some administration tool commands has changed:

- `show topics` — now reports the number of subscriptions and durable subscriptions, not the number of consumers.
- `show topic` — reports the number of subscriptions, durable subscriptions, and consumers. The number of consumers represents the number of *active* (that is non-closed) consumer objects created by applications. Offline or closed durable consumers are not included in the count.
- `show consumers` and `show stat consumers` — no longer report offline durable subscribers.

Refer to the *TIBCO Enterprise Message Service User's Guide* for details on these commands.

Deprecated and Removed Features

This section describes deprecated features (if any), and lists features, if relevant, that may be useful alternatives to the deprecated features. Any use of a deprecated feature should be discontinued as it may be removed in a future release. You should avoid becoming dependent on deprecated features and become familiar with the suggested alternative features.

This section also lists features that are removed (if any).

Release 8.1

Deprecated Features

The following features are deprecated in this release.

- This release deprecates the `jaas_classpath` and `jaci_classpath` parameters. Users should migrate to the new `security_classpath` parameter.

Removed Features

The following features are removed in this release.

- Because the C API does not support character conversion, `tibemsBytesMsg_ReadUTF` and `tibemsBytesMsg_WriteUTF` have been removed.

Platform Support

Please note the following changes in platform support.

Platform	Status	Notes
Mac OS X 10.7 (x86)	Obsolete	This release now supports Mac OS X 10.8 and 10.9.
Windows XP (x86, x86-64)	Obsolete	

Release 8.0

Deprecated Features

The following features are deprecated in this release.

- The `TopicInfo.getDurableCount` Java admin method and equivalent C and .NET methods are deprecated. Instead, use `TopicInfo.getDurableSubscriptionCount`, and equivalent methods in C and .NET.

Removed Features

Platform Support

Please note the following changes in platform support.

Platform	Status	Notes
AIX 5.3	Obsolete	This release now supports AIX 6.1 (PowerPC).
Mac OS X 10.6 (x86)	Obsolete	TIBCO Enterprise Message Service now supports Mac OS X 10.7.
Solaris 8, 9 Sun SPARC	Obsolete	This release now supports Solaris 10 Sun SPARC.

TIBCO Hawk

As of Software Release 7.0.0, the `com.tibco.tibjms.admin.hawk` package is no longer included with TIBCO Enterprise Message Service. In order to use TIBCO Hawk to monitor TIBCO Enterprise Message Service, a minimum of TIBCO Hawk version 4.9 is required. As of Hawk 4.9, the `com.tibco.tibjms.admin.hawk` package is built into the installation.



- With Hawk 4.9 (that ships with TRA 5.8.0), the microagent is still embedded in `hawk/4.9/lib/tibjmsadmin.jar`, which may cause a conflict with `ems/7.0/lib/tibjmsadmin.jar` if an application needs to access both the microagent and the EMS Admin API.
- With Hawk 5.0, the microagent sits in its own archive: `hawk/5.0/plugin/ems/hawkemshma.jar`
There should be no conflict.

Migration and Compatibility

This section explains how to migrate from a previous release to this release.

Release 8.1

There are no migration procedures or compatibility issues in this release.

Release 8.0

Updating the Database Schema

This release of TIBCO Enterprise Message Service includes some enhancements and changes to the database store feature. After installing the new version of EMS, you must run the EMS Schema Export Tool with the `-updateall` `-export` options to apply these changes to your database store implementation.

For more information, see the section on the EMS Schema Export Tool in the *TIBCO Enterprise Message Service User's Guide*.

Closed Issues

The table in this section list issues that were closed in the named releases.

Closed in Release	Key	Summary
Issues Closed in Release 8.1.0		
8.1.0	EMS-5771	Fixed an issue that could prevent the automatic removal of a dynamic topic if a parent topic had at least one consumer with pending messages. A manifestation of this defect could be the accumulation of temporary topics on a server, if those temporary topics originated from a routed server, for instance in the context of fast pace request/reply messages.
8.1.0	EMS-5770	Previously, the Central Administration server sometimes failed to notify users that the EMS server required a restart after certain configuration changes were deployed. This has been fixed.
8.1.0	EMS-5766	Fixed an error that caused Central Administration to reject configuration changes to existing multicast channels. The Central Administration server now accepts the changes. After deployment, the EMS server requires a restart before the changes take effect.
8.1.0	EMS-5764	Fixed an error that could cause memory loss on startup.
8.1.0	EMS-5762	Fixed formatting issues in Central Administration.
8.1.0	EMS-5760	Fixed an error that sometimes caused Central Administration to report that it had created a queue ACL even though the desired topic ACL was correctly created.
8.1.0	EMS-5751	Fixed an error that caused a small memory loss in JSON-configured servers.
8.1.0	EMS-5718	In Central Administration, entries for the Processors to Bind to Network IO field are now validated to ensure only integer values are accepted.

Closed in Release	Key	Summary
8.1.0	EMS-5692	Given a fault-tolerant server pair A1 and A2, in which a global topic G is bridged to a local topic L, and with a route to server B which also defines a global topic G, in the event that server A1 fails and A2 becomes active, a consumer on local topic L will stop receiving messages from publishers connecting to server B and publishing on topic G. This has been fixed.
8.1.0	EMS-5682	Previously, the EMS Schema Export Tool did not function with JSON-configured EMS servers on zLinux, Solaris, AIX, and HP platforms. This has been fixed.
8.1.0	EMS-5677	Fixed a defect in EMS CA where unchecking the boxes for the route or factory SSL "Verify Host" and "Verify Hostname" had no effect. By default these are enabled even when the boxes are not checked. If you want to disable them and the boxes are not checked, you must check them and then uncheck them for the disable to take effect.
8.1.0	EMS-5647	Fixed an issue that would cause an unexpected <code>txcommit</code> trace when messages sent with a delivery time became available.
8.1.0	EMS-5645	Fixed an issue that could cause the server to exit abruptly when deleting the connection ID 1.
8.1.0	EMS-5644	Fixed an issue with JSON-configured EMS servers that caused an ACL creation to fail with a no memory error.
8.1.0	EMS-5627	Fixed an issue that could cause unacknowledged messages sent to dynamic destinations to be recovered after a server restart if parent destinations had an expiration override property set. The server would no longer expire those messages. Note that only one message per dynamic destination would be affected by this defect.
8.1.0	EMS-5511	Fixed an issue that could cause memory loss when making JSON-based configuration changes.
8.1.0	EMS-5505	Fixed a syntax error that prevented Import Transport and Export Transport from working correctly in Central Administration.

Closed in Release	Key	Summary
8.1.0	EMS-5499	<p>Fixed an issue related with the use of synchronous file stores that would cause the following error message to be printed in stdout:</p> <pre>DEBUG: Insufficient buffer</pre> <p>and this error message in the log/console:</p> <pre>SEVERE ERROR: Failed writing message to '<file name>': I/O error or out of disk space.</pre> <p>With some EMS Server releases and when a transacted session is used to send messages, this error message could be seen as well:</p> <pre>ERROR: Abandoning transaction record due to IO failure</pre>
8.1.0	EMS-5498	Fixed an issue that could cause a standby EMS server to crash if the server was shutdown or killed while it was in the process of activating.
8.1.0	EMS-5494	Previously, if an external user was added to a group on a JSON-configured server, the user would be created as well. This behavior differs from that of servers configured using .conf files, and has been corrected. Now servers running in either configuration mode will no longer add external users to the configuration.
8.1.0	EMS-5422	<p>Fixed an issue that could prevent the EMS server from starting when processor IDs were specified (<code>processor_ids</code> in the server configuration and/or <code>processor_id</code> in a store configuration), if the given processor ID fell outside the range of online processors on this machine.</p> <p>The new behavior is that if the ID of a processor that is offline (or that falls outside of the list of online processors) is specified, the server fails at the time it tries to bind a network or storage thread to that given processor. The server still fails while parsing the configuration if an incorrect value is specified, such as a non numeric or negative value.</p>
8.1.0	EMS-5420	Fixed an issue that would cause the <code>show durable(s)</code> command to show a durable as being online even though that durable consumer was closed, as long as its session and connection were still opened.
8.1.0	EMS-5411	Fixed an issue that caused memory loss when resetting multicast statistics.

Closed in Release	Key	Summary
8.1.0	EMS-5410	Fixed an issue that caused memory loss when removing a consumer from a topic that imports from SmartSockets.
8.1.0	EMS-5408	Fixed an issue that sometimes caused a memory loss in the EMS server when the admin tool was used to remove an imported or exported transport.
8.1.0	EMS-5406	Fixed an error that could cause a memory loss when using the <code>showacl user username</code> command in the administration tool.
8.1.0	EMS-5402	Previously, the EMS server would sometimes print a "slow clock tick" message if the recovery of store files took longer than 10 seconds. This has been fixed.
8.1.0	EMS-5400	Fixed an error that could cause clients with a connection timeout set to double-close the socket if the EMS server accepted but then quickly closed the connection.
8.1.0	EMS-5398	Fixed an issue that could cause the "Consumers" count of the <code>show topic topic-name</code> command to be incorrect in the presence of offline durable subscribers.
8.1.0	EMS-5388	Fixed an issue where the EMS .NET client ignored the selector provided to the <code>QueueBrowser</code> constructor.
8.1.0	EMS-5379	The JAAS module examples did not correctly allow Active Directory group back-link searches. This is now supported with the prebuilt JAAS modules.
8.1.0	EMS-5378	Fixed an issue that would cause the server to accept more client connections than were authorized by the <code>max_connections</code> parameter. This problem occurred when the server had clients using fault tolerant URLs and was either restarted or experienced a failover.
8.1.0	EMS-5376	Fixed an issue that could cause an EMS client to throw an exception when recovering an expired message for a closed consumer.
8.1.0	EMS-5369	Fixed an issue that would cause UFO Shared consumers to become Unshared consumers after their connection is recovered.

Closed in Release	Key	Summary
8.1.0	EMS-5364	Fixed an issue in the EMS Java client that could cause a <code>NullPointerException</code> in <code>Tibjms.getAsBytes()</code> when processing a message that was not received from a consumer session. Examples of this are messages created by <code>Tibjms.createFromBytes()</code> or from a <code>QueueBrowser</code> .
8.1.0	EMS-5361	EMS now properly rejects a subscription name that is null or is an empty string when creating a shared (durable or non-durable) consumer.
8.1.0	EMS-5349	Fixed an issue that could cause a C application using a <code>tibemsUFOConnectionFactory</code> to crash or use incorrect values for the message selector and/or client ID strings, after it reconnects to an active EMS Server.
8.1.0	EMS-5344	Previously, if a user was added to a group they already belonged to on a JSON-configured server, the server would report an error. It now ignores the add request.
8.1.0	EMS-5333	Fixed an issue that could prevent creation of a route (producing the error: "Implicit route to [<route name>] already exists") in a multi-hop routing setup and when a route between other servers was previously deleted.
8.1.0	EMS-5297	When using <code>mstores</code> , messages consumed from the <code>\$sys.undelivered</code> queue in a transaction that didn't cleanup before server shutdown could reappear upon server restart.
8.1.0	EMS-4982	Previously, Central Administration did not prevent users from modifying existing durable consumers. This has been fixed. If a durable is defined, Central Administration now informs users attempting to modify it that the existing durable must be deleted and recreated with the desired settings.
8.1.0	EMS-4162	Fixed an issue that would cause the number "Total Acked" in the <code>show consumers full</code> command output for topic consumers to be higher than the "Total Sent". This problem occurred after messages were discarded due to the destination's <code>maxMsgs</code> or <code>maxBytes</code> properties.
8.1.0	EMS-2632	Fixed an issue that sometimes caused an <code>ERROR: stores file 'stores.conf' does not exist</code> message when using the EMS Schema Export tool on Windows systems.

Closed in Release	Key	Summary
8.1.0	EMS-2488	Fixed an error that could cause memory loss when the <code>routes.conf</code> file was misconfigured.
Issues Closed in Release 8.0.0		
8.0.0	EMS-4375	Previously, an EMS client would continue to attempt a connection to an unknown ID. This has been fixed. If a server reports <code>reconnect failed: connection unknown for id=<id></code> , the client now stops trying to reconnect.
8.0.0	EMS-5295	When a store definition contains unknown properties, the server now reports the configuration error. It will fail to start if the <code>startup_abort_list</code> contains <code>CONFIG_ERRORS</code> .
8.0.0	EMS-5287	Messages received as part of an XA transaction (by an application using fault tolerant URLs) may not be redelivered if a communication error occurs while ending this transaction (for instance if the EMS server is not reachable or is performing a failover), and yet be committed as part of the next transaction.
8.0.0	EMS-5256	Fixed an error that caused memory leaks during a server deployment through Central Administration.
8.0.0	EMS-5247	Fixed an error that caused memory leaks when Central Administration was used to add, modify, or revoke ACLs.
8.0.0	EMS-5216	Fixed an issue that could cause the EMS Server to crash when EMS Java clients (version 6.0+) called <code>QueueBrowser.close()</code> after the queue had been administratively deleted.
8.0.0	EMS-5214	Fixed an issue which caused server to discard too many messages on a queue using <code>mstore-based</code> store when queue had <code>overflowPolicy=discardOld</code> .
8.0.0	EMS-5186	Fixed a memory leak that occurred when a route disconnected, if the route was previously in a stalled state.
8.0.0	EMS-5179	Fixed an issue that would prevent messages on the system undelivered queue <code>\$sys.undelivered</code> to be browsed or consumed after a server restart, if those messages originally belonged to a queue with <code>maxRedelivery</code> property and a store of type <code>mstore</code> , and those messages were moved to <code>\$sys.undelivered</code> after the <code>maxRedelivery</code> limit was reached.

Closed in Release	Key	Summary
8.0.0	EMS-4887	Fixed an error that prevented the <code>ssl_dh_size</code> parameter from taking effect when set using Central Administration.
8.0.0	EMS-4750	Previously, a Central Administration validation error was generated if spaces were added between trace options when specifying <code>log_trace</code> or <code>console_trace</code> settings. This has been fixed to allow leading and trailing white space in a comma separated list.
8.0.0	EMS-4681	Previously, the working copy of the EMS server JSON configuration file did not always match the configuration file that would be deployed. Certain fields, such as obfuscated passwords, were not transformed until deployment. This has been corrected so that the displayed working copy always shows exactly what will be sent to the server upon deployment.
8.0.0	EMS-4665	Fixed an error that caused the Central Administration server to open the jetty connector at a random port.
8.0.0	EMS-4662	Previously, the Central Administration page showed a redeploy option for failed deployments. This has been fixed. Only successful previous deployments can be redeployed.
8.0.0	EMS-4655	The help option for the EMS server has been updated to include descriptions for <code>-config</code> with JSON files, <code>-secondary</code> , and <code>-forceStart</code> .
8.0.0	EMS-4654	Fixed an error that caused all EMS servers configured with JSON configuration files to log that they were "Configured as fault tolerant primary", regardless of the actual settings.
8.0.0	EMS-4579	Fixed an error that could cause the EMS server to start successfully even with an invalid stores configuration.
8.0.0	EMS-4360	Fixed an error that could cause an EMS standby server to fail when mstores were configured and certain administrative commands were issued to that server, including <code>set server track_message_ids</code> .
8.0.0	EMS-4327	Fixed an error that sometimes caused message loss when messages were rolled back to a destination with <code>overflowPolicy=discardOld</code> and mstores configured.

Closed in Release	Key	Summary
8.0.0	EMS-3897	Fixed an error that caused an application's connection to be unusable—and show as stopped in the tibemsadmin tool—if the client library tried to connect to a non-EMS server process that was incorrectly part of the FT URL list.
8.0.0	EMS-2651	Fixed an issue that would cause the C API call <code>tibemsBytesMsg_GetBytes()</code> to return <code>TIBEMS_INVALID_ARGUMENT</code> if the received message had an empty body. It now returns <code>TIBEMS_OK</code> and a byte size of zero.

Known Issues

The table in this section lists known issues in this release.

Key	Summary/Workaround
8.0.0	<p>Summary Installing EMS 7.0 in a <i>TIBCO_HOME</i> environment where EMS 8.0 has already been installed is not supported.</p> <p>Workaround If required, install EMS 7.0 in a <i>TIBCO_HOME</i> environment separate from that of EMS 8.0.</p>
6.3.0	<p>Summary When configuring SSL on z/Linux, authentication fails if a PEM format certificate with P7 suffix is specified to the IBM JRE.</p> <p>Workaround Modify the certificate to be in DER format with a P7 suffix.</p>
6.1.0	<p>Summary The JMSHeader fields of messages imported from SmartSockets cannot be modified.</p> <p>Workaround None.</p>
6.0.0	<p>Summary Using both multicast and the SmartSockets bridge at the same time is not supported.</p> <p>Workaround None.</p>
6.0.0	<p>Summary The EMS server does not load OCI drivers (used with the OracleRAC database server).</p> <p>Workaround In order to load the OCI libraries, specify the driver location using the <code>module_path</code> parameter in the <code>tibemsd.conf</code>. For example:</p> <pre>module_path=/rv/tools/tibjms/Oracle11gClient/linux24gl23/x86/oci32</pre> <p>Note that TIBCO SmartSockets users also use the <code>module_path</code> parameter to dynamically load the SmartSockets library files. In order to define both OCI and SmartSockets library locations, separators should follow the same conventions used to specify <code>PATH</code>. On Unix platforms separate paths using a colon (:). On Windows platforms, use a semicolon. For example:</p> <pre>module_path= c:\tibco\ss\bin\i86_w32;c:\Oracle11gClient\oci32</pre>
5.1.5	<p>Summary When running EMS in FIPS compliant mode, DSA certificates cannot be used.</p> <p>Workaround Use RSA certificates when running EMS in FIPS compliant mode.</p>

Key	Summary/Workaround
5.1.4 1-AC2L2T	<p>Summary On HP-UX platforms, authentication with LDAP can fail in some situations when the <code>ldap_operation_timeout</code> parameter is set.</p> <p>Workaround If failure occurs, do not use <code>ldap_operation_timeout</code>.</p>
5.0	<p>Summary The SmartSockets bridge is not supported for the 64-bit EMS server on the <code>hpux112/ia64</code> platform.</p> <p>Workaround None.</p>
5.0	<p>Summary During recovery, a server using database stores receives the following error, and startup fails:</p> <p>ORA-00904: "THIS_". "TXNREC_STORE_ID": invalid identifier</p> <p>This is related to a known issue with Hibernate.</p> <p>Workaround Restart the server. On restart, the <code>tibemsd</code> recovers correctly, with no messages lost.</p>
4.1 1-22ZRNM	<p>Summary JSSE cannot read PKCS12 certificates generated by some versions of OpenSSL.</p> <p>Workaround Import the certificate into a web browser; then export the certificate to a new file with extension <code>.p12</code> (not <code>.pfx</code>).</p>