



TIBCO FTL® - Enterprise Edition

Installation

Version 7.0.1 | December 2024

Contents

Contents	2
About this Product	4
Preparing for Installation	5
Installation Requirements	5
Platform-Specific Instructions	7
Guidelines for Linux	7
Guidelines for macOS	7
Guidelines for Microsoft Windows	8
Installation	9
Installing on Linux	9
Verifying the Installation on Linux	11
Optional Post-Installation Steps on Linux	11
Installing on macOS	12
Installing on macOS in Silent Mode	12
Installing on Windows	13
Installing on Windows in Silent Mode	14
Try It Out: Sample Applications	15
Uninstallation	16
Uninstalling on Linux	16
Uninstalling on macOS	17
Uninstalling on Windows	18
Uninstalling on Windows in Silent Mode	19
TIBCO Documentation and Support Services	20

Legal and Third-Party Notices	22
--------------------------------------------	-----------

About this Product

TIBCO® is proud to announce the latest release of TIBCO FTL® software.

This release is the latest in a long history of TIBCO products that use the power of Information Bus® technology to enable truly event-driven IT environments. TIBCO FTL software is part of TIBCO Messaging®. To find out more about TIBCO Messaging software and other TIBCO products, please visit us at www.tibco.com.

Preparing for Installation

Complete these steps before you begin to install TIBCO FTL® software.

Procedure

1. If you are upgrading from an earlier release of TIBCO FTL software, first read “Upgrade Migration to a New Release” in *TIBCO FTL® - Enterprise Edition Administration*.
2. Refer to the readme file. Verify that the product supports your platforms and versions.

You can find the readme file on the TIBCO download site and on the product distribution, in the same directory as the installation files.
3. Read the TIBCO Software Inc. License Agreement included with the product.
4. Read the sections in this book that pertain to your operating system platforms.
5. Verify that the host computer satisfies the requirements for installation, and that prerequisite software is already installed. For details, see [Installation Requirements](#).

Installation Requirements

Before you run the installer, ensure that the environment meets all the hardware and software requirements and that you have appropriate privileges to run the installer.

See the [Readme](#) file for supported platforms.

Installer Account

Platform	Account Privileges
Microsoft Windows	You must have administrator privileges for the machine on which this product is installed. Otherwise, the installer exits. To continue, either log out of the system and log in as a user with the required privileges, or request that your

Platform	Account Privileges
	<p>system administrator assign the privileges to your account.</p> <p>To install the product on a network drive, ensure that the account used for installation has permission to access the network drive.</p>
Linux	For system-based installers, you need <code>sudo</code> privileges for installation. However, for extracting TAR files, you do not need special privileges.
macOS	Administrator privileges are required for installation.

Platform-Specific Instructions

Before using the installer to install or uninstall the product, read the topics that pertain to your operating system platform.

Guidelines for Linux

See the [Readme](#) file for supported platforms.

Installer Privileges

To install this product you must have sudo privileges.

Installation Packages

Enterprise Edition

TIB_ftl_7.0.1_linux_x86_64.zip

Guidelines for macOS

See the [Readme](#) file for supported platforms.

Installer Privileges

To install this product, you must have administrator privileges.

Installation Packages

TIBCO FTL software is available for the macOS operating system in the following packages:

Enterprise Edition

TIB_ftl_7.0.1_macos_x86_64.pkg

Guidelines for Microsoft Windows

See the [Readme](#) file for supported platforms.

General Assembly Cache

The TIBCO.FTL and TIBCO.FTL.GROUP assemblies, and their associated policy DLLs all install into the Windows general assembly cache (GAC). Application programs in the .NET framework use classes from these assemblies.

Installation Packages

TIBCO FTL software is available for the Windows operating system in the following packages:

Enterprise Edition

TIB_ftl_7.0.1_win_x86_64.exe

Installation

You can install this product on any operating system using platform-native installers.

Installing on Linux

Use the platform-native installer to install the product on Linux platforms. The installer provides a collection of RPM and DEB packages.

Before you begin

On SUSE Linux, ensure `libjvm` libraries are already installed.

Procedure

1. Download the installation package.
Download the package for enterprise edition.
2. Extract the TIBCO FTL archive file to a temporary directory.

Edition	Command
Enterprise Edition	<pre>unzip TIB_ftl_7.0.1_linux_x86_64.zip</pre>

These extraction commands place installation RPM, DEB, and TAR artifacts in a temporary directory, named `TIB_ftl_7.0.1` within the current directory.

3. Navigate to the temporary directory.

```
cd TIB_ftl_7.0.1
```

4. Install using one of these commands, depending on the Linux platform variant. (You can run the commands without 'sudo' if you have the privileges.)

Linux Variant	Command
Red Hat, Centos , Fedora	<pre>sudo yum install -y rpm/*.rpm</pre>
Debian, Ubuntu	<pre>sudo dpkg -i deb/*.deb</pre>
SUSE	<pre>sudo zypper install -y --allow-unsigned-rpm rpm/*.rpm</pre>
Other Linux variants	<p>If your Linux variant does not include yum, dpkg, or zypper, you can use tar.</p> <pre>for f in tar/*; do tar xfv \$f; done</pre> <p>Tip: You must have root privileges to write to the root / directory.</p>
A non-enterprise Linux or some Docker Linux containers .	<p>a. yum install (all the rpms except TIB_ftl_*-enterprise.rpm)</p> <p>b. For the enterprise rpm, use: rpm --nodeps -i TIB_ftl_*-enterprise.rpm</p>

The installation utilities yum, dpkg, or zypper install TIBCO FTL software under /opt/tibco/.

In contrast, the archive utility tar installs TIBCO FTL software under ./opt/tibco/.

A complete installation includes the following packages:

- FTL thirdparty
- FTL runtime
- FTL java

- FTL servers
 - FTL development
 - FTL enterprise (Enterprise Edition only)
 - FTL monitoring (Enterprise Edition only)
 - FTL OSGI bundle
5. Optional. You may delete the temporary directory.

Verifying the Installation on Linux

The installation can be verified by looking for the last RPM or Debian file installed.

Linux Variant	Command
RedHat	<pre>yum list installed grep "ftl"</pre>
Debian	<pre>dpkg-query -l grep "ftl"</pre>
SUSE	<pre>zypper se grep "ftl"</pre>



Note: Alternatively, examine the log files at `/var/log`.

Optional Post-Installation Steps on Linux

This post-installation task on Linux is optional. Consider completing this task only if you used an RPM-based or a DEB-based installer, and only if you need symbolic links from `/usr/bin`, `/usr/lib`, and `/usr/include` to the TIBCO FTL binaries and libraries.

If you create these symbolic links, then you do not have to add `/opt/tibco/ftl/7.0.1/bin` to the `PATH`, or add `/opt/tibco/ftl/7.0.1/lib` to the `LD_LIBRARY_PATH`.

Procedure

1. Navigate to `/opt/tibco/ftl/7.0.1/scripts`.
2. Run the post-installation scripts.

```
sudo post_install/*_install.sh
```

Installing on macOS

To install FTL on macOS, complete these steps.

Procedure

1. Download the installation archive package.
Download the package for enterprise edition.
2. Extract the installer package to a temporary directory.
3. Run the installer.
Double-click the installation package icon.
Follow the installation prompts to complete the process. Provide your password if requested.

Result

TIBCO FTL is installed in `/opt/tibco/ftl/7.0.1`. Installation also creates a symbolic link to that directory from `/opt/tibco/ftl/current-version`.

Installing on macOS in Silent Mode

To silently install TIBCO FTL software on macOS platforms, complete this task.

Procedure

1. Download the installation archive package.
Download the package for the enterprise edition.
2. Open a terminal window and navigate to the directory in which the installer archive package is located.
3. Run the installer silently.

```
sudo installer -pkg <package_name> -target /
```

The package name depends on the edition of TIBCO FTL that you downloaded.

Edition	Command
Enterprise Edition	TIB_ftl_7.0.1_macos_x86_64.pkg

Installing on Windows

To install FTL on Windows platforms, complete these steps.:

Procedure

1. Ensure that the .NET framework is properly installed and up to date.
2. Download the installation package.
Download the package for the enterprise edition.
3. Run the installer.
Double-click the installation package icon.
Follow the installation prompts to complete the process.

Result

TIBCO FTL is installed in C:\tibco\ftl\7.0.1. If the .NET framework is properly installed, then installing TIBCO FTL automatically registers the FTL libraries with the Windows GAC.

Installing on Windows in Silent Mode

To silently install TIBCO FTL software on Windows platforms, complete this task.

Procedure

1. Download the installation archive package.
Download the package for the enterprise edition.
2. Open a terminal window and navigate to the directory in which the installer archive package is located.
3. Run the installer silently.

```
<package_name> /S /D=<target_installation_folder>
```

The package name depends on the edition of TIBCO FTL that you downloaded.

Edition	Command
Enterprise Edition	TIB_ftl_7.0.1_win_x86_64.exe

You can install specific installation types by specifying `/type=<type>`. The following types are available:

- Development
- Servers
- Enterprise (Enterprise Edition only)
- Monitoring (Enterprise Edition only)
- Full (the default type)

If you specify `/type`, you must ensure this `/D` is the final parameter.

Try It Out: Sample Applications

Go to the `samples` directory for additional references and to try out FTL:

- Linux/macOS: `/opt/tibco/ftl/<version>/samples`
- Windows: `c:\tibco\ftl\<version>\samples`

These files are in the `samples` directory and on the documentation site:

- [Getting Started](#): Try out persistence, queuing, request/reply, and performance statistics, publish and subscribe.
- [Readme](#): Platforms, third-party software, requirements, and support.

The directory also includes sample applications to use in the Quick Start, Getting Started, and for your general reference.

Uninstallation

You can uninstall this product using the following steps, which are specific to the operating system platform.

Uninstalling on Linux

Uninstall the RPM or Debian packages.

Procedure

1. If you use postinstallation scripts after installing the RPM or Debian packages, you must perform the following steps to remove the symbolic links:
 - a. Navigate to another `/opt/tibco/ftl/7.0.1/scripts/post_install` folder.
(Substitute the release number corresponding to the installed packages.)
 - b. Run the following commands:

```
sudo ./development_alternatives_uninstall.sh
sudo ./java_alternatives_uninstall.sh
sudo ./runtime_alternatives_uninstall.sh
sudo ./servers_alternatives_uninstall.sh
```

2. List the packages to uninstall.

Linux Variant	Command
RedHat	<pre>yum list installed grep "ftl"</pre>
Debian	<pre>dpkg-query -l grep ftl</pre>

Linux Variant	Command
SUSE	<pre>zypper se grep "ftl"</pre>

Verify the packages:

- FTL OSGI bundle
- FTL monitoring (Enterprise Edition only)
- FTL enterprise (Enterprise Edition only)
- FTL development
- FTL servers
- FTL java
- FTL runtime
- FTL third party

3. Uninstall the packages.

Linux Variant	Command
Redhat	<pre>sudo yum remove -y tib_ftl_7.0.1*</pre>
Debian	<pre>sudo apt-get remove -y tib_ftl_7.0.1*</pre>
SUSE	<pre>sudo zypper rm tib_ftl_7.0.1*</pre>

Uninstalling on macOS

To uninstall from a macOS platform, complete this task.

Procedure

1. Navigate to `/opt/tibco/ftl`.
2. Delete the version-specific directory `7.0.1`.
3. Delete the symbolic link to that directory, `current-version`.
4. Inform macOS that the packages are no longer installed.

```
for i in $(sudo pkgutil --pkgs='com.tibco.ftl.*-release_num'); do sudo  
pkgutil --forget $i; done
```

release_num indicates the three-digit product release number that you are uninstalling, for example, 7.0.1.

The enterprise and monitoring packages are relevant only when uninstalling TIBCO FTL - Enterprise Edition.

Uninstalling on Windows

To uninstall from a Windows platform, use the Windows control panel.

i Note: These steps are written for Windows 10. The exact labels, commands, and navigation could vary on other versions of Windows.

Remember:

To uninstall the product, you must use this procedure. Deleting the installation directory is not sufficient, and could cause instability of future installations. Complete uninstallation is required whether upgrading to a different version or a different edition of the product.

Procedure

1. Open the Windows "Apps & Features" panel.
To navigate, open the Settings panel, click System, then click "Apps & features."
2. Select the product to uninstall:
 - TIBCO FTL® - Enterprise Edition 7.0.1
3. Click **Uninstall**.

Uninstalling on Windows in Silent Mode

To silently uninstall TIBCO FTL software on Windows platforms, complete this task.

Procedure

1. In a terminal window, navigate to the product installation directory.
2. Run the uninstall command.

```
Uninstall.exe /S
```

TIBCO Documentation and Support Services

For information about this product, you can read the documentation, contact TIBCO Support, and join [TIBCO Community](#).

How to Access TIBCO Documentation

Documentation for TIBCO products is available on the [Product Documentation website](#), mainly in HTML and PDF formats.

The [Product Documentation website](#) is updated frequently and is more current than any other documentation included with the product.

Product-Specific Documentation

Documentation for TIBCO FTL® - Enterprise Edition is available on the [TIBCO FTL® - Enterprise Edition Product Documentation](#) page.

TIBCO eFTL™ Documentation Set

TIBCO eFTL software is documented separately. Administrators use the FTL server GUI to configure and monitor the eFTL service. For information about these GUI pages, see the documentation set for TIBCO eFTL software.

How to Contact Support for TIBCO Products

You can contact the Support team in the following ways:

- To access the Support Knowledge Base and getting personalized content about products you are interested in, visit our [product Support website](#).
- To create a Support case, you must have a valid maintenance or support contract with a Cloud Software Group entity. You also need a username and password to log in to the [product Support website](#). If you do not have a username, you can request one by clicking **Register** on the website.

How to Join TIBCO Community

TIBCO Community is the official channel for TIBCO customers, partners, and employee subject matter experts to share and access their collective experience. TIBCO Community offers access to Q&A forums, product wikis, and best practices. It also offers access to extensions, adapters, solution accelerators, and tools that extend and enable customers to gain full value from TIBCO products. In addition, users can submit and vote on feature requests from within the [TIBCO Ideas Portal](#). For a free registration, go to [TIBCO Community](#).

Legal and Third-Party Notices

SOME CLOUD SOFTWARE GROUP, INC. (“CLOUD SG”) SOFTWARE AND CLOUD SERVICES EMBED, BUNDLE, OR OTHERWISE INCLUDE OTHER SOFTWARE, INCLUDING OTHER CLOUD SG SOFTWARE (COLLECTIVELY, “INCLUDED SOFTWARE”). USE OF INCLUDED SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED CLOUD SG SOFTWARE AND/OR CLOUD SERVICES. THE INCLUDED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER CLOUD SG SOFTWARE AND/OR CLOUD SERVICES OR FOR ANY OTHER PURPOSE.

USE OF CLOUD SG SOFTWARE AND CLOUD SERVICES IS SUBJECT TO THE TERMS AND CONDITIONS OF AN AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER AGREEMENT WHICH IS DISPLAYED WHEN ACCESSING, DOWNLOADING, OR INSTALLING THE SOFTWARE OR CLOUD SERVICES (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH LICENSE AGREEMENT OR CLICKWRAP END USER AGREEMENT, THE LICENSE(S) LOCATED IN THE “LICENSE” FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE SAME TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

This document is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of Cloud Software Group, Inc.

TIBCO, the TIBCO logo, the TIBCO O logo, FTL, eFTL, and Rendezvous are either registered trademarks or trademarks of Cloud Software Group, Inc. in the United States and/or other countries.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only. You acknowledge that all rights to these third party marks are the exclusive property of their respective owners. Please refer to Cloud SG’s Third Party Trademark Notices (<https://www.cloud.com/legal>) for more information.

This document includes fonts that are licensed under the SIL Open Font License, Version 1.1, which is available at: <https://scripts.sil.org/OFL>

Copyright (c) Paul D. Hunt, with Reserved Font Name Source Sans Pro and Source Code Pro.

Cloud SG software may be available on multiple operating systems. However, not all operating system platforms for a specific software version are released at the same time. See the “readme” file for the availability of a specific version of Cloud SG software on a specific operating system platform.

THIS DOCUMENT IS PROVIDED “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. CLOUD SG MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S), THE PROGRAM(S), AND/OR THE SERVICES DESCRIBED IN THIS DOCUMENT AT ANY TIME WITHOUT NOTICE.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "README" FILES.

This and other products of Cloud SG may be covered by registered patents. For details, please refer to the Virtual Patent Marking document located at <https://www.cloud.com/legal>.

Copyright © 2009-2024. Cloud Software Group, Inc. All Rights Reserved.