



TIBCO Rendezvous[®]

Concepts

*Software Release 8.5
December 2019*



Important Information

SOME TIBCO SOFTWARE EMBEDS OR BUNDLES OTHER TIBCO SOFTWARE. USE OF SUCH EMBEDDED OR BUNDLED TIBCO SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED TIBCO SOFTWARE. THE EMBEDDED OR BUNDLED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER TIBCO SOFTWARE OR FOR ANY OTHER PURPOSE.

USE OF TIBCO SOFTWARE AND THIS DOCUMENT IS SUBJECT TO THE TERMS AND CONDITIONS OF A LICENSE AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED SOFTWARE LICENSE AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER LICENSE AGREEMENT WHICH IS DISPLAYED DURING DOWNLOAD OR INSTALLATION OF THE SOFTWARE (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH SOFTWARE LICENSE AGREEMENT OR CLICKWRAP END USER LICENSE AGREEMENT, THE LICENSE(S) LOCATED IN THE "LICENSE" FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

ANY SOFTWARE ITEM IDENTIFIED AS THIRD PARTY LIBRARY IS AVAILABLE UNDER SEPARATE SOFTWARE LICENSE TERMS AND IS NOT PART OF A TIBCO PRODUCT. AS SUCH, THESE SOFTWARE ITEMS ARE NOT COVERED BY THE TERMS OF YOUR AGREEMENT WITH TIBCO, INCLUDING ANY TERMS CONCERNING SUPPORT, MAINTENANCE, WARRANTIES, AND INDEMNITIES. DOWNLOAD AND USE OF THESE ITEMS IS SOLELY AT YOUR OWN DISCRETION AND SUBJECT TO THE LICENSE TERMS APPLICABLE TO THEM. BY PROCEEDING TO DOWNLOAD, INSTALL OR USE ANY OF THESE ITEMS, YOU ACKNOWLEDGE THE FOREGOING DISTINCTIONS BETWEEN THESE ITEMS AND TIBCO PRODUCTS.

This document is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of TIBCO Software Inc.

TIBCO, the TIBCO logo, and the TIBCO O logo, TIB, Information Bus, FTL, eFTL, Rendezvous, and LogLogic are either registered trademarks or trademarks of TIBCO Software Inc. in the United States and/or other countries.

Java and all Java based trademarks and logos are trademarks or registered trademarks of Oracle Corporation and/or its affiliates.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

This software may be available on multiple operating systems. However, not all operating system platforms for a specific software version are released at the same time. See the readme file for the availability of this software version on a specific operating system platform.

THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. TIBCO SOFTWARE INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAM(S) DESCRIBED IN THIS DOCUMENT AT ANY TIME.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "READ ME" FILES.

This and other products of TIBCO Software Inc. may be covered by registered patents. Please refer to TIBCO's Virtual Patent Marking document (<https://www.tibco.com/patents>) for details.

Copyright © 1997 - 2019. TIBCO Software Inc. All Rights Reserved.

Contents

Figures	xiii
Tables	xv
Preface	xvii
Manual Organization	xviii
TIBCO Documentation and Support Services	xix
How to Access TIBCO Documentation	xix
TIBCO Rendezvous Documentation	xix
How to Contact TIBCO Support	xx
How to Join TIBCO Community	xxi
Chapter 1 Product Overview	1
Introduction to TIBCO Rendezvous Software	2
Benefits of Programming with Rendezvous Software	3
Simplifying Distributed System Development	4
Decoupling and Data Independence	4
Location Transparency	4
Architectural Emphasis on Information Sources and Destinations	5
Reliable Delivery of Whole Messages	5
Rendezvous Components	7
Rendezvous Daemon	8
Rendezvous Language Interfaces	9
Rendezvous Functionality	10
Developing Distributed Systems	11
Programming Examples	12
Platform Support	13
Chapter 2 Architecture	15
Rendezvous API Architecture	16
Chapter 3 Fundamentals	17
Messages and Data	18
Fields	18

Wire Format	18
Supplementary Information for Messages	19
Address Information	19
Certified Delivery Information	19
Self-Describing Data	20
Names and Subject-Based Addressing	21
Subject Names	21
Wildcard Subject Names	22
Inbox Names	22
Subject-Based Addressing and Message Destinations	23
Multicast and Point-to-Point Messages	24
Point-to-Point Messages	24
Multicast Messages	25
Messages Mediate Interactions Between Programs	26
Publish/Subscribe Interactions	26
Request/Reply Interactions	27
Multicast Request/Reply Interactions	28
The Rendezvous Environment	29
Security Features	30
Performance	30
Secure Client Connections	30
Certificates and Security	31
Certificate Encodings and Formats	31
Obtaining Certificates	32
Distributing Certificates	32
Chapter 4 The Rendezvous Daemon	35
Role of the Rendezvous Daemon	36
The Daemon and its Client Programs	37
Reliable Message Delivery	38
Overview	38
Other Features of Reliable Message Delivery	39
Secure Daemon	40
Chapter 5 Subject Names	41
Subject Name Syntax	42
Examples	43
Special Characters in Subject Names	43
Subject Name Performance Considerations	45
Using Wildcards to Receive Related Subjects	46

Distinguished Subject Names with Special Meaning	48
Chapter 6 Data	49
Self-Describing Data	50
Rendezvous Datatypes	51
Messages	53
Message Structure	53
Message Representation in Programs	54
Messages are not Thread-Safe	54
Field Names and Field Identifiers	55
Strings and Character Encodings	56
DateTime Format	57
Chapter 7 Events	59
Event System Overview	60
Events	61
Event Parameters	61
Event Classes	62
Event Driver	63
Event Queues	64
Maximum Events and Limit Policy	64
Dispatch	64
Dispatcher Threads	65
Queue Groups and Priority	65
Default Queue	66
Strategies for Using Queues and Groups	66
Callback Functions	69
Dispatch Thread	69
Closure Data	69
Listener Event Semantics	71
Listening for Messages	71
Destroying a Listener	73
I/O Event Semantics	74
Operating System I/O Semantics	75
Blocking I/O Calls	75
Availability	75
Timer Event Semantics	76
Chapter 8 Transport	79
Transport Overview	80

Transport Scope	81
Network Transport Parameters	82
Service Parameter	83
Service Groups	83
Interaction between Service and Network Parameters	83
Specifying the Service	84
Specifying Direct Communication	84
Network Parameter	86
Constructing the Network Parameter	86
Multicast Addressing	88
Daemon Parameter	89
Specifying a Local Daemon	89
Remote Daemon	90
Secure Daemon	90
Sending Messages	92
Intra-Process Transport and User Events	93
Inbox Names	94
Direct Communication	95
Batch Modes for Transports	97
Routing Daemon Subject Weights and Path Costs	98
Chapter 9 Virtual Circuits	99
Virtual Circuits Overview	100
Properties of Virtual Circuits	102
Programming Paradigm	103
Testing the New Connection	103
Virtual Circuit API	105
Chapter 10 Guidelines for Programming	107
Avoid Sending Binary Data Buffers or Internal Structs	108
Do Not Pass Local Values	109
Use Self-Describing Data	110
Establish Subject Naming Conventions	111
Do Not Send to Wildcard Subjects	112
Control Message Sizes	113
Avoid Flooding the Network	114
Beware of Network Boundaries	115
Make Transport Parameters Flexible	116

Verify Each Inbound Message	117
Understand Sockets	118
Chapter 11 Certified Message Delivery	119
Certified Delivery Features	121
Reliable versus Certified Message Delivery	122
Example Applications	124
Inappropriate Situations	125
Decentralization	126
Certified Message Delivery in Action	129
Creating a CM Transport	130
CM Correspondent Name	130
Ledger	131
Labeled Messages	132
Sending a Labeled Message	132
Receiving a Labeled Message	132
Discovery and Registration for Certified Delivery	134
Discovery	134
Registration	134
Certified Delivery Agreement	135
Delivering a Certified Message	136
Automatic Confirmation of Delivery	136
Requesting Confirmation	137
Sequencing and Retransmission	138
Persistent Correspondents	139
Example	139
Anticipating a Listener	141
Canceling Certified Delivery	142
Disallowing Certified Delivery	143
Motivation	143
Process	143
No Response to Registration Requests	145
Reusable Names	146
Ledger Storage	147
Ledger Size	147
Ledger File Location	148
Relay Agent	149
Operation	149
Communication	151

Protocol State	151
Transparency	151
Connecting and Disconnecting	152
Delays	154
Capacity	158
Reply Name Substitution	158
Chapter 12 Distributed Queue	161
Distributed Queue Example	162
Distributed Queue Members	163
Certified Delivery Behavior in Queue Members	163
Member Roles—Worker and Scheduler	163
Enforcing Identical Subscriptions	164
Fault Tolerance versus Distributed Queues	164
Scheduler Parameters	165
Assigning Tasks to Workers	166
Worker Weight	166
Availability	166
Task Capacity	166
Complete Time	169
Reassigning Tasks in Exceptional Situations	170
Worker Exit	170
Slow Worker	170
Scheduler Replacement	171
Case Studies—Complete Time	172
Mandelbrot Set	172
Fax Confirmation	172
Distributed Queues and Certified Listener Advisory Messages	174
Chapter 13 Fault Tolerance Concepts	175
Fault Tolerance	176
Fault Tolerance versus Distributed Queues	176
Fault Tolerance in Action	177
Components and Operating Environment	177
Example Fault-Tolerant Multicast Producer	178
Advantages of Rendezvous Fault Tolerance Software	179
Groups and Membership	180
Group Name	180
Active and Inactive	181
Alternate Terminology	181
Fault Tolerance Callback Function	182

Active Goal	183
Example: One Active Member	183
Example: Several Active Members	183
Rank and Weight	184
Weight Values	184
Assigning Weight	184
Rank among Members with Different Weight	185
Ranking Members with Equal Weight	185
Status Quo among Members with Equal Weight	185
Adjusting Weight	186
Heartbeats	187
Detecting Member Failure	188
Heartbeat Tracking	188
Independent Confirmation	188
Activation Interval	189
Prepare-to-Activate Hints	190
Requesting Hints	190
Timing of Hints	190
Hints Do Not Imply Subsequent Activation	190
Passive Monitor	191
Monitor Callback Function	191
Monitors in Action	191
Chapter 14 Fault Tolerance Programming	193
Fault Tolerance Callback Actions	194
Program Callback Functions	195
Ensure Timely Event Processing	196
Multiple Groups	197
Example: Mutual Backup across a WAN	197
Longest Service Interruption	200
Cascading Failure Situations	200
New Member Situations	200
Minimizing Response Time	201
Distribute Members	202
Protect against Hardware Failure	202
Protect against Network Disconnect	202
Member File Access	203
Copying Context Files	203
Upgrading Versions	203
Disabling a Member	204

Adjusting Member Weights	205
Example 1: Resources	205
Example 2: Load	205
Example 3: System Administrator	205
Chapter 15 Developing Fault-Tolerant Programs	207
Step 1: Choose a Group Name	208
Number of Groups	208
Group Name Syntax	208
Step 2: Choose the Active Goal	210
Step 3: Plan Program Behavior	211
Parallel Data State	211
Continuity—Track Active Backlog	212
Activation	213
Preparing to Activate	213
Deactivation	213
Serve It Once	214
Send it Once	214
Step 4: Choose the Intervals	215
First: Determine the Activation Interval	216
Second: Determine the Heartbeat Interval	216
Third: Determine the Preparation Interval	217
For Monitors: Determine the Lost Interval	218
Step 5: Program Start Sequence	219
Chapter 16 IPM	221
Overview of IPM	222
Restrictions	223
Summary of Differences	224
Configuring IPM	225
Default Values	225
Implicit Configuration File from Path	225
Explicit Configuration File	225
Explicit Configuration Parameters in Code	225
Parameter Configuration—Precedence and Interaction	226
Program Structure	227
Set Parameters	227
Open	227
Close	227

Chapter 17 Best Practices for Low Latency	229
Program Design Hints	230
Reduce Message Size	230
Re-Use Message Objects	230
Reduce Input/Output	230
Avoid Feature Overhead	231
Careful Memory Management	231
Minimize Processing within Callbacks	231
Examples	231
Runtime & Environment Factors	232
Save Cycles & Reduce Process Switching	232
Clear the Network	232
Limit Duplication	233
Reliable Delivery & Latency	234
Throughput	235
Send Messages in Groups	235
Appendix A System Advisory Messages	237
Advisory Messages	238
Advisory Summary	238
Receiving Advisory Messages	239
System Advisory Subject Names	241
CLIENT.DEFUNCT	242
CLIENT.FASTPRODUCER	243
CLIENT.ILLEGAL_PUBLISH	244
CLIENT.IP_MISMATCH	245
CLIENT.NOMEMORY	246
CLIENT.SLOWCONSUMER	247
DATALOSS.MSG_TOO_LARGE	249
DATALOSS	250
DISPATCHER.THREAD_EXITED	252
HOST.STATUS	253
LICENSE.EXPIRE	257
QUEUE.LIMIT_EXCEEDED	258
RETRANSMISSION.INBOUND.EXPECTED	259
RETRANSMISSION.INBOUND.REQUEST_NOT_SENT	260
RETRANSMISSION.OUTBOUND.SENT	262
RETRANSMISSION.OUTBOUND.SUPPRESSED	263

RVD	264
UNREACHABLE.TRANSPORT	265
VC.CONNECTED	266
VC.DISCONNECTED	267
Appendix B Certified Message Delivery (RVCM) Advisory Messages	269
Certified Delivery and Distributed Queue Advisory Messages	270
RVCM Advisory Subject Names	271
DELIVERY.CONFIRM	273
DELIVERY.COMPLETE	274
DELIVERY.NO_RESPONSE	275
DELIVERY.FAILED	276
DELIVERY.UNAVAILABLE	278
REGISTRATION.REQUEST	280
REGISTRATION.CERTIFIED	281
REGISTRATION.NOT_CERTIFIED	282
REGISTRATION.NO_RESPONSE	283
REGISTRATION.CLOSED	284
REGISTRATION.DISCOVERY	285
REGISTRATION.MOVED	286
REGISTRATION.COLLISION	287
RELAY.CONNECTED	288
RELAY.DISCONNECTED	289
QUEUE.SCHEDULER.ACTIVE	290
QUEUE.SCHEDULER.OVERFLOW	291
Appendix C Fault Tolerance (RVFT) Advisory Messages	293
Fault Tolerance Advisory Messages	294
RVFT Advisory Subject Names	295
RVFT Advisory Description Field	296
PARAM_MISMATCH	297
DISABLING_MEMBER	299
TOO_MANY_ACTIVE	300
TOO_FEW_ACTIVE	302
Index	303

Figures

Figure 1	Rendezvous Operating Environment	7
Figure 2	Point-to-Point Message	24
Figure 3	Reliable Multicast Message	25
Figure 4	Event-Driven Publish/Subscribe Interaction	26
Figure 5	Demand-Driven Request/Reply Interaction	27
Figure 6	Multicast Request/Reply Interaction	28
Figure 7	Default Event Queue	66
Figure 8	Prioritize Event Queues in a Group	67
Figure 9	Remove Event Queues from a Group to Suspend Dispatch	67
Figure 10	Listener Activation and Dispatch	73
Figure 11	I/O Event Activation and Dispatch	74
Figure 12	Timer Activation and Dispatch	77
Figure 13	Direct Communication between Two Programs	95
Figure 14	Relay Agents	150
Figure 15	Relay Agents and Delays: Network	156
Figure 16	Relay Agents and Delays: Timing	157
Figure 17	Relay Agents: Reply Name Substitution	159
Figure 18	One-of-N Delivery to a Distributed Queue	162
Figure 19	Fault Tolerance Operating Environment	177
Figure 20	Mutual Backup across a WAN	198

Tables

Table 1	Programming Languages	9
Table 2	Overview of Functionality	10
Table 3	Architecture Summary	16
Table 4	Self-Describing Data	20
Table 5	Environment Calls	29
Table 6	Secure Daemon Calls	40
Table 7	Valid Subject Name Examples	43
Table 8	Invalid Subject Name Examples	43
Table 9	Characters with Special Meaning in Subject Names	43
Table 10	Semantics of Listening to Wildcard Subjects	46
Table 11	Invalid Wildcard Subject Examples	47
Table 12	Distinguished Subject Names	48
Table 13	Wire Format Datatypes	51
Table 14	Event System Components	60
Table 15	Event Classes	62
Table 16	Dispatcher Threads	65
Table 17	Listener Creation	71
Table 18	I/O Event Creation	75
Table 19	Timer Creation	77
Table 20	Sending Calls	92
Table 21	Inbox Calls	94
Table 22	Virtual Circuit Calls	105
Table 23	Certified Message Delivery Programming Details	120
Table 24	Comparing Reliable and Certified Message Delivery	122
Table 25	Centralized versus Decentralized Architecture	126
Table 26	CM Transport Creation Calls	130
Table 27	CM Send Calls	132
Table 28	Confirmation of Delivery Calls	136

Table 29	Add Listener Calls	141
Table 30	Close Listener Calls	142
Table 31	Remove Listener Calls	142
Table 32	Disallow Listener Calls	143
Table 33	Relay Agent Connect and Disconnect Calls	152
Table 34	Fault Tolerance	193
Table 35	Fault Tolerance Actions	194
Table 36	Fault Tolerance Callback Function	195
Table 37	Set Weight Call	205
Table 38	Fault Tolerance Interval Parameters	215
Table 39	Summary of Difference between Ordinary Daemons and IPM	224
Table 40	Rendezvous System Advisories	238
Table 41	SYSTEM Advisory Subject Name Elements	241
Table 42	Rendezvous Certified Message Delivery Advisories	270
Table 43	RVCM Advisory Subject Name Elements	271
Table 44	Rendezvous Fault Tolerance Advisory Messages	294
Table 45	RVFT Advisory Subject Name Elements	295

Preface

TIBCO Rendezvous® is a messaging infrastructure product.

TIBCO is proud to announce the latest release of TIBCO Rendezvous software. This release is the latest in a long history of TIBCO products that leverage the power of the Information Bus® technology to enable truly event-driven IT environments. To find out more about how TIBCO Rendezvous software and other TIBCO products are powered by TIB® technology, please visit us at www.tibco.com.

This manual explains TIBCO Rendezvous software and the concepts needed to understand it and use it effectively. It is part of the documentation set for TIBCO Rendezvous Software Release 8.5.0.

Manual Organization

The first group of chapters introduce the basics of TIBCO Rendezvous software:

- [Chapter 1, Product Overview, page 1](#) is a high-level introduction to TIBCO Rendezvous software.
- [Chapter 2, Architecture, page 15](#) introduces architecture concepts, and explains specific architectural elements.
- [Chapter 3, Fundamentals, page 17](#) discusses the details of messages and subject-based addressing.TM
- [Chapter 4, The Rendezvous Daemon, page 35](#) introduces `rvd`—the daemon process.
- [Chapter 5, Subject Names, page 41](#) presents details of subject name syntax and semantics.

The second group of chapters discuss important concepts of the TIBCO Rendezvous programming architecture:

- [Chapter 6, Data, page 49](#) presents details of datatypes, formats and storage issues.
- [Chapter 7, Events, page 59](#) presents events, queues, dispatch, callback functions, and event semantics.
- [Chapter 8, Transport, page 79](#) presents transports and their parameters.
- [Chapter 9, Virtual Circuits, page 99](#) presents virtual circuits.
- [Chapter 10, Guidelines for Programming, page 107](#) is a collection of rules of thumb for TIBCO Rendezvous programmers.

The third group of chapters present quality of service features:

- [Chapter 11, Certified Message Delivery, page 119](#)
- [Chapter 12, Distributed Queue, page 161](#)
- [Chapter 13, Fault Tolerance Concepts, page 175](#)
- [Chapter 14, Fault Tolerance Programming, page 193](#)
- [Chapter 15, Developing Fault-Tolerant Programs, page 207](#)

TIBCO Documentation and Support Services

How to Access TIBCO Documentation

Documentation for TIBCO products is available on the TIBCO Product Documentation website, mainly in HTML and PDF formats.

The TIBCO Product Documentation website is updated frequently and is more current than any other documentation included with the product. To access the latest documentation, visit <https://docs.tibco.com>.

TIBCO Rendezvous Documentation

TIBCO_HOME is the top-level directory in which TIBCO products are installed.

- On Windows platforms, the default TIBCO_HOME is C:\tibco.
- On UNIX platforms, the default TIBCO_HOME is /opt/tibco.

The following documents form the Rendezvous documentation set:

- *TIBCO Rendezvous Concepts*

Read this book first. It contains basic information about Rendezvous components, principles of operation, programming constructs and techniques, advisory messages, and a glossary. All other books in the documentation set refer to concepts explained in this book.

- *TIBCO Rendezvous Administration*

Begins with a checklist of action items for system and network administrators. This book describes the mechanics of Rendezvous licensing, network details, plus a chapter for each component of the Rendezvous software suite. Readers should have *TIBCO Rendezvous Concepts* at hand for reference.

- *TIBCO Rendezvous Installation*

Includes step-by-step instructions for installing Rendezvous software on various operating system platforms.

- *TIBCO Rendezvous C Reference*

Detailed descriptions of each datatype and function in the Rendezvous C API. Readers should already be familiar with the C programming language, as well as the material in *TIBCO Rendezvous Concepts*.

- *TIBCO Rendezvous C++ Reference*

Detailed descriptions of each class and method in the Rendezvous C++ API. The C++ API uses some datatypes and functions from the C API, so we

recommend the *TIBCO Rendezvous C Reference* as an additional resource. Readers should already be familiar with the C++ programming language, as well as the material in *TIBCO Rendezvous Concepts*.

- *TIBCO Rendezvous .NET Reference*

Detailed descriptions of each class and method in the Rendezvous .NET interface. Readers should already be familiar with either C# or Visual Basic .NET, as well as the material in *TIBCO Rendezvous Concepts*.

- *TIBCO Rendezvous Java Reference*

Detailed descriptions of each class and method in the Rendezvous Java language interface. Readers should already be familiar with the Java programming language, as well as the material in *TIBCO Rendezvous Concepts*.

- *TIBCO Rendezvous Configuration Tools*

Detailed descriptions of each Java class and method in the Rendezvous configuration API, plus a command line tool that can generate and apply XML documents representing component configurations. Readers should already be familiar with the Java programming language, as well as the material in *TIBCO Rendezvous Administration*.

- *TIBCO Rendezvous z/OS Installation and Configuration*

Information about Rendezvous for IBM z/OS systems regarding installation and maintenance. Some information may be also useful for application programmers.

- *TIBCO Rendezvous for z/OS COBOL Reference*

Detailed descriptions of each datatype and function in the Rendezvous COBOL API. Readers should already be familiar with the COBOL programming language, z/OS, as well as the material in *TIBCO Rendezvous Concepts*.

- *TIBCO Rendezvous Release Notes*

Lists new features, changes in functionality, deprecated features, migration and compatibility information, closed issues and known issues.

How to Contact TIBCO Support

You can contact TIBCO Support in the following ways:

- For an overview of TIBCO Support, visit <http://www.tibco.com/services/support>.

- For accessing the Support Knowledge Base and getting personalized content about products you are interested in, visit the TIBCO Support portal at <https://support.tibco.com>.
- If you already have a valid maintenance or support contract, visit this site:
- For creating a Support case, you must have a valid maintenance or support contract with TIBCO. You also need a user name and password to log in to <https://support.tibco.com>. If you do not have a user name, you can request one by clicking **Register** on the website.

How to Join TIBCO Community

TIBCO Community is the official channel for TIBCO customers, partners, and employee subject matter experts to share and access their collective experience. TIBCO Community offers access to Q&A forums, product wikis, and best practices. It also offers access to extensions, adapters, solution accelerators, and tools that extend and enable customers to gain full value from TIBCO products. In addition, users can submit and vote on feature requests from within the TIBCO Ideas Portal. For a free registration, go to <https://community.tibco.com>.

Chapter 1 **Product Overview**

This chapter introduces TIBCO Rendezvous[®] software.

Topics

- [Introduction to TIBCO Rendezvous Software, page 2](#)
- [Benefits of Programming with Rendezvous Software, page 3](#)
- [Simplifying Distributed System Development, page 4](#)
- [Rendezvous Components, page 7](#)
- [Rendezvous Language Interfaces, page 9](#)
- [Developing Distributed Systems, page 11](#)
- [Programming Examples, page 12](#)
- [Platform Support, page 13](#)

Introduction to TIBCO Rendezvous Software

TIBCO Rendezvous software makes it easy to create distributed applications that exchange data across a network. You get software support for network data transport and network data representation. Rendezvous software supports many hardware and software platforms, so programs running on many different kinds of computers on a network can communicate seamlessly.

From the programmer's perspective, the Rendezvous software suite includes two main components—a Rendezvous programming language interface (API) and the Rendezvous daemon.

Rendezvous software includes several programming language interfaces, which are efficient, easy to use, and compatible with most other libraries (including window systems). Other books in the documentation set describe the Rendezvous API for various programming languages.

The Rendezvous *daemon* runs on each participating computer on your network. All information that travels between program processes passes through the Rendezvous daemon as the information enters and exits host computers. The daemon also passes information between program processes running on the same host.

Rendezvous *programs* are programs that use Rendezvous software to communicate over a network.

A Rendezvous *distributed application system* is a set of Rendezvous programs that cooperate to fulfill a mission.

Benefits of Programming with Rendezvous Software

You gain numerous advantages when you program with Rendezvous APIs instead of other network APIs (such as TCP/IP sockets).

Benefits During Development

- Rendezvous software eliminates the need for programs to locate clients or determine network addresses.
- Rendezvous software simplifies the development of distributed application systems by hiding the networking details.
- Rendezvous software makes it easy to develop resilient systems because redundant data producers are transparent to consumers. (A *producer* is any program that sends data. A *consumer* is any program that receives data.)
- Rendezvous software is thread-safe, so you can use it with multi-threaded programs.

Benefits During Use

- Rendezvous programs can publish multicast messages to distribute information quickly and reliably to many consumers.
- Rendezvous programs can use request/reply interactions, such as queries.
- Rendezvous programs are location independent, and port easily between platforms.

Benefits as Programs Evolve

- Rendezvous distributed application systems are easier to maintain than traditional networked application systems.
- Rendezvous distributed application systems scale smoothly as you add new component processes.
- Rendezvous distributed application systems have longer useful lifetimes than traditional networked application systems.
- Rendezvous software supports many hardware and software platforms, so programs port smoothly as your environment evolves and expands.

Simplifying Distributed System Development

Rendezvous software eases distributed system development in these ways:

- [Decoupling and Data Independence](#)
- [Location Transparency](#)
- [Architectural Emphasis on Information Sources and Destinations](#)
- [Reliable Delivery of Whole Messages](#)
- [Certified Message Delivery](#)
- [Distributed Queues](#)
- Fault Tolerance (see [Fault Tolerance Concepts on page 175](#))

Decoupling and Data Independence

Distributed systems can be difficult to develop, maintain and port. One reason for this difficulty is that components running on networked hosts are often tightly coupled—components must agree on network connections, the low-level format for data transfer, and other details. Rendezvous software allows looser coupling between the components of a distributed system. Loose coupling decreases costs for development, operation and maintenance, and increases system longevity.

Rendezvous self-describing data messages promote data independence; producers and consumers of data can communicate even if they do not share the same internal representations for data. Communicating programs can run on different hardware architectures, even though they use different bit order, byte alignment or numeric representations.

Data independence also eases program evolution. Producers can gracefully add new content fields to their messages without invalidating legacy receivers.

Location Transparency

Rendezvous software uses *subject-based addressing*[™] technology to direct messages to their destinations, so program processes can communicate without knowing the details of network addresses or connections. Subject-based addressing conventions define a uniform name space for messages and their destinations.

The locations of component processes become entirely transparent; any application component can run on any network host without modification, recompilation or reconfiguration. Application programs migrate easily among host computers. You can dynamically add, remove and modify components of a distributed system without affecting other components.

Architectural Emphasis on Information Sources and Destinations

Decoupling distributed components eliminates much of the complexity traditionally associated with network programming. Rendezvous software frees you to devote more resources to solving application problems.

In the past, network programming was so complex that programmers often structured systems and individual component programs to minimize that complexity—even if the resulting architecture did not fit the application domain as well as it could. Rendezvous software lets you think about distributed system architecture in new ways. You can divide the system into modules along natural boundaries implied by the application's information content.

The first step in developing a distributed system is to identify sources and destinations of information. For example, sources of information include news-wire services, data entry stations, point-of-sale stations, sensors and measuring devices. Destinations of information include data displays and visualization stations, device controllers, statistical analyzers, and personal wireless devices. Components such as databases, schedulers, materials trackers and decision support interfaces can often be both sources and destinations of information within a larger system. Analyzing a distributed application problem in these terms very often suggests the most natural, efficient and flexible solution.

Reliable Delivery of Whole Messages

Rendezvous software provides reliable communications between programs, while hiding the burdensome details of network communication and packet transfer from the programmer. Rendezvous software takes care of segmenting and recombining large messages, acknowledging packet receipt, retransmitting lost packets, and arranging packets in the correct order. You can concentrate on whole messages, rather than packets.

While some conventional network APIs guarantee reliable delivery of point-to-point messages, most do not guarantee reliable receipt of multicast (or broadcast) messages. Multicast messages can often be lost when some of the intended recipients experience transient network failures. Rendezvous software uses proprietary reliable multicast protocols to deliver messages despite brief network glitches.

For programs that require even stronger guarantees, see [Certified Message Delivery on page 119](#).


Rendezvous Components

Rendezvous software adds two parts to your current operating environment:

- An API library. Each program process links a version of the Rendezvous API library. Other books in the Rendezvous documentation set describe versions of the Rendezvous API for use with several different programming languages.
- The Rendezvous communications daemon—in most environments, one daemon process runs on each host computer.

Figure 1 illustrates the interaction of these two parts in the operating environment. Computer 1 runs program A and a daemon process. Computer 2 runs two programs, B and C, which connect to the network using a single Rendezvous daemon process. All three programs can communicate with one another.

Figure 1 *Rendezvous Operating Environment*



Any computer can run any number of Rendezvous programs. Usually all the programs on one computer share the same Rendezvous daemon.

Rendezvous Daemon

Programs depend on the Rendezvous *daemon*, a background process (`rvd`), for reliable and efficient network communication. The Rendezvous daemon completes the information pathway between Rendezvous program processes across the network. (Usually the daemon runs on the same computer as the program; however, it is possible to connect to a remote daemon.)

Programs attempt to connect to a Rendezvous daemon process. If a local daemon process is not yet running, the program starts one automatically and connects to it.

The Rendezvous daemon arranges the details of data transport, packet ordering, receipt acknowledgment, retransmission requests, and dispatching information to the correct program processes. The daemon hides all these details from Rendezvous programs.

The Rendezvous daemon is nearly invisible to the programs that depend upon it. Programs send and receive information using Rendezvous communications calls, and the Rendezvous daemon does the work of getting information to the right place.

For details of the daemon process and its command line, see [rvd on page 36](#) in *TIBCO Rendezvous Administration*.

Multiple Daemons

In most situations, each computer runs one Rendezvous daemon process, which serves all the programs running on the same computer. In general, adding multiple daemons does *not* increase performance.

Rendezvous Language Interfaces

TIBCO Rendezvous communications programmers can choose from several languages. TIBCO Rendezvous communications programs communicate seamlessly, no matter which languages you choose. The language barrier disappears.

Table 1 Programming Languages

C	The C API supports the widest array of hardware platforms.
C++	The C++ API facilitates object-oriented design while preserving complete compatibility with the ANSI C API. (C++ programs can also call TIBCO Rendezvous C API functions.)
Java	Programs can be stand-alone Java applications or browser-based Java applets. Java programs can communicate across the Internet to distant TIBCO Rendezvous programs.
.NET	The .NET API brings TIBCO Rendezvous communications to Microsoft C# and Visual Basic.

Rendezvous Functionality

Table 2 summarizes the areas of functionality in Rendezvous software. Each language interface provides a subset of these facilities.

Table 2 Overview of Functionality

Facility	Description
Message	<ul style="list-style-type: none">• Translate between universal wire format and local data formats• Manipulate messages and fields
Event	<ul style="list-style-type: none">• Listen for messages by subject name• Register interest in timers and I/O events
Transport	<ul style="list-style-type: none">• Define delivery scope, delivery mechanism and protocols• Connect to the network• Send messages
Queue	<ul style="list-style-type: none">• Create and manipulate event queues• Dispatch events
Queue Group	<ul style="list-style-type: none">• Customize event dispatch by combining queues
Certified Message Delivery	<ul style="list-style-type: none">• Confirm delivery of each message to each registered recipient• Deliver messages despite process termination and restart
Distributed Queue	<ul style="list-style-type: none">• Distribute a service over several processes
Fault Tolerance	<ul style="list-style-type: none">• Coordinate redundant processes to achieve application-level fault tolerance

Developing Distributed Systems

You can use the Rendezvous libraries with any popular software development methodology. Add these steps to the development process:

- Identify information producers and consumers during the analysis phase. Consider whether the information flow is best characterized as request/reply or as publish/subscribe (or both). Use this analysis to guide architectural design.

For example, if your program behaves as a request/reply application, you can divide it into client and server components. If your program behaves as a publish/subscribe application, you can divide it into sending components and listening components. In some cases programs communicate in both modes—request/reply and publish/subscribe.

- Identify the kinds of information that components exchange, the events that generate the information, and the information that triggers other events. Use this analysis to establish subject naming conventions and to design the content of data messages.
- Write your Rendezvous programs in one of the supported languages, using Rendezvous API calls as appropriate.
- Compile with the appropriate Rendezvous header files. Link your program code with the Rendezvous library. Link additional libraries for extended functionality. For details, see the Programmer's Checklist section in each programming language reference manual.

Programming Examples

Programming examples for the supported languages are included on the installation media. When you install Rendezvous software, these examples appear in the `src/` directory.

We encourage you to examine these programs before writing your own programs.

Platform Support

Platforms are no longer listed in this book; instead, see the installation directories tables for each operating system in *TIBCO Rendezvous Installation*.

Chapter 2 **Architecture**

This chapter describes the architecture of the Rendezvous API.

Topics

- [Rendezvous API Architecture, page 16](#)

Rendezvous API Architecture

Table 3 outlines the core architectural elements of Rendezvous programming interfaces.

Table 3 Architecture Summary

Element	Description
Message	<p>Messages carry data among program processes or threads.</p> <p>Messages contain self-describing data fields. Programs can manipulate message fields, send messages, and receive messages.</p>
Event	<p>Programs create event objects to register interest in significant conditions. For example, dispatching a listener event notifies the program that a message has arrived; dispatching a timer event notifies the program that its interval has elapsed.</p> <p>Programs define event callback functions to process events.</p>
Event Queue	<p>Programs create event queues to organize events. A queue holds a sequence of event objects that are ready for dispatch.</p>
Event Queue Group	<p>Programs create event queue groups to prioritize event processing.</p>
Event Dispatch	<p>Programs dispatch events from queues or queue groups, processing each event with the corresponding callback function.</p>
Transport	<p>Programs use transport objects to send messages and listen for messages. A transport determines three aspects of message delivery:</p> <ul style="list-style-type: none">• Delivery scope—the potential range of its messages• Delivery mechanism—the path that its messages travel• Delivery protocol—the ways in which programs cooperate and share information concerning message delivery <p>Transport objects of various types combine these aspects to yield different qualities of service—for example, intra-process delivery, network delivery, reliable delivery, certified delivery, distributed queue delivery.</p>
Event Driver	<p>Rendezvous software includes an event driver that places events in event queues. (Program code cannot access the event driver.)</p>

Chapter 3 **Fundamentals**

This chapter describes the fundamental concepts of Rendezvous software—messages, self-describing data, subject-based addressing, and interactions.

Topics

- [Messages and Data, page 18](#)
- [Self-Describing Data, page 20](#)
- [Names and Subject-Based Addressing, page 21](#)
- [Subject-Based Addressing and Message Destinations, page 23](#)
- [Multicast and Point-to-Point Messages, page 24](#)
- [Messages Mediate Interactions Between Programs, page 26](#)
- [The Rendezvous Environment, page 29](#)

Messages and Data

Computer hardware and operating system platforms use different conventions for data representation. Data from one platform can be unintelligible on another platform. Rendezvous software uses a unified data representation to exchange messages among all supported platforms.

Messages are the common currency that Rendezvous programs use to exchange data. Rendezvous messages contain fields of *self-describing data*. Every message has a *subject name*, which describes its destination.

All data that enters or leaves a program through the Rendezvous daemon must be encapsulated in the fields of a message. As an abstraction, a message is a collection of self-describing data fields, which travel together between programs, processes or threads.

Programs can manipulate messages even before opening the Rendezvous environment (see [The Rendezvous Environment on page 29](#)).

Fields

Each field contains one data item of a specific datatype. Programs can identify and access the individual fields of a message either by *name* or by *numeric identifiers*.

From the programmer's point of view, a message is a set of fields. Programs manipulate messages using API calls. A program can *create* a message, *add* fields to it, *remove* fields from it, *get* a field from a message, *update* the data value in a field, and *destroy* a message.

Wire Format

At a lower level, beyond these abstract operations, each message exists as a byte sequence in Rendezvous *wire format*—a uniform representation suitable for network communication among diverse hardware, operating system, and programming language platforms. Programs never access this representation, yet it is the foundation for all Rendezvous communication.

See Also

[Data on page 49](#).

Supplementary Information for Messages

In addition to its fields, a message also carries other information.

Address Information

Before sending a message, a program adds these two pieces of address information to the message:

- The *subject* (also called the *send subject*) of a message directs it to its destinations.
- In contrast, the optional *reply subject* of a message is a return address, to which recipients can send reply messages.

Certified Delivery Information

Certified message delivery (CM) features add more information to a message:

- Before sending a message using a certified delivery (CM) transport, a program can set a *time limit* for certified delivery guarantees on the message.

When a program sends a message using a CM transport, the transport automatically labels the outbound message with two additional pieces of CM information:

- The *sender name*—that is, the correspondent name of the CM transport.
- The *sequence number* of the message.

See Also

[Labeled Messages on page 132](#)

Self-Describing Data

Self-describing data is data that has been annotated by the producer, so all consumers can interpret and use the data properly. Every message and every message field consists of self-describing data. [Table 4](#) presents the annotations that augment data so it is self-describing.

Table 4 Self-Describing Data

Element	Description
Field Annotations	
type	Producers must designate the type of every message field. Rendezvous software uses a set of wire-format datatype designations to characterize data by type and size. For example, the type <code>TIBRVMSG_I32ARRAY</code> denotes an array of 32-bit integers.
count (number of elements)	Producers must specify the length of all array data—that is, the number of elements in an array.
field name	Producers can label the fields of a message with names. Consumers use field names to select specific fields from messages.
field identifier	Producers can label the fields of a message with numeric identifiers. Consumers can use field identifiers to select specific fields from messages. All field identifiers in a message must be unique within that message.
Message Annotations	
subject name	Producers must label every outbound message with a send subject name (also called the <i>send subject name</i>), which describes its content and destination set.
reply subject name	Producers can label an outbound message with a reply subject name, to which consumers can send reply messages.

See Also

[Data on page 49](#)
[Subject Names on page 41](#)

Names and Subject-Based Addressing

Subject-based addressing technology helps messages reach their destinations without involving programmers in the details of network addresses, protocols, hardware and operating system differences, ports and sockets. Subject-based addressing conventions define a simple, uniform name space for messages and their destinations.

Programs that produce data arrange that data into messages, label each outbound message with a subject name, and *send* those messages. Programs that consume data receive it by *listening* to subject names; a consumer listening to a subject name receives all messages labeled with that name, from the time it begins listening until it stops listening.

A subject name is a character string that specifies the destination of a message, and can also describe the message content. For programs to communicate, they must agree upon a subject name at which to *rendezvous* (hence the name of this product). Subject-based addressing technology enables *anonymous* rendezvous, an important breakthrough, which decouples programs from the network addresses of specific computers.

Communication between programs is also anonymous—consumers need not know where or how data is produced, and producers need not know where data is consumed, nor how it is used. Producers and consumers only need to agree to label data items with the same set of subject names, and that the actual data be in a form that both can manipulate and interpret.

Anonymous communication decouples data consumers from data producers. Consumers are insulated from most changes in data producing software, including the replacement of producer processes, and the shifting of responsibilities among a collection of producer processes.

Subject-based addressing technology places few restrictions on the syntax and interpretation of subject names. System designers and developers have the freedom (and responsibility) to establish conventions for using subject names. For more information, see [Subject Name Syntax on page 42](#).

Programs can listen for wildcard subject names to access a collection of related data through a single subscription. For more information about wildcard subjects, see [Using Wildcards to Receive Related Subjects on page 46](#).

Subject Names

Subject names consist of one or more *elements* separated by dot characters (periods). The elements can be used to implement a *subject name hierarchy* that reflects the structure of information in an application system.

These strings are examples of valid subject names:

```
RUN.HOME
RUN.for.Elected_office.President
```

See Also [Subject Names, page 41.](#)

Wildcard Subject Names

A program can receive a group of related subjects by listening for a *wildcard subject*. The following examples illustrate wildcard syntax and matching semantics. (For further examples, see [Subject Name Syntax on page 42.](#))

Wildcard Subject	Matching Subjects	Non-Matching Subjects	Reason
RUN.*	RUN.AWAY	RUN.Run.run	extra element
	RUN.away	Run.away	case sensitivity
	RUN.Home	RUN	missing element
RUN.>	RUN.AWAY	HOME.RUN	position mismatch
	RUN.Run.run	Run.away	case sensitivity
	RUN.SWIM.BIKE.SKI	RUN	missing element

Inbox Names

An *inbox name* specifies a destination that is unique to a particular process. Rendezvous software uses point-to-point techniques to deliver messages with inbox subject names. See also:

- [Subject-Based Addressing and Message Destinations on page 23.](#)
- [Multicast and Point-to-Point Messages on page 24.](#)
- [Inbox Names on page 94.](#)

Subject-Based Addressing and Message Destinations

Rendezvous programs communicate by sending messages. Each message bears a subject name, which simultaneously specifies a delivery mode and the destination of the message:

- An *inbox name* specifies *point-to-point* delivery (also called *unicast* delivery) and a unique destination process.

The process can receive several copies of the message by creating several listener events that listen to the same inbox name. Two processes cannot share an inbox name.

- Any other subject name is called a *public subject name*, and specifies *multicast* (or broadcast) delivery to a destination set. The destination set includes all programs that listen to that subject name; the set can be large, small, or empty, depending upon the number of listeners.

Public subject names usually describe the content or subject of the message. The sender need not know which programs are listening when it sends a message—just as a radio disc jockey in a studio does not know who is listening at a particular moment in time.

Whether point-to-point or multicast, Rendezvous communication is always *anonymous*. Senders publish messages addressed to subject names, rather than specific computers, programs or sockets. Receivers subscribe to subject names (and receive all messages addressed to those names), rather than establishing unique communications pathways with senders.

Subject naming conventions are a key part of distributed system design in most Rendezvous applications. Subject naming conventions define a uniform name space for messages and their destinations. Subject-based addressing technology helps messages reach their destinations without involving programmers in the details of network addresses, subscription lists, ports and sockets.

Both multicast and point-to-point messages can flow over several types of transport mechanisms. For details, see [Transport Scope on page 81](#), and [Constructing the Network Parameter on page 86](#).

Virtual Circuit

Virtual circuits are special, and behave contrary to the general rule. All messages on a virtual circuit travel point-to-point, whether the subject is an inbox name or a public subject name.

See Also [Subject Names, page 41](#)

Multicast and Point-to-Point Messages

Rendezvous software uses subject-based addressing to support both *reliable multicast* communications and *point-to-point* communications. These two kinds of messages differ slightly in the syntax of their subject names, but dramatically in their behavior.


Both kinds of messages are efficient; in either multicast or point-to-point mode, the message itself traverses the network only once.

Point-to-Point Messages

A *point-to-point message* has only one recipient program; its destination is an *inbox*—a subject name created dynamically by a specific program process. [Figure 2](#) illustrates this model of message delivery. (One process can receive several copies of the message by listening several times to the same inbox name, but two processes cannot share an inbox name.)

All inbox names begin with `_INBOX` as their first element. A Rendezvous function creates inbox names dynamically; programs may not invent inbox names (in contrast to public subject names).

Figure 2 Point-to-Point Message



A point-to-point message is like a telegram sent to one specific person—no other person can receive it. The sender must know the name of the intended recipient. An inbox name is analogous to the address on a telegram. Creating an inbox name establishes a unique address for receiving point-to-point messages. To send a point-to-point message, the sending program must know the inbox name of the destination. (A recipient makes its inbox name known by multicasting it to potential senders using a prearranged subject name.)


Multicast Messages

A *multicast message* is any message with many potential recipients. Potential recipients are called *subscribers*.

The *subject name* of the message indirectly determines the message's *destination*—the set of subscribers that receive the message. Every subscriber to that subject name receives the message; non-subscribers do not receive it. The set of subscribers can change dynamically, depending on which programs are listening for the subject name. If no subscribers exist, then none receive the message (even though it still travels the network). [Figure 3](#) illustrates this model of message delivery.

Rendezvous applications are free to invent public subject names, constrained only by the syntactic and semantic rules in [Subject Names on page 41](#).

Figure 3 Reliable Multicast Message



Multicast messages are like radio broadcasts; the sender picks a frequency, and any listener who tunes to that frequency receives the broadcast. The public subject name is analogous to a radio frequency; any program that listens for a subject receives all messages bearing that subject name.

A multicast message does not imply multicast packet protocols. A multicast message can reach its destination using multicast protocols, broadcast protocols, or even intra-process communications—depending on the transport object that the program uses to send the message. (In contrast, TIBCO Rendezvous documentation uses phrases such as *multicast group* and *multicast addressing* to indicate multicast network protocols.)

Messages Mediate Interactions Between Programs


Three distinct kinds of interactions occur between programs in the Rendezvous environment:

- Publish/subscribe interactions, such as distribution of information to multiple recipients.
- Request/reply interactions, such as queries or transactions to individual services.
- Multicast request/reply interactions, such as queries to one or more anonymous services.

Publish/Subscribe Interactions

Publish/subscribe interactions are driven by events (usually the arrival or creation of data)—a publisher makes information available for general distribution. Communication is in one direction (publisher to subscribers), and often one-to-many as shown in [Figure 4](#). The complete interaction consists of one multicast message, published once, and received by all subscribers.

Figure 4 Event-Driven Publish/Subscribe Interaction



Example applications:

- Securities data feed handlers publish the latest stock prices to hundreds of traders on a trading floor simultaneously.
- Materials movement systems distribute data to various materials handlers, controllers and tracking systems on a factory floor.
- Inventory levels flow continuously to accounting, purchasing, marketing and other departments in a retail store.
- A bug-tracking database immediately sends bug reports and updates to all personnel interested in a particular project.
- A master database publishes updates to a set of internet mirrors.

In publish/subscribe interactions, data producers are decoupled from data consumers—they do not coordinate data transmission with each other, except by using the same subject name. Producers publish data to the network at large.


Consumers place a standing request for data by subscribing. Consumers can listen for messages on any subject(s) on the network; a subscription is a request for messages.

Rendezvous software supports publish/subscribe interactions with multicast communication.

Request/Reply Interactions

Demand for data drives *request/reply* interactions. A client requests data from a server; the server computes an individual response and returns it to the client. Communication flows in both directions, as in Figure 5. The complete interaction consist of two point-to-point messages—a request and a reply.

Figure 5 Demand-Driven Request/Reply Interaction



Demand driven computing is well-suited for distributed applications such as these examples:

- Transaction processing (as in ATM banking).
- Database query (with a remote DBMS).
- Factory equipment control.

In request/reply interactions, data producers coordinate closely with data consumers. A producer does not send data until a consumer makes a request. Each program sends its message to a specific inbox name within the other program.


The server sends replies specifically to the client that requested the data. The requesting client listens until it receives the reply, and then stops listening (unless it expects further installments of information).

Rendezvous software supports request/reply interactions with point-to-point communication.

Multicast Request/Reply Interactions

Like request/reply interactions, *multicast request/reply* interactions are driven by demand for data. While traditional request/reply interactions involve one requestor and one server, in multicast request/reply interactions multiple servers can receive the request and respond as appropriate. Communication flows in both directions, and only some servers respond to the client request, as in [Figure 6](#). The complete interaction consists of one multicast request message, and any number of point-to-point reply messages.

Figure 6 Multicast Request/Reply Interaction



Example applications:

- Database query with multiple servers.
- Distribution of computing sub-tasks to the first available server.
- Network management applications that multicast requests for test information.

In multicast request/reply interactions, data producers coordinate closely with data consumers. A server does not send data until a client requests it. Servers send point-to-point replies to the specific client program.

If a server has the information the consumer requested, it sends a reply. The requesting client listens until it receives one or more replies. The client stops listening by destroying the reply inbox listener.

Rendezvous software supports multicast request/reply interactions with a combination of multicast and point-to-point communication.

The Rendezvous Environment

Before using Rendezvous communications, programs must open the Rendezvous environment. Opening the environment initializes crucial global resources. All communication and event operations depend on this step; the only operations that do not require it as a precondition are message operations.

The open call creates a default event queue, an intra-process transport, an event driver, and other resources within the program. Closing the environment destroys these resources.

Table 5 *Environment Calls*

C	<code>tibrv_Open()</code>
	<code>tibrv_Close()</code>
C++	<code>Tibrv::open()</code>
	<code>Tibrv::close()</code>
Java	<code>Tibrv.open()</code>
	<code>Tibrv.close()</code>
.NET	<code>Environment.Open</code>
	<code>Environment.Close</code>

Security Features

Rendezvous connection security is based on Transport Layer Security (TLS) protocols. This affects three areas of communication:

- Client to daemon—see [Secure Client Connections on page 30](#)
- Between routing daemon neighbors—both `rvrd` and `rvsrd` offer this feature.
- Browser to daemon—based on HTTPS protocols.

Additional Security Tools

These three areas do not include access control nor program-level encryption. For flexible access control facilities and an encryption API, use the companion product, TIBCO Rendezvous DataSecurity.

Certificates

X.509 certificates are crucial to these security features. For details, see [Certificates and Security on page 31](#).

Performance

In all three of the communication areas listed above, security features require encryption and decryption computations. In general, these cryptographic computations detract from performance (compared to ordinary, non-secure daemons) for the sake of security.



Cryptographic computations require a pool of random data. Some operating systems maintain a random pool, and others do not. On operating systems that do not, each process must initialize its own random pool, which can cause delays as the program starts. You might observe such a delay when starting a secure daemon, or any application program that connects to a secure daemon.

Secure Client Connections

The two secure daemons—`rvsd` and `rvsrd`—feature TLS for secure connections to client program transports:

- `rvsd`, the Rendezvous secure communications daemon, corresponds to `rvd`
- `rvsrd`, the Rendezvous secure routing daemon, corresponds to `rvrd`

Administrators can deploy these secure daemons in situations where clients must connect securely over a non-secure network.

For an API summary, see [Secure Daemon on page 40](#).

For administrative details, see [Chapter 5, Secure Daemons \(rvsd and rvsrd\)](#), on [page 163](#) in *TIBCO Rendezvous Administration*.

Certificates and Security

A *certificate* is a structured string of bytes that uniquely represents a specific identity. The structure of those bytes is determined by the X.509 identity certificate specification. A trusted certificate authority (CA) issues a certificate only to entities that meet its identification criteria (which may vary).

Certificates also play an important role in TLS and HTTPS secure communication protocols.

Rendezvous software uses certificates in four ways:

- Secure daemon components authenticate user programs.
- User programs authenticate secure daemons.
- Routing daemons authenticate other routing daemons (neighbors) when they communicate using TLS protocols.
- Web browsers authenticate Rendezvous daemon components when they communicate using HTTPS protocols.

See Also For more details, see [Security Factors on page 171](#) in *TIBCO Rendezvous Administration*.

Certificate Encodings and Formats

When a certificate contains a private key, programs and file standards safeguard the key using password encryption. To use a certificate with a private key, a user must also have the private key password.

PEM Encoding

Rendezvous software supports PEM encoding of X.509 certificates. PEM encoding is a text format, so you can distribute certificates easily.

PKCS #12 Format

Rendezvous software supports PKCS #12 format for X.509 certificates. PKCS #12 encoding is a binary format. PKCS #12 data files usually bear the `.p12` or `.pfx` filename extensions.

Obtaining Certificates

Automatic Certificates For ease of use, Rendezvous daemon components automatically generate their own self-signed certificates. You may use these certificates by copying them from the daemon's browser administration interface, and distributing them to client programs, and to routing daemon neighbors as appropriate.

Self-signed certificates usually trigger a warning from web browsers. When connecting to the browser administration interface of a Rendezvous daemon component, you may safely proceed beyond these warnings when you have independently verified the identity of the daemon. To avoid these warnings, replace the automatic certificate with a certificate signed by a reliable commercial CA.

Using a Commercial CA Service Each CA has its own policies and procedures for investigating identities and issuing certificates. Details are readily available through CA web sites, such as www.verisign.com.

When applying for a certificate, specify that you need these two files in either PKCS #12 binary format, or PEM text encoding:

- Public certificate
- Certificate with private key

CA Software In some situations, application administrators prefer to act as an in-house CA, issuing identity certificates to users. CA software is available from companies such as Netscape and Microsoft. Shareware is also available, including the OpenSSL package.

Browsers Many CA services and CA software programs can automatically install certificates in your browser. Many browsers can export certificates in PKCS #12 format (as .p12 files).

Distributing Certificates

An X.509 certificate actually comprises two separate but interrelated certificate texts—a *public certificate* and a *certificate with private key*. To effectively use certificates, you must securely distribute the two texts to the appropriate places.

- A certificate with a private key proves the identity of the key holder. Each Rendezvous daemon process proves its identity this way. In some deployments, end users of client programs also identify themselves this way (while in other deployments, they prove their identities with user names and passwords).

- Public certificates denote the identity of a trusted party. You must distribute the public certificate text to all other programs that interact with that party.

Chapter 4 **The Rendezvous Daemon**

This chapter describes the Rendezvous daemon—the central communications component of Rendezvous software.

Topics

- [Role of the Rendezvous Daemon, page 36](#)
- [The Daemon and its Client Programs, page 37](#)
- [Reliable Message Delivery, page 38](#)
- [Secure Daemon, page 40](#)

See Also

[rvd on page 36](#) in *TIBCO Rendezvous Administration*

Role of the Rendezvous Daemon

The Rendezvous daemon is a background process that supports all Rendezvous communications. Distributed processes depend on it for reliable and efficient network communication. All information that travels between processes passes through a Rendezvous daemon as it enters a host computer or exits a sending process.

The Rendezvous daemon:

- Transmits outbound messages from program processes to the network.
- Delivers inbound messages from the network to program processes.
- Filters subject-addressed messages.
- Shields programs from operating system idiosyncrasies, such as low-level sockets.

The Rendezvous daemon process, `rvd`, starts automatically when needed, runs continuously and may exit after a period of inactivity. For more information, see [rvd on page 36](#) in *TIBCO Rendezvous Administration*.

The Daemon and its Client Programs

The Rendezvous daemon completes the information pathway between a Rendezvous program process and the network. Each computer that runs a Rendezvous program usually runs a Rendezvous daemon process as well.

Each network transport object attempts to connect to a Rendezvous daemon process. If the daemon process is not yet running, the program starts one automatically and connects to it. If the transport cannot connect with a Rendezvous daemon, the Rendezvous transport creation call fails.

If the Rendezvous daemon exits, programs automatically restart it. Programs can monitor these events by listening for the system advisory messages

`RVD.DISCONNECTED` and `RVD.CONNECTED`.

See Also [Rendezvous Daemon, page 8.](#)
Advisory message [RVD](#) on [page 264](#).

Reliable Message Delivery

Rendezvous programs send and receive messages. The Rendezvous daemon at the sending computer divides messages into a stream of packets and sends them across the network. The Rendezvous daemon on each receiving computer reassembles the packets into messages and presents them to the listening program.

Standard multicast and broadcast protocols are not reliable and are unable to detect lost messages. Under normal conditions, Rendezvous reliable multicast protocols ensure that all operational hosts either receive each multicast message or detect the loss of a message. (For details and limitations, see [DATALOSS on page 250](#).)

Overview

Reliable delivery compensates for brief network failures. The receiving Rendezvous daemon detects missing packets and requests that the sending daemon retransmit them. The sending daemon stores outbound messages for a limited period of time—called the *reliability interval*—so it can retransmit the information upon request. It discards old messages after the time period elapses, and cannot retransmit after that time.

The Rendezvous daemon requires that the physical network and packet recipients are working. The Rendezvous daemon does not guarantee delivery to components that fail and do not recover for periods exceeding the reliability interval. (For stronger assurances of delivery, see [Certified Message Delivery on page 119](#).)

When a sending daemon receives a retransmission request for data it has already discarded, it notifies the requesting daemon that it cannot retransmit it. One or both daemons present error advisories to indicate that this situation has occurred (see [DATALOSS on page 250](#)).

Controlling Reliability

You can specify the reliability interval in several ways:

- For all services of a daemon, using a factory default (60 seconds)
- For all services of a daemon, using a daemon command-line argument
- For a specific service, using a client API call

For a complete discussion the various ways to control reliability, the interaction among those ways, and reasonable values, see [Reliability and Message Retention Time on page 29](#) in *TIBCO Rendezvous Administration*.

Other Features of Reliable Message Delivery

The reliable multicast protocol delivers messages *once and only once* to each subscription, despite multiple transient network failures.

It delivers all point-to-point messages from each sending transport in the order they are sent. It also delivers all multicast messages from each sending transport in the order they are sent. However, if a sending program interleaves multicast and point-to-point messages, Rendezvous software does not necessarily preserve the sending order between the two types of messages.

Rendezvous software does not preserve the absolute chronological order of messages sent by two or more different transports.

Secure Daemon

Before connecting to secure Rendezvous daemons, programs must register user information (such as a name and password, or a certificate), and the identities of one or more trusted secure daemons (such as names or certificates).

Table 6 Secure Daemon Calls

C	<div>tibrvSecureDaemon_SetDaemonCert() tibrvSecureDaemon_SetUserCertWithKey() tibrvSecureDaemon_SetUserNameWithPassword()</div>
C++	<div>TibrvSdContext:setDaemonCert() TibrvSdContext:setUserCertWithKey() TibrvSdContext:setUserNameWithPassword()</div>
Java	<div>TibrvSdContext.setDaemonCert() TibrvSdContext.setUserCertWithKey() TibrvSdContext.setUserNameWithPassword()</div>
.NET	<div>SDContext.SetDaemonCertificate SDContext.SetUserCertificateWithKey SDContext.SetUserNameWithPassword</div>

See Also [Secure Daemons \(rvsd and rvsrd\) on page 163](#) in *TIBCO Rendezvous Administration*

Chapter 5 **Subject Names**

Each Rendezvous message bears a *subject* name.

Data-producing programs generate new data messages, label them with subject names, and send them using Rendezvous software. Data consumers receive data by listening to subject names. A consumer listening to a name receives all data labeled with a matching name, from the time it begins to listen until it stops listening.

Topics

- [Subject Name Syntax, page 42](#)
- [Subject Name Performance Considerations, page 45](#)
- [Using Wildcards to Receive Related Subjects, page 46](#)
- [Distinguished Subject Names with Special Meaning, page 48](#)

Subject Name Syntax

Subject-based addressing™ technology places few restrictions on the syntax and interpretation of subject names. System designers and developers have the freedom (and responsibility) to establish conventions for using subject names. The best subject names reflect the structure of data in the application itself.

Structure Each subject name is a string of characters that is divided into elements by the dot (.) character. It is illegal to incorporate the dot character into an element by using an escape sequence.

Length Rendezvous limits subject names to a total length of 255 characters (including dot separators). However, some of that length is reserved for internal use.

The longest subject that (most) programs can receive is 196 characters.

The maximum total length (in characters) of subjects that your programs may send is 196 *minus* the number of elements. Include dot separators in this total.

The maximum element length is 127 characters (dot separators are not included in element length).

Typical subject names are shorter and use fewer elements. For maximum speed and throughput rates, use short subject names. For details, see [Subject Name Performance Considerations on page 45](#).

**Empty String
Illegal** The empty string (" ") is not a legal subject name.

Examples

These examples illustrate the syntax for subject names.

Table 7 Valid Subject Name Examples

NEWS.LOCAL.POLITICS.CITY_COUNCIL
NEWS.NATIONAL.ARTS.MOVIES.REVIEWS
CHAT.MRKTG.NEW_PRODUCTS
CHAT.DEVELOPMENT.BIG_PROJECT.DESIGN
News.Sports.Baseball
finance
This.long.subject_name.is.valid.even.though.quite.uninformative

Table 8 Invalid Subject Name Examples

News..Natural_Disasters.Flood (null element)
WRONG. (null element)
.TRIPLE.WRONG.. (three null elements)

Special Characters in Subject Names

Table 9 Characters with Special Meaning in Subject Names (Sheet 1 of 2)


Char	Char Name	Special Meaning
_	Underscore	Reserved Subject Names  Subject names beginning with underscore are reserved. It is illegal for application programs to send to subjects with underscore as the first character of the first element, except _INBOX and _LOCAL. It is legal to use underscore elsewhere in subject names.

Table 9 Characters with Special Meaning in Subject Names (Sheet 2 of 2)

Char	Char Name	Special Meaning
.	Dot	Separates elements within a subject name.
>	Greater-than	Wildcard character, matches one or more trailing elements.
*	Asterisk	Wildcard character, matches one element.

It is good practice to avoid using tabs, spaces, or any unprintable character in a subject name.

For information about wildcard characters and matching, see [Using Wildcards to Receive Related Subjects on page 46](#).

Subject Name Performance Considerations

When designing subject name conventions, remember these performance considerations:

- Shorter subjects perform better than long subjects.
- Subjects with several short elements perform better than one long element.
- A set of subjects that differ early in their element lists perform better than subjects that differ only in the last element.
- With certified delivery and distributed queue features, the cost of storage and accounting varies according to the number of subject names. We strongly discourage embedding one-time tokens (such as timestamps) within such subject names, because they can result in unbounded growth of storage and accounting costs. Instead, embed such one-time values within message fields.

Using Wildcards to Receive Related Subjects

Programs can listen for wildcard subject names to access a collection of related data through a single subscription.

The asterisk (*) is a wildcard character that matches any one element. The asterisk substitutes for whole elements only, not for partial substrings of characters within an element.

Greater-than (>) is a wildcard character that matches all the elements remaining to the right.

A listener for a wildcard subject name receives any message whose subject name matches the wildcard.

The following examples illustrate wildcard syntax and matching semantics.

Table 10 Semantics of Listening to Wildcard Subjects

Listening to this wildcard name	Matches messages with names like these:	But does not match messages with names like these (reason):
RUN.*	RUN.AWAY RUN.away	RUN.Run.run (extra element) Run.away (case) RUN (missing element)
Yankees.vs.*	Yankees.vs.Red_Sox Yankees.vs.Orioles	Giants.vs.Yankees (position) Yankees.beat.Sox (vs≠beat) Yankees.vs (missing element)
.your.	Amaze.your.friends Raise.your.salary Darn.your.socks	your (missing elements) Pick.up.your.foot (position)
RUN.>	RUN.DMC RUN.RUN.RUN RUN.SWIM.BIKE.SKATE	HOME.RUN (position) Run.away (case) RUN (missing element)

Table 11 Invalid Wildcard Subject Examples

Invalid Wildcards	Reason
<code>abc*xyz</code>	Asterisk (*) must take the place of one whole element, not a substring within a element.
<code>foo.>.baz</code>	Greater-than (>) can only appear as the right-most character.

Wildcard Sending



It is good practice to avoid sending messages to wildcard subject names. Although transports do not prevent you from sending to wildcard subjects, doing so can trigger unexpected behavior in other programs that share the network.

For example, wildcard subjects can often be broader than intended, so that unrelated applications might receive messages that they cannot parse.

It is illegal for certified delivery transports to send to wildcard subjects. It is illegal to send to distributed queues using wildcard subjects.

Distinguished Subject Names with Special Meaning

Names that begin with an underscore character (`_`) are called *distinguished subject names*. Distinguished names indicate special meaning, special handling, or restricted use.

Table 12 Distinguished Subject Names

Prefix	Description
<code>_INBOX.</code>	<p>All inbox names begin with this prefix.</p> <p>Programs may not create inbox names except with inbox creation calls. Programs cannot combine inbox names with wildcards.</p> <p>Programs must treat inbox names as opaque, not modify them, and refrain from making inferences based on the form of inbox names.</p>
<code>_LOCAL.</code>	<p>Messages with subject names that have this prefix are only visible and distributed to transports connected to the same Rendezvous daemon as the sender.</p> <p>For example, a program listening to the subject <code>_LOCAL.A.B.C</code> receives all messages sent on subject <code>_LOCAL.A.B.C</code> from <i>any</i> transport connected to the <i>same</i> daemon. A Rendezvous daemon does not transmit messages with <code>_LOCAL</code> subjects beyond that daemon.</p>
<code>_RV.</code>	<p>Subject names with this prefix indicate advisory messages, including informational messages, warnings and errors. Programs must not send to subjects with this prefix. For a description of advisory messages, see Advisory Messages on page 238.</p>
<code>_</code>	<p>All other subject names that begin with an underscore character indicate internal administrative messages. Programs must not send to subjects with this prefix.</p>

Chapter 6 **Data**

This chapter describes datatypes and formats.

Topics

- [Self-Describing Data, page 50](#)
- [Rendezvous Datatypes, page 51](#)
- [Messages, page 53](#)
- [Strings and Character Encodings, page 56](#)
- [DateTime Format, page 57](#)

Self-Describing Data

Rendezvous programs exchange self-describing data. Each item of *self-describing data* consists of up to six parts:

- *Data* The data itself.
- *Type* An indicator to manipulate and interpret the data as an integer, a string, a composite message, or other datatype.
- *Size* The number of bytes that the data occupies.
- *Name* The subject name of the message, or the name of a field within a message.
- *Identifier* An optional integer that uniquely identifies a field within a message.
- *Count* The number of elements in an array datatype.

Between sender and listener, Rendezvous software uses this descriptive information to automatically convert messages between the *local data format* and Rendezvous *wire format*—a universal format that is independent of hardware, operating system, and programming language architectures. The universal wire format provides a common language to connect diverse programs. For details see [Rendezvous Datatypes on page 51](#).

Rendezvous Datatypes

Rendezvous software supports the datatypes listed in [Table 13](#). (The table lists names from the C and C++ language interfaces; other languages uses analogous names, with variations for language syntax.)

Table 13 Wire Format Datatypes (Sheet 1 of 2)

Wire Format Type	Type Description	Notes
Special Types		
<code>TIBRVMSG_MSG</code>	Rendezvous message	Composite of fields
<code>TIBRVMSG_DATETIME</code>	Rendezvous datetime	
<code>TIBRVMSG_OPAQUE</code>	opaque byte sequence	
<code>TIBRVMSG_STRING</code>	character string	NULL-terminated.
<code>TIBRVMSG_XML</code>	XML data (byte sequence)	
Scalar Types		
<code>TIBRVMSG_BOOL</code>	boolean	<code>TIBRV_FALSE</code> <code>TIBRV_TRUE</code>
<code>TIBRVMSG_I8</code>	8-bit integer	
<code>TIBRVMSG_I16</code>	16-bit integer	
<code>TIBRVMSG_I32</code>	32-bit integer	
<code>TIBRVMSG_I64</code>	64-bit integer	
<code>TIBRVMSG_U8</code>	8-bit unsigned integer	
<code>TIBRVMSG_U16</code>	16-bit unsigned integer	
<code>TIBRVMSG_U32</code>	32-bit unsigned integer	
<code>TIBRVMSG_U64</code>	64-bit unsigned integer	
<code>TIBRVMSG_F32</code>	32-bit floating point	
<code>TIBRVMSG_F64</code>	64-bit floating point	

Table 13 Wire Format Datatypes (Sheet 2 of 2)

Wire Format Type	Type Description	Notes
TIBRVMSG_IPADDR32	4-byte IP address	Network byte order. String representation is four-part dot-delimited notation.
TIBRVMSG_IPPORT16	2-byte IP port	Network byte order. String representation is a 16-bit decimal integer.
Array Types		
TIBRVMSG_I8ARRAY	8-bit integer array	
TIBRVMSG_I16ARRAY	16-bit integer array	
TIBRVMSG_I32ARRAY	32-bit integer array	
TIBRVMSG_I64ARRAY	64-bit integer array	
TIBRVMSG_U8ARRAY	8-bit unsigned integer array	
TIBRVMSG_U16ARRAY	16-bit unsigned integer array	
TIBRVMSG_U32ARRAY	32-bit unsigned integer array	
TIBRVMSG_U64ARRAY	64-bit unsigned integer array	
TIBRVMSG_F32ARRAY	32-bit floating point array	
TIBRVMSG_F64ARRAY	64-bit floating point array	
TIBRVMSG_MESSAGEARRAY	message array	Only C, Java and .NET language interfaces support these types.
TIBRVMSG_STRINGARRAY	string array	

Messages

A Rendezvous self-describing message is a composite containing zero or more fields. All messages have type `TIBRVMSG_MSG` (including nested submessages).

Each field in turn contains self-describing data. That is, each field consists of several parts—name, identifier (optional), data, type, size and count (number of array elements). Fields can be of any type (see [Table 13 on page 51](#)). Wire format permits arbitrarily deep nesting of submessages.

Messages are flexible. Unlike C `structs`, the actual fields present in a message need not be fixed at compile time.

Consider this schematic illustration of the fields in a message.

Field Name	Id	Type	Size	Count	Data
Name	1	TIBRVMSG_STRING	11	1	Jane Smith
Address	2	TIBRVMSG_STRING	30	1	1234 Home Street Anytown, USA
Phone	3	TIBRVMSG_STRING	13	1	415-123-4567
Age	4	TIBRVMSG_U8	1	1	46
Scores	5	TIBRVMSG_U8ARRAY	1	5	91, 99, 97, 99, 92

Sending programs build self-describing messages by creating an empty message, and then adding fields—one by one. You can add fields in any order.

Receiving programs can access individual fields by name or by identifier, or iterate through all the fields in a single-pass loop.

Message Structure

All messages contain data within fields. You cannot send a message consisting of a pure numeric value; instead use a message with a single field that contains a numeric value.

Note: If a legacy program sends a unitary message to a new program, Rendezvous automatically converts it to a (composite) message, with the unitary value stored in a field named `_data_`.

The field name `_data_` is reserved. More generally, all fields that begin with the underscore character are reserved.

Message Representation in Programs

Rendezvous software uses a proprietary wire format for transmitting data across networks, but programs must represent and manipulate data at either end of the transmission. Programming languages offer different approaches to internal data representation and manipulation. Within programs, Rendezvous software represents data in a way that makes sense for each supported language.

Messages are not Thread-Safe



Messages are not thread-safe objects; a program that accesses the same message simultaneously in separate threads must protect the message with an explicit locking mechanism. We expect this situation to occur only rarely.

Field Names and Field Identifiers

Programs can specify fields in two ways:

- A *field name* is a character string. Each field can have only one name. Several fields can have the same name.
- A *field identifier* is a 16-bit unsigned integer, which must be unique within the message. That is, two fields in the same message cannot have the same identifier. However, a nested submessage is considered a separate identifier space from its enclosing parent message and any sibling submessages.

(Java stores field identifiers as 32-bit signed integers, but the range is still only 16 unsigned bits.)

Message calls specify fields using a field name, or a combination of a field name and a unique field identifier. Field names are appropriate for *most* application programs; most programs do not require field identifiers.

Rules and Restrictions

`NULL` is a legal field name *only* when the identifier is zero. It is *illegal* for a field to have *both* a non-zero identifier *and* a `NULL` field name.

Search Characteristics

In general, an identifier search completes in constant time. In contrast, a name search completes in linear time proportional to the number of fields in the message. Name search is quite fast for messages with 16 fields or fewer; for messages with more than 16 fields, identifier search is faster.

Space Characteristics

The smallest field name is a one-character string, which occupies three bytes in Rendezvous wire format. That one ASCII character yields a name space of 127 possible field names; a larger range requires additional characters.

Field identifiers are 16 bits, which also occupy three bytes in Rendezvous wire format. However, those 16 bits yield a space of 65535 possible field identifiers; that range is fixed, and cannot be extended.

Strings and Character Encodings

Rendezvous software uses strings in several roles:

- String data inside message fields
- Field names
- Subject names (and other *associated* strings that are not strictly *inside* the message)
- Certified delivery (CM) correspondent names
- Group names (fault tolerance)

All these strings (in wire format) use the character encoding appropriate to the ISO locale of the *sender*. For example, the United States is locale `en_US`, and uses the Latin-1 character encoding (also called ISO 8859-1); Japan is locale `ja_JP`, and uses the Shift-JIS character encoding.

When two programs exchange messages within the same locale, strings are always correct. However, when a message sender and receiver use different character encodings, the receiving program must translate between encodings as needed. Rendezvous software does not translate automatically.

DateTime Format

The Rendezvous datatype `TIBRVMSG_DATETIME` indicates a value in DateTime format.

Rendezvous DateTime format encodes the time with microsecond accuracy. The total time range is approximately 17432 years on each side of the epoch (midnight, zero seconds into January 1, 1970).

In wire format, DateTime values are 8 bytes:

- 40 signed bits representing seconds (zero denotes the UNIX epoch, namely, 12:00am, January 1, 1970).
- 24 unsigned bits representing microseconds *after* the seconds value.

Although the program representations of DateTime values can be significantly larger than these 64 bits, the excess is unused at this time.

Chapter 7 **Events**

Rendezvous software encourages an event-driven programming paradigm. Program *callback functions* respond to asynchronous *events*, such as an inbound message or a timer event.

This chapter presents events and related concepts.



The terms *event* and *events* are reserved words in some programming languages (for example, Visual Basic). In this book, these terms refer to Rendezvous events, and not to constructs specific to any programming language.

Topics

- [Event System Overview, page 60](#)
- [Events, page 61](#)
- [Event Driver, page 63](#)
- [Event Queues, page 64](#)
- [Callback Functions, page 69](#)
- [Closure Data, page 69](#)
- [Listener Event Semantics, page 71](#)
- [I/O Event Semantics, page 74](#)
- [Timer Event Semantics, page 76](#)

Event System Overview

The event system consists of several components.

Table 14 Event System Components

Component	Description
Event Object	Represents program interest in a set of events, and the occurrence of a matching event. See Events on page 61 .
Event Driver	The event driver recognizes the occurrence of events, and places them in the appropriate event queues for dispatch. Rendezvous software starts the event driver as part of its process initialization sequence (the <i>open</i> call). See Event Driver on page 63 .
Event Queue	A program creates event queues to hold event objects in order until the program can process them. See Event Queues on page 64 .
Event Queue Group	Programs can organize event queues into groups for fine-grained control of dispatch priority. See Queue Groups and Priority on page 65 .
Event Dispatch Call	A Rendezvous function call that removes an event from an event queue or queue group, and runs the appropriate callback function to process the event. See Dispatch on page 64 .
Callback Function	A program defines callback functions to process events asynchronously. See Callback Functions on page 69 .
Dispatcher Thread	Programs usually dedicate one or more threads to the task of dispatching events. Callback functions run in these threads.

Events

As a data object, an event has two roles:

- Programs create event objects to register interest in the set of matching event occurrences. Each event object represents the program's interest in a set of events, and the event's parameters specify that set.
- Rendezvous presents the event object to the appropriate callback function whenever an event occurs. In this context, the event object signifies the actual event that occurred.

Event Parameters

These parameters are common to *all* event creation calls. Additional parameters are specific to each type of event.

Parameter	Description
<code>queue</code>	For each occurrence of the event, place the event object on this event queue. See Event Queues on page 64 .
<code>callback</code>	Upon dispatch, process the event with this callback function. See Callback Functions on page 69 .
<code>closure</code>	Store this closure data in the event object. See Closure Data on page 69 .

Event Classes

Rendezvous software recognizes three classes of events.

Table 15 Event Classes

Message	An inbound message has arrived. Additional creation parameters specify the subject name and transport. See also, Listener Event Semantics on page 71 .
Timer	<p>A timer interval has elapsed. An additional creation parameter specifies the interval. See also, Timer Event Semantics on page 76.</p> <p>The Rendezvous .NET API does <i>not</i> support this kind of event.</p>
I/O	<p>An I/O socket is ready. Additional creation parameters specify the socket, and the I/O condition. See also, I/O Event Semantics on page 74.</p> <p>The Rendezvous Java and .NET APIs do <i>not</i> support this kind of event.</p>

Signals



Earlier releases supported UNIX operating system signals as Rendezvous events. This feature is obsolete starting in release 6.



Programmers may use `signal()` calls, if the operating system supports them. Use caution and test extensively, as the semantics of `signal()` in a multi-threaded environment can vary.

Event Driver

The *event driver* is the interface and conduit between the Rendezvous API and the operating system. It runs indefinitely, waiting for timer and I/O events from the operating system. It processes those events, matching them with Rendezvous event objects, and placing the appropriate event objects in their event queues.

The Rendezvous *open* call automatically starts the event driver, and the final *close* call terminates it. Your program does not control the event driver.

See Also [The Rendezvous Environment, page 29](#)

Event Queues

When an event occurs, the *event driver* places the event object on an *event queue*, where it awaits dispatch to its callback function.

Programs create event queues to influence the dispatch order, and to distribute events among several program threads. For example, a program could assign messages to a set of queues based on subjects. Program threads can dispatch events from separate queues.

Maximum Events and Limit Policy

A creation parameter limits the maximum number of events that a queue can contain. Another creation parameter selects the queue’s policy for situations in which a new event would overflow the queue’s maximum event limit.

Limit Policy	Description
Discard None	Never discard events; use this policy when a queue has no limit on the number of events it can contain.
Discard First	Discard the first event in the queue (which would otherwise be the next event to dispatch).
Discard Last	Discard the last event in the queue.
Discard New	Discard the new event (which would otherwise cause the queue to overflow its maximum event limit).

Dispatch

Queue dispatch calls remove the event at the head of a queue, and run its callback function.

Three types of dispatch calls behave differently in situations where the queue is empty:

- *Timed dispatch* blocks waiting for an event, but returns without dispatching anything if a waiting time limit is exceeded.
- *Ordinary dispatch* blocks indefinitely, until the queue contains an event.
- *Polling dispatch* does not block; if the queue is empty, it returns immediately.



We discourage programmers from depending on a one-to-one correspondence between dispatch and callback.

Intuitively, one might expect that each successful dispatch call triggers an event callback. However, it is possible for a dispatch call to return successfully without a callback. For example, it might dispatch an event that is internal to Rendezvous software, rather than an event defined in your program.

Dispatcher Threads

Most programs dispatch events in a loop that includes one of the dispatch calls. For convenience, the Rendezvous API includes a call that creates a separate dispatcher thread. The dispatcher thread runs a loop to repeatedly dispatch events. Programs can use this convenience feature, or dispatch events in any other appropriate way. However, every program *must* dispatch its events.

Table 16 Dispatcher Threads

C	<code>tibrvDispatcher</code>
C++	<code>TibrvDispatcher</code>
Java	<code>TibrvDispatcher</code>
.NET	<code>Dispatcher</code>

Queue Groups and Priority

Queue groups allow fine-grained control over dispatch order from a single blocking point. A group can contain any number of event queues; the relative priorities of the queues determine the order in which dispatch calls dispatch their events. A queue can belong to any number of groups, or none at all.

Queue group dispatch calls search the group's queues in order of priority, and dispatch the head event from the first non-empty queue. If two or more queues have identical priorities, subsequent dispatch calls rotate through them in round-robin fashion.

Parallel to queue dispatch calls, two types of queue group dispatch calls behave differently in situations where the queue is empty:

- Ordinary *group dispatch* blocks indefinitely, until any queue in the group contains an event.

- *Timed group dispatch* blocks waiting for an event, but returns without dispatching anything if a waiting time limit is exceeded.
- *Polling group dispatch* does not block; if all the queues in the group are empty, it returns immediately.

Default Queue

The Rendezvous open call automatically creates a default queue. Programs can use this queue for simplicity, or create their own queues, or do both.

The default queue can contain an unlimited number of events (and never discards an event). It has priority 1 (last priority), so in any queue group, it is always among the last queues to dispatch.

When any queue discards an event (which would otherwise have caused the queue to exceed its event limit), Rendezvous software presents a `QUEUE.LIMIT_EXCEEDED` advisory message.

Strategies for Using Queues and Groups

This section presents examples of several common uses of event queues and groups.

Default Queue Only

Use the default queue as the only event queue.

Note: Programs migrating from Rendezvous 5 (and earlier) can use this technique to emulate the event dispatch system of earlier releases.

Figure 7 Default Event Queue

Default Event Queue


Timer	Msg	Msg	Msg	I/O	Msg	Msg	Msg
-------	-----	-----	-----	-----	-----	-----	-----

Prioritize Queues within a Group

Dispatch the group, rather than individual queues. Assign queue priorities to reflect the relative priorities of their events (1 indicates the lowest, or last, priority; larger integers indicate higher priority).

This technique ensures that important events dispatch before less important events. For example, you can always dispatch a timer queue before inbound message queues, or give priority to messages with specific subjects.

Figure 8 Prioritize Event Queues in a Group




Selectively Suspend Dispatch

Remove selected queues from a group to suspend dispatch of their events. Even when a queue has been removed from its group, events continue to accumulate. Normal dispatch resumes when you add the queue back into the group.

Figure 9 Remove Event Queues from a Group to Suspend Dispatch

Main Queue Group



Callback Functions

Callback functions are an essential component of your program's code. They do the actual application-specific work of responding to events—processing inbound messages, timer events and I/O conditions.

For example, inbound messages carry information from other program processes. As each message arrives, the receiving program must take appropriate actions, such as these:

- Display the message to an end-user.
- Store the message in a database.
- Use message elements in calculations.
- Forward the message across a gateway to another network.
- Compose and send a reply message.

In essence, an event object represents a request to run program-specific code whenever a matching event occurs. Event interest persists until the program explicitly cancels its interest by destroying the event object.

While an event object exists, the event that it specifies can occur many times; consequently the event object reappears in its event queue as matching events occur and recur. The callback function runs once for each occurrence of the event (that is, each time the event appears in its queue, and the program dispatches it).

Dispatch Thread

A callback function always runs in the thread that dispatched its event.

For example, the dispatcher convenience feature (see [Dispatcher Threads on page 65](#)) runs callback functions outside of program control (usually, in a separate dispatcher thread). In a contrasting example, when a program explicitly calls a dispatch function, the callback function runs in the thread that called the dispatch function.

Closure Data

When creating an event, a program can supply closure data. Rendezvous software neither examines nor modifies the closure. Instead, the event creation call stores the data with the event, and presents it to the event callback function.

A similar mechanism passes closure data to ledger review callback functions.

In C and C++ programs, the closure argument is a pointer (of type `void*`); it can point to any type of data.

In Java programs, the closure argument is a reference to any object.

Return Promptly



In releases 5 and earlier, we warned programmers to ensure that callback functions return promptly and do not block. Callback functions that did not observe these precautions would obstruct important internal mechanisms of Rendezvous software.

Starting in release 6, the event driver is entirely separate from the event dispatch mechanism. Consequently, blocking and long-running callback functions cannot interfere with Rendezvous internal mechanisms.



However, programmers must recognize that blocking and long-running callback functions can delay dispatch of other events. Avoid these behaviors. When callback functions must block, or must run for long periods of time, it is good practice to dispatch from several threads to ensure prompt processing of all events.

Listener Event Semantics

The arrival of an inbound message is an important event for most Rendezvous programs. It is also an instructive exemplar of an asynchronous event—the receiving program cannot know in advance when a particular message might arrive in the queue. To receive messages, programs create listener events, define callback functions to process the inbound messages, and dispatch events in a loop.

While a program is listening for messages, the event driver queues the listener event each time a message arrives with a matching subject name. Each appearance of the event in the queue leads to a separate invocation of its callback function. At any moment in time, an event queue can contain several references to the same listener event object—each reference paired with a different inbound message.

Each time the callback function runs, it receives an inbound message as an argument. The callback function must process the message in an appropriate application-specific fashion.

Listening for Messages

Programs *listen* for messages by creating *listener events*. Each listener event object signifies that a specific transport is listening for messages that match a specific subject name (which may contain wildcards). The transport continues listening until the program destroys the listener object.

Receiving programs must define callback functions to process inbound messages. When a message arrives, Rendezvous software places the listening event on an event queue. The program dispatches the event to the listener’s callback function.

One listener can cause many invocations of its callback function, since many inbound messages can match the desired subject name.

Programs can listen several times on the same subject and transport. Each listener can specify the same callback function or different callback functions. If a program creates two listeners with the same subject and transport, each matching inbound message causes two events (and two callback invocations to process them).

Table 17 Listener Creation (Sheet 1 of 2)

C	<code>tibrvEvent_CreateListener()</code>
	<code>tibrvcvEvent_CreateListener()</code>

Table 17 Listener Creation (Sheet 2 of 2)


C++	<code>TibrvListener::create()</code>
	<code>TibrvCmListener::create()</code>
Java	<code>TibrvListener()</code>
	<code>TibrvCmListener()</code>
.NET	<code>Listener</code>
	<code>Listener.Destroy</code>

Activation and Dispatch

Inbound messages on the transport that match the subject trigger the event. Creating a listener event object automatically *activates* the event—that is, the transport begins listening for all inbound messages with matching subjects. When a message arrives, Rendezvous software places the event object and message on the event queue. Dispatch removes the event object from the queue, and runs the callback function to process the message. (To stop receiving inbound messages on the subject, destroy the event object; this action cancels all messages already queued for the listener event.)

[Figure 10 on page 73](#) illustrates that Rendezvous software does *not* deactivate the listener when it places new message events on the queue (in contrast to timer and I/O events, which are temporarily deactivated). Consequently, several messages can accumulate in the queue while the callback function is processing.

Figure 10 Listener Activation and Dispatch



When the callback function is I/O-bound, messages can arrive faster than the callback function can process them, and the queue can grow unacceptably long. In applications where a delay in processing messages is unacceptable, consider dispatching from several threads to process messages concurrently.

Destroying a Listener

A listening transport continues receiving inbound messages indefinitely, until the program destroys the listener event (or its supporting objects).

Destroying a listener's transport or event queue invalidates the listener event; inbound messages specified by the event no longer arrive. An invalid listener cannot be repaired; the program must destroy and re-create it.

I/O Event Semantics

Socket I/O can proceed only when certain I/O conditions exist. To receive notification of those conditions, programs can create I/O events, and define callback functions to read or write when sockets are ready.

When a program registers event interest on an I/O socket, the specified condition may occur repeatedly; each time the program can read or write one or more bytes on that socket, the event driver queues the I/O event.

When a program creates an I/O event, the creation call *activates* the event—that is, it requests notification from the operating system when the corresponding I/O situation occurs. When the specified condition occurs, Rendezvous software *deactivates* the event, and places the event object on its event queue. When the callback function returns, Rendezvous software automatically *reactivates* the event. In this way, only one reference to the I/O event can appear in a queue at any moment in time. (References to several I/O events can appear simultaneously, but two references to the same event cannot appear at the same time.) [Figure 11](#) illustrates that Rendezvous software temporarily deactivates the I/O event from the time it enters the queue until its callback function returns.

Figure 11 I/O Event Activation and Dispatch




Table 18 I/O Event Creation

C	<code>tibrvEvent_CreateIO()</code>
C++	<code>TibrvIOEvent::create()</code>
Java	I/O events are not available with Java.
.NET	I/O events are not available with .NET.

Operating System I/O Semantics

The semantics of all I/O conditions depend on the I/O semantics of the underlying operating system and its event manager. Rendezvous software does not change those semantics.

I/O events trigger when the operating system *reports* that an I/O condition on a monitored socket would succeed (transfer at least one byte without blocking).

For example, write events depend on the *state* of the socket—it must be write-available. That is, on each pass through the event driver’s loop, the socket can accept one or more bytes.

Blocking I/O Calls

Rendezvous software *cannot guarantee* that a subsequent I/O call will not block.

I/O conditions are not necessarily static. *Event stealing* or *write overload* can change the I/O condition before the callback function runs.

As an example of event stealing, consider an I/O event indicating that a particular socket has data available for reading. Another thread or process could read the data from that socket before the I/O event callback function can read the socket. In that case, a read call could indeed block.

Availability

Socket I/O is available in the C and C++ interfaces, but not in the Java interface.

Timer Event Semantics

Timer events are perhaps the most well-known type of asynchronous event. To do an operation after a specific time interval has elapsed, a program creates a timer event, and defines a callback function to do the desired operation.

When a program creates a timer event object, the creation call *activates* the timer event—that is, it requests notification from the operating system when the timer’s interval elapses. When the interval elapses, Rendezvous software places the event object on its event queue. Dispatch removes the event object from the queue, and runs the callback function to process the timer event. On dispatch Rendezvous software also determines whether the next interval has already elapsed, and requeues the timer event if appropriate.

Notice that time waiting in the event queue until dispatch can increase the effective interval of the timer. It is the programmer’s responsibility to ensure timely dispatch of events.

[Figure 12 on page 77](#) illustrates a sequence of timer intervals. The number of elapsed timer intervals directly determines the number of event callbacks.

At any moment the timer object appears on the event queue only once—not several times as multiple copies. Nonetheless, Rendezvous software arranges for the appropriate number of timer event callbacks based the number of intervals that have elapsed since the timer became active or reset its interval.

Destroying or invalidating the timer object *immediately* halts the sequence of timer events. The timer object ceases to queue new events, and an event already in the queue does not result in a callback. (However, callback functions that are already running in other threads continue to completion.)

A timer repeats indefinitely—until the program destroys the timer event object.

Resetting the timer interval *immediately* interrupts the sequence of timer events and begins a new sequence, counting the new interval from that moment. The reset operation is equivalent to destroying the timer and creating a new object in its place.

Figure 12 Timer Activation and Dispatch




Table 19 Timer Creation

C	<code>tibrvEvent_CreateTimer()</code>
C++	<code>TibrvTimer::create()</code>
Java	<code>TibrvTimer()</code>
.NET	Timer events are not available with .NET.

Chapter 8 **Transport**

The software mechanism for sending and delivering messages is called a *transport*. A transport defines the delivery scope—that is, the set of *possible* destinations for the messages it sends. (In contrast, listeners filter messages by subject name, collectively defining the *actual* destination set.)

Topics

- [Transport Overview, page 80](#)
- [Transport Scope, page 81](#)
- [Network Transport Parameters, page 82](#)
- [Service Parameter, page 83](#)
- [Network Parameter, page 86](#)
- [Daemon Parameter, page 89](#)
- [Sending Messages, page 92](#)
- [Intra-Process Transport and User Events, page 93](#)
- [Inbox Names, page 94](#)
- [Direct Communication, page 95](#)
- [Batch Modes for Transports, page 97](#)

Transport Overview

Programs use transport objects to send messages and listen for messages. A transport determines three aspects of message delivery:

- Delivery scope—the potential range of its messages
- Delivery mechanism—the path (including software, hardware and network aspects) that its messages travel
- Delivery protocol—the ways in which programs cooperate and share information concerning message delivery

Various types of transport object combine these aspects to yield different qualities of service—for example, intra-process delivery, network delivery, reliable delivery, virtual circuit, certified delivery, and distributed queue delivery.

Transport Scope

Rendezvous software distinguishes between two broad classes of transports, each with a different potential scope and a different delivery mechanism.

- A *network transport* delivers messages across a network, to processes on one or more hosts. It also can deliver messages to several processes on a single host.

All messages pass through a Rendezvous daemon process.

The service, network and daemon parameters of a network transport specify its scope within the network (see [Network Transport Parameters on page 82](#)).

- An *intra-process transport* delivers messages between program threads within a single process.

Intra-process messages do not pass through a Rendezvous daemon process; instead, they remain local within the program process. Intra-process messages are significantly faster than network messages.

Each program contains exactly one intra-process transport; the Rendezvous open call creates it automatically. Its scope is the program process. Any thread can dispatch intra-process events from an appropriate queue.

Programs can use intra-process messages to implement user events. For more information, see [Intra-Process Transport and User Events on page 93](#).

Network Transport Parameters

Transport creation calls accept three parameters that govern the behavior of the transport: `service`, `network` and `daemon`. In simple networking environments, the default values of these parameters are sufficient.

However, some environments require special treatment, for any of these reasons:

- Several independent distributed applications run on the same network, and you must isolate them from one another (`service` parameter).
- Programs use the Rendezvous routing daemon, `rvrd`, to cooperate across a WAN with programs that belong to a particular service group, and the local programs must join the same service group (`service` parameter).
- A program runs on a computer with more than one network interface, and you must select a specific network for outbound multicast Rendezvous communications (`network` parameter).
- Computers on the network use multicast addressing to achieve even higher efficiency, and you must specify which multicast groups to join (`network` parameter).
- A program runs on one computer, but connects with a Rendezvous daemon process running on a different computer, and you must specify the remote daemon to support network communications (`daemon` parameter).
- Two programs use direct communication. Both programs must enable this feature and specify its service (`service` parameter).

If none of these conditions apply, then you can use default values for the transport parameters. If any of these conditions do apply, then choose appropriate parameter values.

Service Parameter

Rendezvous daemon (`rxd`) processes communicate using UDP services. The `service` parameter instructs the Rendezvous daemon to use this service whenever it conveys messages on this transport.

As a direct result, services divide the network into logical partitions. Each transport communicates on a single service; a transport can communicate only with other transports on the same service. To communicate on more than one service, a program must create a separate transport object for each service.

Service Groups

A *service group* is a group of Rendezvous transport objects that communicate using the same UDP service. Rendezvous daemon processes connect transports within a service group on the same network, so they can share messages with one another.

Interaction between Service and Network Parameters

Within each `rxd` process, all the transports that specify a given service must specify the same network parameter. That is, if the `service` parameters resolve to the same UDP port, then the `network` parameters must also be identical. (This restriction extends also to routing daemons.)

For example, suppose that the program `foo`, on the computer named `orange`, has a transport that communicates on the service `svc1` over the network `lan1`. It is illegal for *any* program to subsequently create a transport (connecting to the same daemon process on `orange`) to communicate on `svc1` over any other network—such as `lan2`. Once `rxd` binds `svc1` to `lan1`, that service cannot send outbound broadcast messages to any other network. Attempting to illegally rebind a service to a new network fails; transport creation calls produce an error status (`TIBRV_INIT_FAILURE`).

To work around this limitation, use a separate service for each network.

The limitation is not as severe as it might seem at first, because it only affects outbound broadcast messages:

- Point-to-point messages on the transport's service travel on the appropriate network (as determined by the operating system) irrespective of the transport's network parameter.
- Inbound broadcast messages on the transport's service can arrive from any network, irrespective of the transport's network parameter.

Specifying the Service

Rendezvous programs specify services in one of three ways, shown below in order of preference:

- Service name
- Port number
- Default

By Number	When you specify a port number, it must be a string representing a decimal integer (for example, "7890").
By Name	When you specify a service name, the transport creation function calls <code>getservbyname()</code> , which searches a network database (such as NIS) or a flat file (such as <code>services</code> in the system directory).
Defaults	If you specify null, the transport creation function searches for the service name <code>rendezvous</code> .

If `getservbyname()` does not find `rendezvous`, the Rendezvous daemon instructs the transport creation function to use default service 7500.

It is good practice for administrators to define `rendezvous` as a service, especially if port 7500 is already in use.

For example, network administrators might add the following service entry to the network database:

```
rendezvous 7500/udp
```

Once this entry is in the network database, programmers can conveniently specify `NULL` or the empty string as the `service` argument to create a transport that uses the default Rendezvous service.

The `rxd` daemon interprets this service as a UDP service.

Specifying Direct Communication

To enable *direct communication*, specify a two-part service parameter, separating the parts with a colon. You may specify either part by service name, by port number, or by default. For example:

```
"7706:7707"
"rendezvous:5238"
": "
": 0 "
```

- The first part specifies the service that `rxd` uses for regular communication. `rxd` interprets this part as a UDP service.

- The second part specifies the UDP service that the Rendezvous transport object uses for direct communication. This part remains within the program; the transport object never passes it to `rvd`, which interprets this part as a UDP service for eligible point-to-point communication (RPTP).

Defaults To use the `rendezvous` service for regular communication (or if `rendezvous` is not defined, the default regular service, 7500), omit the first part of the parameter.

To use an ephemeral service for direct communication, either omit or specify zero for the second part (but include the separating colon). The operating system assigns an available service number.

To disable direct communication, specify a one-part parameter, omitting the separating colon and the second part.

Restriction On each host computer, programs can *bind* a UDP service only once. Consider these consequences:

- On host computer `f00`, no two transport objects (whether in the same process or different processes) can bind the same UDP service for direct communication.
- If a transport object on host computer `f00` specifies a UDP service for regular communication, no other transport object on `f00` can bind that service for direct communication.
- The opposite is also prohibited. If a transport object on host computer `f00` binds a UDP service for direct communication, no other transport object on `f00` can bind that service for regular communication.
- The two parts of any service parameter must specify two *different* port numbers.
- However, any number of transport objects on host computer `f00`—in any number of processes—can specify the same UDP service for regular communication. Those transports communicate through `rvd`, which *binds* the service only once—in accord with the restriction.

See Also [Direct Communication on page 95](#)

Network Parameter

Every network transport object communicates with other transport objects over a network. On computers with only one network interface, the Rendezvous daemon communicates on that network without further instruction from the program.

On computers with more than one network interface, the `network` parameter instructs the Rendezvous daemon to use a particular network for all communications involving this transport. To communicate over more than one network, a program must create a separate transport object for each network.

The network parameter also specifies multicast addressing details (for a brief introduction, see [Multicast Addressing on page 88](#)).

To connect to a remote daemon, the `network` parameter must refer to the network from the perspective of the remote computer that hosts the daemon process.

Constructing the Network Parameter

The network parameter consists of up to three parts, separated by semicolons—network, multicast groups, send address—as in these examples:

<code>lan0</code>	network only
<code>lan0;225.1.1.1</code>	one multicast group
<code>lan0;225.1.1.1,225.1.1.5;225.1.1.6</code>	two multicast groups, send address
<code>lan0;;225.1.1.6</code>	no multicast group, send address

Part One—Network

Part one identifies the network, which you can specify in several ways:

(Sheet 1 of 2)

Host name	When a program specifies a host name, the transport creation call uses an operating system call that searches a network database to obtain the IP address. The maximum length of a host name string is 256 characters.
Host IP address	When a program specifies an IP address, it must be a string representing a multi-part address. For example: "101.120.115.111"

(Sheet 2 of 2)

Network name (where supported)	When an application specifies a network name, the transport creation function calls <code>getnetbyname()</code> , which searches a network database such as Network Information Services (NIS) or a flat file (such as <code>networks</code>) in the system directory.
Network IP number	If a program specifies a host IP address or a network IP number it must be in dotted-decimal notation. For example, <code>101.55.31</code> .
Interface name (where supported)	When an application specifies an interface name, the transport creation function searches the interface table for the specified interface name. For example, <code>lan0</code> . The interface name must be one that is known to <code>ifconfig</code> or <code>netstat</code> .
Default	If a program does not specify a network, the transport creation function uses the default network interface. Daemons use the network interface that corresponds to the host name of the system as determined by the C function <code>gethostname()</code> .

The use of the UDP broadcast protocol has generally been superseded by IP multicast protocol. To use broadcast protocols without multicast addressing, specify only part one of the network parameter, and omit the remaining parts.

Part Two—Multicast Groups

Part two is a list of zero or more multicast groups to join, specified as IP addresses, separated by commas. Each address in part two must denote a valid multicast address. Joining a multicast group enables listeners on the resulting transport to receive data sent to that multicast group.

For a brief introduction to multicasting, see [Multicast Addressing on page 88](#).

Part Three—Send Address

Part three is a single send address. When a program sends multicast data on the resulting transport, it is sent to this address. (Point-to-point data is not affected.) If present, this item must be an IP address—not a host name or network name. The send address *need not* be among the list of multicast groups joined in part two.

If you join one or more multicast groups in part two, but do not specify a send address in part three, the send address defaults to the first multicast group listed in part two.

Multicast Addressing

Multicast addressing is a focused broadcast capability implemented at the hardware and operating system level. In the same way that the Rendezvous daemon filters out unwanted messages based on service groups, multicast hardware and operating system features filter out unwanted messages based on multicast addresses.

When no broadcast messages are present on the service, multicast filtering (implemented in network interface hardware) can be more efficient than service group filtering (implemented in software). However, transports that specify multicast addressing still receive broadcast messages, so combining broadcast and multicast traffic on the same service can defeat the efficiency gain of multicast addressing.

Rendezvous software supports multicast addressing only when the operating system supports it. If the operating system does not support it, and you specify a multicast address in the network argument, then transport creation calls produce an error status (`TIBRV_NETWORK_NOT_FOUND`).

Daemon Parameter

The `daemon` parameter instructs the transport creation function about how and where to find the Rendezvous daemon and establish communication.

Each Rendezvous transport establishes a communication conduit with the Rendezvous daemon, as the following steps describe:

1. The daemon process opens a (TCP) *client socket*, and waits for a client to request a connection.

The `-listen` option of the Rendezvous daemon (`rva`) specifies the socket where the Rendezvous daemon should listen for new client program connections.

2. The program calls the transport creation function, which contacts the daemon at the client socket specified in its `daemon` parameter.

The `daemon` parameter of the transport creation function must correspond to the `-listen` option of daemon process; that is, they must specify the same communication type and socket number.

If no daemon process is listening on the specified client socket, then the transport creation call automatically starts a new daemon process (which listens on the specified client socket), and then attempts to connect to it.

3. The daemon process opens a conduit for private communication with the new transport object in the program. All future communication uses that conduit.

The request socket is now free for additional requests from other client transports.

Specifying a Local Daemon

Specify the daemon's client socket as a character string with components separated by colons.

For *local* daemons, specify the transport creation function's `daemon` parameter and the `-listen` option to the daemon process as a (TCP) socket number; for example:
`"6555"`

To use the default client socket, supply `NULL` as the `daemon` argument to the transport creation function, and omit the `-listen` option to the daemon process.

Remote Daemon

In most cases, programs connect to a local daemon, running on the same host as the program. Certain situations require a remote daemon, for example:

- The program runs on a laptop computer that is not directly connected to the network. Instead, the laptop connects to a workstation on the network, and the daemon runs on that workstation.
- The program connects to a network at a remote site.

For *remote* daemons, specify two parts (introducing the remote host name as the first part):

- Remote host name
- Port number

For example:

```
"purple_host:6555"
```

When a client specifies a remote daemon that is not present, the client does *not* auto-start a daemon in that remote location.



Direct communication is not available when connecting to a remote daemon (see [Direct Communication on page 95](#)).

Suppress Daemon Auto-Start

The policy that a transport cannot automatically start a remote daemon also results in a convenient way to suppress the auto-start feature of a local daemon. To do so, specify the local daemon with a two-part parameter, as if it were a remote daemon. For the first part (the host) supply either the local computer's loopback address, `127.0.0.1`, or the local host name (if the host does not support a loopback address). For example:

```
127.0.0.1:7500
my_host_name:7500
```

Secure Daemon

To connect to a *secure* daemon, specify three parts:

```
ssl:host:port_number
```

For example:

```
ssl:myhost.net:8344
ssl:102.24.12.3:8344
```


Colon characters (:) separate the three parts.

`ssl` indicates the protocol to use when attempting to connect to the daemon.

`host` indicates the host computer of the secure daemon. You can specify this host either as a network IP address, or a hostname. Omitting this part specifies the local host.

`port_number` specifies the port number where the secure daemon listens for TLS connections. This part is required; you may not omit it.

Two Identical Arguments

Programs that connect to a secure daemon must specify an identical three-part string to two API calls:

- The `daemonName` parameter of the call that registers the secure daemon's certificate—see [Secure Daemon on page 40](#)
- The `daemon` parameter of the call that creates the transport object that connects to the secure daemon

Sending Messages

Programs can *send* messages at any time to any other Rendezvous programs. All send operations are methods of transport objects:

- Send an outbound message.
- Send an outbound message in reply to an inbound message. This variation automatically extracts the reply subject from the inbound message.
- Send an outbound message and wait for an inbound reply. This variation blocks until a reply arrives.

Table 20 Sending Calls

C	<code>tibrvTransport_Send()</code>
	<code>tibrvTransport_SendReply()</code>
	<code>tibrvTransport_SendRequest()</code>
C++	<code>TibrvTransport::send()</code>
	<code>TibrvTransport::sendReply()</code>
	<code>TibrvTransport::sendRequest()</code>
Java	<code>TibrvTransport.send()</code>
	<code>TibrvTransport.sendReply()</code>
	<code>TibrvTransport.sendRequest()</code>
.NET	<code>Transport.Send</code>
	<code>Transport.SendReply</code>
	<code>Transport.SendRequest</code>

Intra-Process Transport and User Events

In addition to the three types of Rendezvous events, programs can implement user events using the intra-process transport.

Consider these properties of a message that serves as a user event, sent on an intra-process transport:

- Process-local. The user event message remains within the process.
- Thread-to-thread. A user event message can be sent to a specific thread (or set of threads), because the message event appears in a specific event queue. (That is, only a thread that dispatches that queue can receive the message event.)

Programs can exploit these properties to build a thread-to-thread intra-process communication mechanism. Consider an example program that contains one thread that controls a fax hardware device. The other threads send messages to the fax thread, which processes them by sending faxes.

See Also [Intra-Process Transport on page 209](#) in *TIBCO Rendezvous C Reference*
[Intra-Process Transport on page 202](#) in *TIBCO Rendezvous Java Reference*

Inbox Names

Transport objects can create inbox names, designating a destination that is unique to that transport object and its process. Rendezvous software uses point-to-point techniques to deliver messages with inbox subject names.

One common use of inbox names is as reply subject names in request/reply interactions (see [Request/Reply Interactions on page 27](#)).

Request reply interactions that cross network boundaries depend on Rendezvous routing daemons (`rtrd`) in both directions. Routing daemons annotate inbox name reply subjects during the request phase, and interpret those annotations during the reply phase—ensuring correct delivery across network boundaries. (Programs that send reply inbox names within message data fields circumvent this mechanism, and cannot receive replies across network boundaries.)

Table 21 *Inbox Calls*

C	<code>tibrvTransport_CreateInbox()</code>
C++	<code>TibrvTransport::createInbox()</code>
Java	<code>TibrvTransport.createInbox()</code>
.NET	<code>Transport.CreateInbox</code>

See Also

[Subject-Based Addressing and Message Destinations on page 23.](#)
[Multicast and Point-to-Point Messages on page 24.](#)


Direct Communication

Release 7 introduced direct communication capabilities between two network transport objects.

Overview With *direct communication*, two application programs can conduct eligible point-to-point communications without intermediary Rendezvous daemon (`rvd`) processes. This arrangement can decrease message latency and context switching for point-to-point messages.

Figure 13 contrasts the route of a point-to-point message with direct communication against the same message with regular communication (through `rvd`). In the path through `rvd`, each of the two daemons could add a small delay. The direct path avoids these sources of potential delay.

Figure 13 Direct Communication between Two Programs



Direct communication uses RTPP over a UDP channel.

Usage To enable direct communication, specify a two-part `service` parameter when creating the transport object:

- The first part controls regular communication—including messages to public subjects and ineligible point-to-point messages.
- The second part controls direct communication—messages to inbox subjects at eligible destination transports.

Eligibility All *eligible* messages automatically use direct communication, traveling directly between the two programs. All *ineligible* messages flow through `rvd`.

A *message* is eligible for direct communication if it meets *all* of these conditions:

- The message has an *inbox* destination subject.
- Its sending transport object is eligible and enabled.

- Its receiving transport object is eligible and enabled.
- The network path between the sender and the receiver does not cross through Rendezvous routing daemon (`rverd`).

A *transport* object is eligible for direct communication if it meets *all* of these conditions:

- The transport is *enabled* for direct communication (that is, it has a two-part `service` parameter).

Note that a program can enable a transport only if program links release 7 (or later) of the Rendezvous API library.

- The transport connects either to a *local* daemon, or to a TIBCO Messaging Appliance™ P-7500.

Restrictions *Both* the sending and receiving transport objects must enable direct communication. If only one of the two transports enables direct communication, then point-to-point messages between them flow through `rvd`.

Direct communication is *not* available for transport objects that connect to remote daemons. (However, it is available for transports that connect remotely to a TIBCO Messaging Appliance P-7500.)

When the path between two transports crosses a routing daemon (`rverd`), direct communication is *not* available between those transports. Even if both transports enable direct communication, point-to-point messages still flow through `rvd` and `rverd`.

Direct communication applies only to point-to-point messages (that is, messages with inbox destinations) between two enabled transports.

Nonetheless, messages on a virtual circuit *always* travel point-to-point—even messages with public subject names. The virtual circuit terminals wrap all messages within internal point-to-point messages. So a virtual circuit that employs enabled transports at both terminals always reaps the benefits of direct communication.

Cost Each enabled transport consumes a UDP port.

See Also [Specifying Direct Communication on page 84](#)
[Remote Daemon on page 90](#)

Batch Modes for Transports

In a narrowly limited set of situations, the batch mode for network transport objects feature can improve application performance. Most customers can ignore this feature.

This section presents batch modes that are available only for transports connected to daemons; they do not apply to TIBCO Rendezvous[®] Server In-Process Module (IPM).

Overview	<p>With default batch behavior, a transport object transmits outbound messages to the Rendezvous communications daemon as soon as possible.</p> <p>With timer batch behavior, the transport can delay transmitting small outbound messages to the daemon. For programs that send many small messages, this behavior can improve efficiency. The cost of that improvement is data latency.</p>
Advantages	<p>When used appropriately, it is possible that timer batching can promote one or both of these advantages:</p> <ul style="list-style-type: none"> • In some situations, it can reduce context switching on the sending computer, improving CPU utilization. • In some situations, it can reduce the number of packets on the network, improving bandwidth utilization.
Indications	<p>These conditions characterize situations where timer batch mode might be advantageous:</p> <ul style="list-style-type: none"> • Maximum data latency of approximately 25 milliseconds is acceptable. • The program sends very small messages—generally 100 bytes or fewer. • A correct program performs poorly with default batch behavior.
Contraindications	<p>These conditions characterize situations that contraindicate timer batch mode:</p> <ul style="list-style-type: none"> • Increased data latency is <i>not</i> acceptable. • Timer batch behavior does not produce measurable improvements in the performance of your application.
Usage	<p>Programs control batch mode by setting a property of the transport object.</p>

Routing Daemon Subject Weights and Path Costs

Routing path costs and import subject weights increase administrator control over Rendezvous routing daemons. Network administrators can use these parameters to arrange load balancing and declare preferred routes in a fault-tolerant routing configuration.

Path costs guide routers to select the best route. Subject weights divide messages among routers by subject name, while retaining fault tolerance.

For a detailed description of these parameters, see [Load Balancing on page 91](#) in *TIBCO Rendezvous Administration*.

Chapter 9 **Virtual Circuits**

Virtual circuits feature Rendezvous communication between two terminals over an exclusive, continuous, monitored connection.

Topics

- [Virtual Circuits Overview, page 100](#)
- [Properties of Virtual Circuits, page 102](#)
- [Programming Paradigm, page 103](#)
- [Virtual Circuit API, page 105](#)

Virtual Circuits Overview

Conceptual Definition	<p>In his classic textbook, <i>Computer Networks</i>, Andrew Tanenbaum describes virtual circuits by analogy with a public telephone network:</p> <p>The telephone customer must first set up the virtual circuit (dial the call), then transmit the data (talk), and finally close down the circuit (hang up). Although what happens inside the telephone system or subnet is undoubtedly very complicated, the two users are provided with the illusion of a dedicated point-to-point channel between themselves. In particular, information is delivered to the receiver in the same order in which it is transmitted by the sender.</p>
Quality of Service	<p>Rendezvous virtual circuits provide a similar quality of service. A virtual circuit is an exclusive, monitored connection between two <i>terminals</i>—each of which is a virtual circuit transport object.</p> <ul style="list-style-type: none"> • The two terminals communicate <i>exclusively</i> with each other. They do not communicate with any other transport object. • Each terminal can send messages to the other terminal. Messages arrive in the same order as the opposite terminal sent them. • Each terminal <i>monitors</i> the connection to ascertain continuous correct operation. • A failure anywhere along the circuit causes the entire circuit to cease functioning. <ul style="list-style-type: none"> — Each terminal presents a <code>VC.DISCONNECTED</code> advisory message. — The terminals can no longer deliver inbound messages to listener objects. — Attempting to send outbound messages produces error status. — The terminals <i>cannot</i> reconnect. Programs must destroy them, and all listener objects that use them. To establish a new virtual circuit, programs may create new terminal objects.
Scope	<p>The scope of a virtual circuit transport is limited to exactly one other transport—the terminal at the opposite end of the connection. No other transports receive messages sent on the virtual circuit—not even transports that communicate on the same network and UDP service as the virtual circuit terminals. Conversely, terminals of a virtual circuit do not receive messages sent by any other transports.</p> <p>A program can create any number of listener objects that use a virtual circuit transport object. They can listen on inbox names or on public subject names. In either case, they can receive only those messages sent by the opposite terminal.</p>

Similarly, a program can specify the destination of an outbound message using either an inbox name or a public subject name. In either case, the message travels point-to-point to the opposite terminal.

Mechanism	<p>Every virtual circuit terminal employs an ordinary transport object as an underlying communication mechanism. The transport can be an (rxd) network transport or the intra-process transport. (Several virtual circuits can employ the same transport. The transport can carry other messages as well.)</p> <p>The transport carries both data and protocol communications for the virtual circuit. All such communication travels point-to-point between the two terminals. The terminals multiplex inbound messages to appropriate listener objects.</p>
Protocol	<p>A hidden protocol establishes and monitors the connection between terminals.</p> <p>Terminals present advisory messages to programs to report changes in the connection's status.</p>
Direct Communication	<p>Because virtual circuits rely on point-to-point communication between the two terminals, they can use direct communication to good advantage. To do so, both terminals must employ network transports that enable direct communication. For an overview, see Direct Communication on page 95.</p>
See Also	<p>Andrew S. Tanenbaum, <i>Computer Networks</i>, 1981, Prentice-Hall, Englewood Cliffs, New Jersey.</p>

Properties of Virtual Circuits

Properties	<p>Virtual circuits guarantee these properties:</p> <ul style="list-style-type: none">• All inbound messages come only from the opposite terminal. Senders outside of a virtual circuit cannot insert data into its message stream.• All outbound messages go only to the opposite terminal. Listeners outside of a virtual circuit cannot receive its message stream.• Terminals receive explicit feedback if the connection is interrupted. Programs can promptly detect failure of mission-critical components or communications, and act to restore or replace them.
Application Ideas	<p>The first and second properties suggest virtual circuits for applications that must insulate its message streams against subject name interference.</p> <p>The third property suggests virtual circuits for applications that require continuous communication, such as monitoring and control of manufacturing processes, no-loss data transmission, or data replication.</p>
Migration Path	<p>Rendezvous implements virtual circuit terminals as transport objects. When appropriate, you can easily convert most existing programs to use virtual circuits (instead of ordinary network transports) with only minor code changes.</p>

Programming Paradigm

These steps illustrate the programming paradigm for Rendezvous virtual circuits.

1. Program code in process A sends a series of application-level messages to process B requesting a virtual circuit.
2. Program code in process B responds to one of those requests by creating a virtual circuit transport *accept* object. Creating the accept object also produces a *connect subject*—an inbox where the accept object listens for protocol messages.
3. Program code in B sends an application-level reply message to A, inviting A to connect to the accept object. The reply subject of the invitation message is the connect subject of the accept object.
4. Program code in process A creates a virtual circuit transport *connect* object—supplying the connect subject from the invitation as an argument to the create call.
5. The connect object in A automatically initiates a protocol to establish the virtual circuit connection between the two terminal objects.
6. When the connection is *complete* (that is, ready to use) both terminals present `VC.CONNECTED` advisories. From this time forward, either process can send messages on the virtual circuit.

Connect Subject	B must send the connect subject as the <i>reply subject</i> of the invitation message—not as an application-level field of the message. This detail is especially important when routing hardware or software intervenes between the two processes.
Request and Invitation	Notice that programs must send the request and invitation messages on transports that are already operational. They cannot send them on the virtual circuit transport, because the circuit is not yet complete.
Listening and Sending	<p>Programs may create listener objects on virtual circuit transports at any time after the create call returns.</p> <p>Attempting to send messages before the connection is complete produces error status.</p>

Testing the New Connection

Code in both processes (A and B) must test the new connection before using it. Use the following two-part test. Immediately after creating a virtual circuit terminal object, do these two steps, in this order:

1. Listen for the `vc.CONNECTED` advisory on the terminal transport object. If the terminal presents this advisory, it is ready to use.

It is possible to miss this advisory. That is, the terminal might present it before the program creates the listener to intercept it. In this situation, the program could wait indefinitely for the advisory, which has already come and gone. To avoid this situation, do the following step as well.

2. Poll the connection to test whether it is operational, supplying zero as the timeout parameter to the wait-for-connection call. If this call returns without error, the terminal is ready to use.

Virtual Circuit API

The virtual circuit API consists of three calls (see [Table 22](#)) and two advisory messages.

Create Terminals

Two calls create the terminal objects—one call for the terminal that *accepts* connections, and one for the terminal that subsequently *connects* to it.

The two types of terminal play complementary protocol roles as they attempt to establish a connection. However, this difference soon evaporates. After the connection is complete, the two terminals behave identically.

Testing the Connection

A third call tests the current status of the connection. Programmers can arrange for this call to return immediately, or block until the connection is complete (wait for connection).

Other Transport Calls

Programs send messages, create inbox names, and create listeners using the same calls as for ordinary transports.

Table 22 Virtual Circuit Calls (Sheet 1 of 2)

C	<code>tibrvTransport_CreateAcceptVc()</code> <code>tibrvTransport_CreateConnectVc()</code> <code>tibrvTransport_WaitForVcConnection()</code>
C++	<code>TibrvVcTransport</code> <code>TibrvVcTransport::createAcceptVc()</code> <code>TibrvVcTransport::createConnectVc()</code> <code>TibrvVcTransport::waitForVcConnection()</code>
Java	<code>TibrvVcTransport</code> <code>TibrvVcTransport.createAcceptVc()</code> <code>TibrvVcTransport.createConnectVc()</code> <code>TibrvVcTransport.waitForVcConnection()</code>

Table 22 Virtual Circuit Calls (Sheet 2 of 2)

.NET	<code>VCTransport.CreateAcceptVC</code>
	<code>VCTransport.CreateConnectVC</code>
	<code>VCTransport.WaitForVCConnection</code>

Advisories

Advisory messages report connection status changes asynchronously; see `VC.CONNECTED` on page 266, and `VC.DISCONNECTED` on page 267.

Guidelines for Programming

This chapter describes techniques and guidelines to help you create programs that use Rendezvous software to the fullest advantage.

Topics

- [Avoid Sending Binary Data Buffers or Internal Structs, page 108](#)
- [Do Not Pass Local Values, page 109](#)
- [Use Self-Describing Data, page 110](#)
- [Establish Subject Naming Conventions, page 111](#)
- [Do Not Send to Wildcard Subjects, page 112](#)
- [Control Message Sizes, page 113](#)
- [Avoid Flooding the Network, page 114](#)
- [Beware of Network Boundaries, page 115](#)
- [Make Transport Parameters Flexible, page 116](#)
- [Verify Each Inbound Message, page 117](#)
- [Understand Sockets, page 118](#)

Avoid Sending Binary Data Buffers or Internal Structs

Rendezvous programs can exchange binary data buffers using datatype `TIBRVMSG_OPAQUE`. The program is free to use any format and content within opaque data. However, it is good practice to avoid extensive use of opaque data.

For example, opaque buffers can contain data structures mapped by C language structs—but *beware*, this technique couples your programs rather tightly to the data structure. If you change the struct definition in the sender, you must also change it in the listener, and vice versa. Exchanging structs also makes it more difficult to introduce new, interoperating programs in the future. Furthermore, exchanging internal structs makes it difficult for your program to interoperate with programs developed in other languages.

Binary data and internal structs are also *platform dependent*—you cannot exchange raw, binary data between programs running on machines that represent numbers or character strings with different formats.

Instead of binary buffers or structs, consider using Rendezvous self-describing data to ease data exchange. Rendezvous datatypes span the most common atomic and array datatypes of most programming languages, and Rendezvous messages can emulate any struct or composite datatype.

Do Not Pass Local Values

If you exchange structs or binary buffers, remember that many data types could be meaningless at the receiving end. For example, a pointer is a memory address *inside a particular computer*—it has no meaning to any other program running on other computers. You must always send actual data *by value* rather than referencing it with a pointer.

Many opaque data structures or quantities are similarly meaningless outside of a particular program (for example, UNIX file descriptors). Do not send this kind of data to other programs.

Use Self-Describing Data

Use self-describing data to exchange information whenever possible.

Self-describing data contains not only the values of interest to the program, but also descriptive names and type indicators. Rendezvous software uses its universal wire format for self-describing data to insulate your programs from the data representation differences across hardware and operating system platforms.

Several packages are available for managing self-describing data. Some implement industry standards such as XML, X.409, IDL or ASN.1. Others, like Rich Text Format (RTF) meet special needs of an industry or software tool. If your company or group has adopted one of these packages or standards, you can use it with Rendezvous software by packaging the data as opaque bytes (see `TIBRVMSG_OPAQUE` at [Rendezvous Datatypes on page 51](#)).

Like Rendezvous software, most of those packages include functions that map data between the formats used inside your program and a normalized format for network interchange—handling the details of format conversion, alignment and structure.

Establish Subject Naming Conventions

It is good practice to carefully plan the subject naming conventions for programs, and document them clearly for reference. Follow these guidelines:

- Plan naming conventions to reflect the logical structure of the data in the application domain.
- Study the programming examples in the `src/examples/` subdirectory.
- As you design naming conventions, think about the kinds of information that your programs will receive. Also think about the kinds of information that your program will ignore.
- Use a reasonably small number of levels in subject names—four or five is usually sufficient. (Rendezvous software permits many levels in subject names, but it is good practice to limit the number of levels you actually use.)
- Avoid the use of spaces and special characters even where permitted by the Rendezvous API. They could cause trouble later with various editors, browsers and other tools.
- Keep subject names manageable and readable.
- Keep subject names short for maximum speed and message throughput.
- Allocate the maximum storage for subject names. Subject name length is artificially limited to 255 bytes so that programs can allocate name buffers with a reasonable size. To maximize code reusability, allocate 255 bytes for buffers that receive subject names, even if your program does not use such long names.

In C and C++, the 255 byte limit is defined by the constant `TIBRV_SUBJECT_MAX` in the Rendezvous header files.

- Structure subject names so that subscribing programs can use wildcards effectively. Using wildcards is a powerful technique to filter inbound messages. Wildcards also offer a convenient way to subscribe to groups of subjects with a single listening call.

Do Not Send to Wildcard Subjects



Avoid sending messages to wildcard subject names. Although transports do not prevent you from sending to wildcard subjects, doing so can trigger unexpected behavior in other programs that share the network.

It is illegal for certified delivery transports to send to wildcard subjects. It is illegal to send to distributed queues using wildcard subjects.

Control Message Sizes

Although the ability to exchange large data buffers is a feature of Rendezvous software, it is good practice to avoid sending messages that are *too* large. For example, to exchange data up to 10,000 bytes, a single message is efficient. But to send files that could be many megabytes in length, use multiple send calls, perhaps one for each record, block or track. Empirically determine the most efficient size for the prevailing network conditions. (The actual size limit is 64 MB, which is rarely an appropriate size.)

Avoid Flooding the Network

Rendezvous software can support high throughput, but all computers and networks have limits. Do not write programs that might flood the network with message traffic. Other computers must filter all multicast messages, at least at the hardware level and sometimes at software levels (operating system or Rendezvous daemon).

Do not code loops that repeatedly send messages without pausing between iterations. Pausing between messages helps leave sufficient network resources for other programs on the network. For example, if your program reads data from a local disk between network operations, it is unlikely to affect any other machines on a reasonably scaled and loaded network; the disk I/O between messages is a large enough pause.

Publishing programs can achieve high throughput rates by sending short bursts of messages punctuated by brief intervals. For example, structure the program as a timer callback function that sends a burst of messages each time its timer triggers; adjust the timer interval and the number of messages per burst for optimal performance.

When a program sends messages faster than the network can accommodate them, its outbound message queue grows. When any outbound message waits in the outbound message queue for more than 5 seconds, Rendezvous software presents a `CLIENT.FASTPRODUCER` warning advisory message. A program that receives this warning advisory message should slow the rate at which it sends messages.

Beware of Network Boundaries

Rendezvous software can use a combination of multicast, broadcast and point-to-point network messages. If your network includes bridges and routers, some of these messages may not cross segment boundaries.

Sometimes the network equipment can be configured to pass and block exactly the right traffic. In other situations, you may need Rendezvous routing daemon to pass broadcast and multicast traffic across wide-area network boundaries. Consult your system administrator or network administrator.

See Also [Routing Daemon \(rvrd\)](#), page 71 in *TIBCO Rendezvous Administration*

Make Transport Parameters Flexible

Ensure that system administrators and end-users can alter the program's service, network, and daemon parameters at each site. While it is proper and convenient for a program to use default values for these transport parameters, it is dangerous to assume that the default values you choose will work at every installation. Check that your program documentation explains how to change these parameters, and when it is appropriate to do so.

Verify Each Inbound Message

Programs must verify each inbound message field to assure integrity and robustness (so that inappropriate or unexpected messages do not cause errors within the program).

For example, always verify that a field has the expected datatype. Consider a suite of programs that uses a field named `SCORES` to carry an array of integer values. When a new program begins sending messages in which `SCORES` contains a string value, the existing programs must exhibit robust behavior. To ensure robustness, always check the datatype of a field before operating on its data value.

Understand Sockets

Transport creation calls accept two parameters that direct the transport to open *two different* kinds of sockets:

- The `service` parameter specifies a UDP service (also commonly called a UDP *port*); the transport opens a UDP socket to that network service.

Rendezvous daemon processes uses the UDP service for communication with other Rendezvous daemon processes across the network.

- The `daemon` parameter specifies a TCP port number; the transport opens a TCP socket to that port.

Transport objects use the TCP port for communication between a client program and its Rendezvous daemon (usually on the same host computer).

This parameter corresponds to the `-listen` parameter of `rxd`.

These two types of socket are *not* interchangeable; confusing the two leads to programming errors that are difficult to diagnose and repair.

One source of this confusion is that the default `rendezvous` service (for TRDP daemons) is UDP service `7500`, and the default `daemon` parameter is TCP socket `7500`. Although these two numbers are the same, they specify different items.

Chapter 11 Certified Message Delivery

Although Rendezvous communications are highly reliable, some programs require even stronger assurances of delivery. Certified delivery features offer greater certainty of delivery—even in situations where processes and their network connections are unstable.

This chapter explains the conceptual foundations of Rendezvous certified message delivery, the way it works, and ways to use it.

Topics

- [Certified Delivery Features, page 121](#)
- [Reliable versus Certified Message Delivery, page 122](#)
- [Example Applications, page 124](#)
- [Inappropriate Situations, page 125](#)
- [Decentralization, page 126](#)
- [Certified Message Delivery in Action, page 129](#)
- [Creating a CM Transport, page 130](#)
- [Labeled Messages, page 132](#)
- [Discovery and Registration for Certified Delivery, page 134](#)
- [Delivering a Certified Message, page 136](#)
- [Sequencing and Retransmission, page 138](#)
- [Persistent Correspondents, page 139](#)
- [Anticipating a Listener, page 141](#)
- [Canceling Certified Delivery, page 142](#)
- [Disallowing Certified Delivery, page 143](#)
- [No Response to Registration Requests, page 145](#)
- [Reusable Names, page 146](#)

- [Ledger Storage, page 147](#)
- [Relay Agent, page 149](#)

See Also

Certified delivery software uses advisory messages extensively. For example, advisories inform sending and receiving programs of the delivery status of each message. For complete details, see [Appendix B, Certified Message Delivery \(RVCM\) Advisory Messages, on page 269](#).

With programs that send or receive certified messages across network boundaries, you must configure the Rendezvous routing daemons to exchange `_RVCM` administrative messages. Discuss this detail with your network administrator.

Table 23 *Certified Message Delivery Programming Details*

C	Certified Message Delivery on page 269 in <i>TIBCO Rendezvous C Reference</i>
C++	Certified Message Delivery on page 295 in <i>TIBCO Rendezvous C++ Reference</i>
Java	Certified Message Delivery on page 269 in <i>TIBCO Rendezvous Java Reference</i>
.NET	Certified Message Delivery on page 173 in <i>TIBCO Rendezvous .NET Reference</i>

Certified Delivery Features

Rendezvous *certified* message delivery software offers stronger delivery assurances than standard Rendezvous *reliable* delivery.

- **Certainty**

Certified delivery assures programs that every certified message reaches each intended recipient—in the order sent. When delivery is not possible, both sending and listening programs receive explicit information about each undelivered message.

- **Control**

Programs determine an explicit time limit for each message.

Sending programs can disallow certified delivery to specific listener transports.

- **Convenience**

Once a program sends a certified message, Rendezvous software continues delivery attempts until delivery succeeds, or until the message's time limit expires.

- **Detail**

Rendezvous certified delivery software presents advisory messages to inform programs of every significant event relating to delivery.

- **Ledger Recording: Process-Based or File-Based**

Rendezvous certified delivery software records the status of each message in a ledger. For programs that require certification only for the duration of the program process, choose a process-based ledger. For programs that require certification that transcends process termination and program restart, choose a file-based ledger.

- **Graceful Degradation**

Certified delivery meshes smoothly with standard Rendezvous communications. When certified delivery is disallowed, delivery conditions degrade gracefully to the standard Rendezvous reliable delivery semantics.

Reliable versus Certified Message Delivery

Standard Rendezvous communications software features *reliable message delivery*, which works well for many programs. *Certified message delivery* protocols offer even stronger assurances of delivery, along with tighter control, greater flexibility and fine-grained reporting. [Table 24](#) compares the two delivery protocols.

Table 24 Comparing Reliable and Certified Message Delivery (Sheet 1 of 2)

Aspect	Reliable Delivery	Certified Delivery
Location of Protocols	Reliable message delivery protocols are implemented in the Rendezvous daemon (<code>rvd</code>).	Certified message delivery protocols are implemented in a separate library layer (<code>tibrvcn</code>). This library uses <code>rvd</code> for message transport.
Protocol Visibility	Reliable delivery protocols are invisible to programmers.	Certified delivery calls automatically adhere to certified delivery protocols, yet the protocols give programmers abundant status information and limited control.
Protocol Information	Rendezvous daemons inform programs when data is lost. Minimal information about the lost data is available.	The library presents advisory messages to inform programs of every significant event related to certified delivery. Advisories identify specific messages by correspondent name, subject name and sequence number.
Ledger	None.	The certified delivery library records outbound messages in a ledger, either within the program process storage, or in file storage.
Data Recovery	<code>rvd</code> retains outbound messages for the duration of the effective reliability interval.	The certified delivery library retains outbound messages in the ledger until either delivery is complete or the time limit (set by the program) expires.
Data Persistence	Until the reliability interval elapses, or until <code>rvd</code> process termination—whichever is first.	With persistent correspondents, certified delivery can extend beyond program process restart. It is not affected by <code>rvd</code> process termination.
Network Bandwidth	Minimal network overhead beyond the message itself.	Additional network overhead to confirm delivery of each certified message.

Table 24 Comparing Reliable and Certified Message Delivery (Sheet 2 of 2)

Aspect	Reliable Delivery	Certified Delivery
File Storage	No file storage overhead.	Optional file-based ledgers consume file storage for each message until delivery is complete (or the time limit expires).
Routing Daemons	Both protocols work across Rendezvous routing daemons (<code>rvrd</code>).	

Example Applications

Certified delivery is appropriate when a sending program requires individual confirmation of delivery for each message it sends. For example, a traveling sales representative enters sales orders on a laptop computer, and sends them to a central office. The representative must know for certain that the order processing system has received the data.

Certified delivery is also appropriate when a receiving program cannot afford to miss any messages. For example, in an application that processes orders to buy and sell inventory items, each order is important. If any orders are omitted, then inventory records are incorrect.

Certified delivery is appropriate when each message on a specific subject builds upon information in the previous message with that subject. For example, a sending program updates a receiving database, contributing part of the data in a record, but leaving other parts of the data unchanged. The database is correct only if all updates arrive in the order they are sent.

Certified delivery is appropriate in situations of intermittent physical connectivity—such as discontinuous network connections. For example, consider an application in which several mobile laptop computers must communicate with one another. Connectivity between mobile units is sporadic, requiring persistent storage of messages until the appropriate connections are reestablished.

Inappropriate Situations

High Data Rates

Do not use certified message delivery in situations that require high data rates. In comparison with reliable delivery, certified delivery requires additional processing time, exchanges more control messages, and consumes more process memory (and optionally disk storage as well). Usage of these resources grows in proportion to three quantities:

- The number of certified messages sent.
- The size of the data in those messages.
- The number of listeners that receive certified delivery.

Therefore, for optimal performance, we encourage sparing use of certified message delivery.

Decentralization

Rendezvous certified message delivery has a decentralized, stream-oriented, peer-to-peer architecture. [Table 25](#) outlines the differences between centralized, server-based architectures (such as message queuing products), and decentralized architectures (such as Rendezvous certified message delivery).

Table 25 Centralized versus Decentralized Architecture (Sheet 1 of 3)

Aspect	Centralized	Decentralized
Example	JMS Message queuing products.	Rendezvous Certified Message Delivery
Components	Message producers. Message consumers. Centralized server as intermediary.	Message producers. Message consumers.
Basic Operating Principle	A producer sends a message to the central server. The server stores the message until it has delivered it to each consumer.	A producer sends a message to consumers. The producer stores the message until each consumer has acknowledged receipt.
Communication Pattern	Producer to server; server to consumers.	Peer-to-peer.
Protocol	Store and forward queue protocol.	Stream-oriented protocol.
Administration	An intermediary server is required between producers and consumers.	No intermediary is required. Producers communicate directly with consumers.

Table 25 Centralized versus Decentralized Architecture (Sheet 2 of 3)

Aspect	Centralized	Decentralized
Resources		
Network Bandwidth	<p>Each message traverses the network at least twice—once from the producer to the server, and again from the server to the consumers. Some servers multicast to all consumers simultaneously; others send to each consumer individually.</p> <p>Control and protocol messages use additional bandwidth.</p>	<p>Each message traverses the network once from producer to all consumers.</p> <p>Control and protocol messages use additional bandwidth.</p>
Storage Resources	<p>The central server stores all messages and delivery state for all its clients; it requires disk resources in proportion to total throughput volume.</p>	<p>Each producer stores its outbound messages and some delivery state; it requires disk resources in proportion to its outbound volume.</p> <p>Each consumer stores its inbound delivery state; it requires minimal disk resources.</p>
Storage Integrity	<p>Disk failure on a server host computer can be catastrophic, affecting all messages from every client. Many installations protect against disk failure using safeguards such as disk mirroring.</p>	<p>Disk failure on a peer host computer affects only the messages that its programs produce or consume. However, disk mirroring for each individual peer is often impractical.</p>

Table 25 Centralized versus Decentralized Architecture (Sheet 3 of 3)

Aspect	Centralized	Decentralized
State		
State Information	All information about message delivery state resides with the central server.	Information about message delivery state is distributed, residing in part with each individual producer, and in part with each individual consumer.
State Master	The central server is the master of overall delivery state.	Since delivery state information is distributed, no entity can be the single master of the overall state. Rather, individual peers are masters of their own parts of the state. Relay agents are not masters of any state.
Monitoring Delivery State	Programs can query the state master (server) about delivery state.	Delivery state monitoring requires application-level code in each producer and consumer.
Changing Delivery State	In some centralized architectures, the state master (server) can make administrative changes to delivery state—for example, it might delete, reorder, or replay messages.	No central component can make administrative changes to overall delivery state.

Certified Message Delivery in Action

Certified message delivery is a protocol with several steps, each described in a subsequent section:

- [Creating a CM Transport, page 130.](#)
- [Discovery and Registration for Certified Delivery, page 134.](#)
- [Delivering a Certified Message, page 136.](#)

Creating a CM Transport

To send or receive messages using certified delivery features, a program must first create a *CM transport* (also called a delivery-tracking transport). Each CM transport employs an ordinary transport for network communications. The CM transport adds information so that it can participate in certified delivery protocols; the additional information includes a name and a ledger.

Table 26 CM Transport Creation Calls

C	<code>tibrvcMTransport_Create()</code>
C++	<code>TibrvCmTransport::create()</code>
Java	<code>TibrvCmTransport()</code>
.NET	<code>CMTransport</code>

CM Correspondent Name

Each CM transport has a name—which may be reusable, or non-reusable. The name identifies the CM transport to other CM transports, and is part of the CM label that identifies outbound messages from the CM transport.

A name is *reusable* when a program supplies it explicitly to the CM transport creation call. When a CM transport with a reusable name also has a file-based ledger, it operates as an instance of a *persistent correspondent*—which allows continuity of certified delivery beyond transport invalidation and program restarts (for more information, see [Persistent Correspondents on page 139](#)).

Two CM transports must not bind the same reusable name—that is, at any moment in time, each reusable name must be unique throughout the network. CM transports may reuse a name *sequentially*, but *not simultaneously*. Violating this rule can significantly obstruct certified delivery.

Programs may omit the name from the CM transport creation call—in which case the call generates a unique, *non-reusable* name for the CM transport. No other CM transport on any computer can *ever* have the same name. As a result, a CM transport with a non-reusable name operates as a *transient correspondent*—no subsequent CM transport can continue the certified delivery behavior of a transient CM transport.

Correspondent names have the same syntax as Rendezvous subject names. For more information about the syntax of reusable names, and good practice when selecting a reusable name, see [Reusable Names on page 146](#). For further details about the syntax of Rendezvous subject names, see [Subject Names on page 41](#).

Ledger

Each CM transport keeps a *ledger*, in which it records information about every unresolved outbound certified message, every subject for which this CM transport receives (inbound) certified messages, and other cooperating CM transports.

Programs may store the ledger in a *ledger file*, or in process-based storage within the running program. (Even when a CM transport uses a ledger file, it may sometimes replicate parts of the ledger in process-based storage for efficiency; however, programmers cannot rely on this replication.)

Ledger files must be unique. That is, two CM transports must not use the same ledger file (concurrently).

A CM transport with a file-based ledger and a reusable name qualifies as a *persistent correspondent*, with certified delivery behavior that can extend beyond CM transport destruction.

Labeled Messages

A *labeled message* is like an ordinary Rendezvous message, except that it includes supplementary information, which CM transports can use for certified message delivery:

- The correspondent name of the CM transport that sent the message.
- A sequence number assigned by the sending CM transport.
- A time limit, after which the sending program no longer expects its CM transport to certify delivery of the message.

Sending a Labeled Message

Any CM transport can send a labeled message by using the sending calls in the certified message delivery library (see [Table 27](#)).

Table 27 CM Send Calls

C	<code>tibrvcMTransport_Send()</code> <code>tibrvcMTransport_SendReply()</code> <code>tibrvcMTransport_SendRequest()</code>
C++	<code>TibrvCmTransport::send()</code> <code>TibrvCmTransport::sendReply()</code> <code>TibrvCmTransport::sendRequest()</code>
Java	<code>TibrvCmTransport.send()</code> <code>TibrvCmTransport.sendReply()</code> <code>TibrvCmTransport.sendRequest()</code>
.NET	<code>CMTransport.Send</code> <code>CMTransport.SendReply</code> <code>CMTransport.SendRequest</code>

Receiving a Labeled Message

Two kinds of listening transport can receive labeled messages:

- An ordinary transport listens by creating an ordinary listening event.

- A CM transport listens by creating a CM listening event.

Ordinary Listener Transport

When an ordinary transport receives a labeled message, it presents it to the appropriate callback function as if it were an ordinary message. That is, it ignores the supplementary information that distinguishes a labeled message (the sender's correspondent name and sequence number).

CM Listener Transport

When a CM transport receives a labeled message, its behavior depends on context:

- If the CM listener transport is registered for certified delivery, it presents the supplementary information to the callback function.
- If a CM listener transport is *not* registered for certified delivery with the sending CM transport, it presents the sending transport's correspondent name to the callback function, but omits the sequence number.

In addition, if appropriate, the CM listener transport automatically requests that the sending transport register the listener for certified delivery. (See [Discovery and Registration for Certified Delivery on page 134](#).)

Discovery and Registration for Certified Delivery

Discovery

When a CM listening transport receives a labeled message from a sending CM transport that is not listed in the listener's ledger, we say that the listener *discovers* the sender on the message subject.

Four actions follow discovery:

- The CM listener transport adds the sender's correspondent name to the listener's ledger, as a source of messages on the subject.
- The CM listener transport contacts the CM sending transport to *request registration* for certified delivery of the subject.
- The CM listener transport presents a `REGISTRATION.DISCOVERY` advisory.
- The CM listener transport stores inbound messages on the newly discovered subject from the CM sender.

Registration

When a sending CM transport receives a registration request from a CM listener transport, the sender automatically *accepts* the request (but see [Disallowing Certified Delivery on page 143](#), and [No Response to Registration Requests on page 145](#)). Acceptance consists of these four actions:

- The CM sender transport *registers* the listener for certified delivery of the subject—recording that fact in the sender's ledger.
- The CM sender transport notifies the CM listener transport that the registration requested is accepted—the sender accepts responsibility for certified delivery on the subject.
- The CM sender transport presents a `REGISTRATION.REQUEST` advisory, to announce the new registered listener to the sending program.
- When the CM listener transport receives the acceptance reply, it presents a `REGISTRATION.CERTIFIED` advisory.

After registration completes successfully, the CM listener transport queues the stored inbound messages in the correct sequence.

Certified Delivery Agreement

Following registration and acceptance, the sending and listening CM transports have a *certified delivery agreement* on the subject.

- The sending CM transport is responsible to record each outbound message on that subject, and to retain the message in its ledger until it receives confirmation of delivery from the listener (or until the time limit of the message elapses).
- In return, the listening CM transport is responsible for confirming delivery of each message.

Rendezvous certified delivery software arranges all of this accounting automatically. The sending and listening programs do not participate directly in these protocols—only indirectly, by sending and listening with certified delivery library calls.

Notice that although both transports participate in a certified delivery agreement, the agreement is asymmetric—it certifies messages from a sender to a listener. A two-way conversation requires *two* separate certified delivery agreements to certify messages in both directions.

We refer to the two CM transports that participate in a certified delivery agreement as a *certified sender* and a *certified listener*, and the labeled messages that flow between them are *certified messages*. Notice the subtle difference in terminology—before establishing a certified delivery agreement, the participating transports are *CM senders and CM listeners*; afterward, they are *certified senders and certified listeners*. Similarly, a labeled message becomes a *certified message* only when the sender and receiver maintain a certified delivery agreement.

Delivering a Certified Message

Once a delivery agreement is in place, all subsequent messages on the subject (from the certified sender to the certified listener) are *certified messages*. Each certified message generates a series of protocol actions:

- When a certified listening transport queues a certified message for the listener’s callback function, it includes the sender’s correspondent name and the message sequence number.
- When the callback function returns, the certified listening transport automatically confirms delivery to the sender. (Programs can override this behavior and confirm delivery explicitly.)
- When confirmation reaches the certified sender, the sending transport records delivery in its ledger, and presents a `DELIVERY.CONFIRM` advisory.
- When confirmation has arrived from every certified listener for this message, the sending transport deletes the message from its ledger, and presents a `DELIVERY.COMPLETE` advisory (to the transport it employs for network communication).

Automatic Confirmation of Delivery

The default behavior of certified listener transports is to automatically confirm message delivery upon return from the callback function. Programs can selectively override this behavior for specific CM listener event objects (without affecting other listener event objects).

By overriding automatic confirmation, the listening program assumes responsibility for explicitly confirming each inbound certified message.

Consider overriding automatic confirmation when processing inbound messages involves activity that is asynchronous with respect to the message callback function, such as computations in other threads or additional network communications.

Table 28 Confirmation of Delivery Calls (Sheet 1 of 2)

C	<code>tibrvcmEvent_ConfirmMsg()</code> <code>tibrvcmEvent_SetExplicitConfirm()</code>
C++	<code>TibrvCmListener::confirmMsg()</code> <code>TibrvCmListener::setExplicitConfirm()</code>

Table 28 Confirmation of Delivery Calls (Sheet 2 of 2)

Java	<code>TibrvCmListener.confirmMsg()</code>
	<code>TibrvCmListener.setExplicitConfirm()</code>
.NET	<code>CMListener.ConfirmMessage</code>
	<code>CMListener.SetExplicitConfirmation</code>

Requesting Confirmation

If a certified sender transport does not receive prompt confirmation of delivery from a certified listener transport (for example, because of network glitches), it automatically requests confirmation. After each request, it presents a `DELIVERY.NO_RESPONSE` advisory.

When a certified listening transport receives a request for confirmation, it checks its ledger, and reconfirms receipt of the messages that it has already confirmed. (This behavior is identical, whether the program uses automatic confirmation, or overrides it.)

Sequencing and Retransmission

Each sending CM transport assigns sequence numbers serially for each outbound subject, so the sequence numbers reflect the order of messages from the sending transport on a specific subject.

Certified messages always dispatch from the event queue in order by sequence number.

For example, a certified listening transport is receiving certified delivery of the subject `FOO` from a certified sender named `BAZ`. After receiving and queuing message number `32`, the next message to arrive is message `35`. Certified delivery software holds message `35` until it can first queue messages `33` and `34`; once these messages arrive, the listening transport queues events for each of the three messages in the proper order.

Meanwhile, the certified listening transport automatically requests retransmission of messages `33` and `34` from `BAZ`. In a case where the time limit on those messages has expired—so `BAZ` no longer has them in its ledger—the certified listener transport presents a `DELIVERY.UNAVAILABLE` advisory, indicating that messages `33` and `34` are no longer available. Then it queues an event for message `35`.

Notice that although certified messages always dispatch from the queue in order of sequence number, it is still possible that a program might process them out of order. For example, if a program dispatches the queue from several threads, the thread processing number `43` might return from its callback function before the thread processing number `42`.

Persistent Correspondents

We introduced the concept of persistent correspondents in the section [CM Correspondent Name on page 130](#). A reusable name and a file-based ledger allow a persistent correspondent to continue certified delivery beyond the invalidation of a CM transport or the restart of a process.

Example

Consider an example application system, in which program `JOE` generates important information, and sends it to program `SUE` in certified messages on the subject `REMEMBER.THIS`. Upon receipt, `SUE` stores the information in a database.

If either `JOE` or `SUE` terminate unexpectedly, it is crucial that certified messages still arrive for entry into the database. To ensure this result, both programs must represent persistent correspondents—that is, both programs create CM transports with reusable names (`JOE_PER` and `SUE_PER`), and each of these CM transports keeps a file-based ledger. In addition, `SUE` requires old messages by setting a parameter when creating the CM transport `SUE_PER`.

During operation, `JOE` has sent message number 57 on the subject `REMEMBER.THIS`, but has not yet received delivery confirmation for messages 53–56. `SUE` is processing message 53, when a sudden hardware failure causes `SUE` to terminate. Meanwhile, `JOE` continues to send messages 58–77.

When the computer restarts, `SUE` restarts and recreates `SUE_PER`. The ledger file for `SUE_PER` indicates that message 52 was received and confirmed for the subject `REMEMBER.THIS`. As soon as `SUE_PER` discovers that `JOE_PER` sends labeled messages on the required subject, `SUE_PER` requests a certified delivery agreement for the subject `REMEMBER.THIS`. When `JOE_PER` accepts, `JOE_PER` retransmits the stored messages 53–77 on that subject.

Notice these details:

- `SUE` does not miss any `REMEMBER.THIS` messages. However, the new `SUE_PER` must gracefully fix any difficulties caused by partial processing of message 53 by the old `SUE_PER`.
- `JOE` and `SUE` communicate using a public subject name—not an inbox. Inbox names are unique, so they cannot continue beyond transport invalidation.
- `SUE` explicitly requires old messages by setting a parameter when creating the persistent correspondent named `SUE_PER`; this parameter ensures that `JOE_PER` retransmits certified messages that the previous instance of `SUE_PER` had not confirmed. If the value of the `requireOldMsgs` argument were false,

`JOE_PER` would delete stored outbound messages for `SUE_PER` from its ledger, instead of retransmitting them.

Anticipating a Listener

In some situations, a sending CM transport can anticipate the request for certified delivery from a (listener) persistent correspondent that has not yet registered.

Consider an example in which a database program (`DB`) records all messages with the subject `STORE.THIS`. The program `DB` creates a CM transport that instantiates a persistent correspondent named `DB_PER`. All programs that send messages with the subject `STORE.THIS` depend on this storage mechanism.

One such sending program is `JAN`. Whenever `JAN` starts, it can anticipate that `DB_PER` will request certified delivery of the subject `STORE.THIS`. Suppose that `JAN` starts, but `DB` is not running, or a network disconnect has isolated `JAN` from `DB`. Anticipating that it will eventually receive a registration request for `STORE.THIS` from `DB_PER`, `JAN` makes an add listener call. The effect is that the sending CM transport in `JAN` behaves as if it has a certified delivery agreement with `DB_PER` for the subject `STORE.THIS`; it stores outbound messages (on that subject) in its ledger. When `DB` restarts, or the network reconnects, the sender CM transport in `JAN` automatically retransmits all the stored messages to `DB_PER`.

It is not sufficient for a sender to anticipate listeners; the anticipated listening programs must also require old messages when they create their CM transports.

The sending transport must be available to process the registration request and redeliver stored messages (if necessary).

Table 29 Add Listener Calls

C	<code>tibrvcMTransport_AddListener()</code>
C++	<code>TibrvCmTransport::addListener()</code>
Java	<code>TibrvCmTransport.addListener()</code>
.NET	<code>CMTransport.AddListener</code>

Canceling Certified Delivery

Either a listening or a sending program can cancel a certified delivery agreement.

A listening program can cancel agreements when destroying the CM listener *event* object, using a cancel agreements parameter of the calls in [Table 30](#). All sending CM transports that had certified delivery agreements to the destroyed listener present `REGISTRATION.CLOSED` advisories.

Notice that destroying the CM transport object in the listening program implicitly invalidates all its listener events, but does not cancel their certified delivery agreements; the sender continues to store outbound messages in its ledger.

Table 30 Close Listener Calls

C	<code>tibrvcmEvent_Destroy()</code>
C++	<code>TibrvCmListener::destroy()</code>
Java	<code>TibrvCmListener.destroy()</code>
.NET	<code>CMListener.Destroy</code>

A certified sender transport can cancel certified delivery of a specific subject to a specific CM listening transport, using calls in [Table 31](#). The sender transport deletes from its ledger all information about delivery of the subject to the listening transport. The sender presents a `REGISTRATION.CLOSED` advisory. If the listening correspondent is available (that is, its program is running and reachable), it presents a `REGISTRATION.NOT_CERTIFIED` advisory. (Unlike the disallow listener calls in [Table 32 on page 143](#), these calls do not cause denial of subsequent registration requests.)

Table 31 Remove Listener Calls

C	<code>tibrvcmTransport_RemoveListener()</code>
C++	<code>TibrvCmTransport::removeListener()</code>
Java	<code>TibrvCmTransport.removeListener()</code>
.NET	<code>CMTransport.RemoveListener</code>

Disallowing Certified Delivery

Motivation

Consider a CM listening correspondent in a program that has stopped and is unlikely to restart. The CM sender transport continues to store and hold messages for the listener in its ledger file. The sending program can explicitly *disallow* the listener, clear the listener's registration from its ledger, and avoid the CM overhead associated with that listener.

Do *not* disallow listeners as a strategy to control the growth of ledger files in an unstable environment. For this purpose set the CM message time limit.

Process

As described in [Registration on page 134](#), CM transports automatically accept all registration requests. This is true *except* when a CM sender transport explicitly disallows certified delivery to a listening correspondent.

Calls in [Table 32](#) disallow a listening correspondent; these calls cancel existing certified delivery agreements with the listening correspondent (on all subjects), and cause the CM transport to automatically deny subsequent registration requests from the listening correspondent.

When a CM sender transport has disallowed a listening correspondent, the events connected with registration do not occur. Instead, the CM sender transport notifies the listener transport that the request is disallowed. When the listening transport receives the rejection notice, it presents a `REGISTRATION.NOT_CERTIFIED` advisory.

Disallowed listeners still receive subsequent messages from this sender, but delivery is not certified. The disallowed listener does not receive the initial message (the one that triggers the disallowed registration and rejection notice); it receives subsequent messages without certification.

Allow listener calls supersede the effect of a previous disallow listener call, allowing subsequent registration requests from the listener transport to succeed.

Table 32 *Disallow Listener Calls (Sheet 1 of 2)*

C	<code>tibrvcMTransport_DisallowListener()</code>
C++	<code>TibrvcMTransport::disallowListener()</code>
Java	<code>TibrvcMTransport.disallowListener()</code>

Table 32 Disallow Listener Calls (Sheet 2 of 2)

.NET	CMTransport.DisallowListener
------	------------------------------

No Response to Registration Requests

It is possible that a registration request never reaches the CM sender transport, or the acceptance notice never reaches the CM listener transport (for example, because of network glitches, or termination of the sending program). After repeated attempts to register without response from the sender, the listening CM transport presents a `REGISTRATION.NO_RESPONSE` advisory. After several attempts to register with no response, the listening transport stops sending requests.

Reusable Names

CM transports that represent persistent correspondents require reusable names. Reusable names must obey the syntax for Rendezvous subject names.

Reusable names must not contain wildcard characters. Reusable names may not begin with reserved elements (such as `_INBOX`, `_RV` or `_LOCAL`).

The maximum length of a reusable name is 50 total characters. For stability and best performance, use very short reusable names—only a few characters, with no more than three or four elements.

The empty string ("") is not a legal correspondent name.

For syntactic details of subject names, which also apply to reusable names, see [Subject Names on page 41](#).

Ledger Storage

Each CM transport records information in a ledger, which occupies storage space—whether within the program process, in a ledger file, or both.

A CM transport that represents a persistent correspondent must keep a copy of the ledger in a file. The file-based ledger preserves certified delivery information beyond transport invalidation, or process termination and restart.

A file-based ledger has two associated costs:

- The ledger file consumes disk space.
- The program pauses to update the ledger file (synchronously or asynchronously).

Transient correspondents need not pay these costs, because they do not use ledger files. However, keeping the ledger in process-based storage consumes process memory.

Rendezvous software neither clears nor deletes ledger files.

See Also [Persistent Correspondents, page 139.](#)

Ledger Size

The size of the ledger depends on several factors—the most important of which is the retention rate of stored data. That is, the ledger grows fastest in response to the cumulative length of incompletely delivered messages.

Program developers can estimate the expected size of the ledger, and must ensure that the process can allocate sufficient memory to contain it. For a file-based ledger, ensure that sufficient disk space is available as well.

Ledger Storage Allocation

Ledger files use a general storage allocation scheme:

- Each ledger acquires a pool of storage, and manages that pool. The ledger reuses existing storage whenever possible. Ledger files grow as needed.
- Ledger files grow by adding storage in integer multiples of a minimum allocation size.
- Because storage allocation involves *expensive* operating system calls, ledger files pre-allocate large blocks of storage to reduce the number and frequency of such calls.

- Rendezvous software automatically reclaims ledger file storage on operating systems that support this feature.

Number of Unique Subjects

With certified delivery and distributed queue features, the cost of storage and accounting varies according to the number of subject names. We strongly discourage embedding one-time tokens (such as timestamps) within such subject names, because they can result in unbounded growth of storage and accounting costs. Instead, embed such one-time values within message fields.

Ledger File Location

The ledger file must reside on the same host computer as the program that uses it. Do *not* use network-mounted storage for ledger files.

Remember that certified message delivery protects against component or network failure. Placing ledger files across a network (for example, on a separate file server) introduces a new dependency on the network, leaving components vulnerable to network failures.

Relay Agent

Relay agents support certified delivery in situations where persistent correspondents connect only intermittently to the network. This feature supports certified message delivery among laptop computers, and among persistent correspondents that run as ephemeral processes (for example, UNIX `cron` jobs).

For example, consider the situation in [Figure 14 on page 150](#). Mobile employees use laptop computers, connecting to the network whenever time and communications access permit. They run programs that communicate using certified message delivery. Relay agents collect messages on behalf of disconnected client programs, and deliver them when the programs reconnect. Relay agents also store certified delivery protocol state on behalf of their client programs, and resynchronize that state whenever the client reconnects.


Operation

In [Figure 14 on page 150](#), solid lines represent continuous connections, while broken lines represent intermittent connections.

The sending program on laptop A creates a CM transport, designating RAB as its relay agent. The listening program on laptop D creates a CM transport, designating RAC as its relay agent. (When both programs run in the same network, they could designate the same relay agent. In this example, the programs use separate relay agents, to illustrate that computers B and C could be in different networks.) Computers E and F remain continuously connected to the network; their programs do not require relay agents, but they can interact with RAB and RAC.

The relay agents store inbound certified messages and labeled messages (and other messages related to certified delivery features) on behalf of their disconnected client programs. When a client is connected, it receives inbound messages immediately.

Figure 14 Relay Agents



When laptop A is connected to the network, and connected to RAB, the sending program transfers its outbound certified messages to RAB, which in turn sends them to the network. When laptop A is disconnected, the program process stores its outbound certified messages; upon reconnection, it transfers the stored messages to RAB, which sends them to the network.

When laptop D is connected to the network, and connected to RAC, the listening program receives all inbound certified messages through RAC. When the connected listener confirms receipt, the confirmations flow through RAC.

In contrast, when laptop D is disconnected, the relay agent named RAC stores certified messages on behalf of the listening program; upon reconnection, RAC transfers the stored messages to the listening program.

When laptops A and D are both connected to the network, the sending program receives inbound confirmations as the listening program on D sends them (through intermediaries RAC and RAB). When laptop A is disconnected, the relay agent named RAB stores the confirmations from D; upon reconnection, it transfers the confirmations to the sending program on A. If the listener on D disconnects before confirming receipt, the listener stores the confirmations until it reconnects to RAC; upon reconnection, the listener transfers the stored confirmations to RAC.

Communication

Once a CM transport designates a relay agent, *all* its communications flow through that relay agent.

Each time a CM transport reconnects with the network, it attempts to contact its designated relay agent using multicast or broadcast protocol messages. After establishing contact, the program client and its relay agent use point-to-point communications to transfer messages and resynchronize protocol state information.

Protocol State

Relay agents mirror the protocol state associated with certified delivery—including registration state and message confirmation state. When the client is disconnected from the relay agent, their protocol states can diverge; they resynchronize when the client reconnects. The client CM transport is *always* the master of the protocol state, and the relay agent is the mirror.

Transparency

Relay agents are *transparent*; that is, the *semantics* of certified delivery, confirmation, discovery, and registration remain the same, whether or not relay agents are operating. Confirmation indicates that the certified listener has actually received the certified message (relay agents do not generate confirmations on behalf of listening clients).

Connecting and Disconnecting

A program can control the connections to its relay agent *implicitly* or *explicitly*:

- Implicit control works best for a program that creates a new CM transport each time it establishes network connectivity.
 - Creating a CM transport implicitly connects it to its designated relay agent.
 - Destroying a CM transport implicitly disconnects it from its relay agent.

For example, consider a laptop program that the user terminates before disconnecting, and restarts after reconnecting. Even though this program embodies a persistent correspondent, it creates a new CM transport object each time it restarts.

As another example, consider an ephemeral process (such as a UNIX `cron` job). Each time it starts, it creates a new CM transport object, even though each instance embodies the same persistent correspondent.

- Explicit control works best for a program that retains the same CM transport object through several cycles of intermittent network connectivity.
 - Explicitly connect each CM transport to its relay agent whenever network connectivity resumes.
 - Explicitly disconnect each CM transport from its relay agent before disconnecting from the network.

For example, consider a laptop user who connects to the network whenever a telephone line is available, yet continues to use the same program process even when the computer is physically disconnected from the network. The program can use one CM transport object for its entire process lifetime, explicitly connecting to the relay agent when the computer connects to the network, and disconnecting from the relay agent when the computer disconnects from the network.

Table 33 summarizes the calls that control relay agent connections—implicitly and explicitly.

Table 33 Relay Agent Connect and Disconnect Calls (Sheet 1 of 2)

C	Implicit	<code>tibrvcMTransport_Create()</code> <code>tibrvcMTransport_Destroy()</code>
	Explicit	<code>tibrvcMTransport_ConnectToRelayAgent()</code> <code>tibrvcMTransport_DisconnectFromRelayAgent()</code>

Table 33 Relay Agent Connect and Disconnect Calls (Sheet 2 of 2)

C++	Implicit	<code>TibrvCmTransport::create()</code> <code>TibrvCmTransport::destroy()</code>
	Explicit	<code>TibrvCmTransport::connectToRelayAgent()</code> <code>TibrvCmTransport::disconnectFromRelayAgent()</code>
Java	Implicit	<code>TibrvCmTransport()</code> <code>TibrvCmTransport.destroy()</code>
	Explicit	<code>TibrvCmTransport.connectToRelayAgent()</code> <code>TibrvCmTransport.disconnectFromRelayAgent()</code>
.NET	Implicit	<code>CMTransport</code> <code>CMTransport.Destroy</code>
	Explicit	<code>CMTransport.ConnectToRelayAgent</code> <code>CMTransport.DisconnectFromRelayAgent</code>

Connecting

Connect calls are non-blocking; they immediately return control to the program, and asynchronously attempt to connect to the relay agent (continuing until they succeed, or until the program makes a disconnect call).

When a CM transport attempts to connect to a relay agent, Rendezvous software automatically locates the relay agent process (if it exists). When the CM transport successfully connects to the relay agent, they synchronize:

- The CM transport receives a `RELAY.CONNECTED` advisory, informing it of successful contact with the relay agent.
(When a CM transport cannot locate its relay agent, it presents a `DELIVERY.NO_RESPONSE` advisory; however, do not design programs to rely on this side effect.)
- If the client transport is a *CM listener*, the relay agent ensures that it is listening to the same set of subjects on behalf of the client. The relay agent also updates its confirmation state to reflect the state of the program transport.
- If the client transport is a *CM sender*, the relay agent updates its acceptance state to reflect the state of the program. The sending client updates its confirmation state to reflect the state of the relay agent.

- The CM transport and relay agent exchange the data messages that they have been storing during the time they were disconnected.

Code programs to remain connected for a minimum of two minutes, to allow time for synchronization to complete. (Two minutes is a generous estimate, which is sufficient for most situations. Actual time synchronization time can be much shorter, and varies with the number of stored messages and the degree to which protocol state has changed.)

Disconnecting

Disconnect calls are non-blocking; they immediately return control to the program, and asynchronously proceed with clean-up tasks:

- If the client transport is a *CM listener*, the relay agent attempts to synchronize its listening state with the transport (to assure that the relay agent adequately represents the CM listeners of the client).
- The CM transport stops communicating with the relay agent.

The CM transport stores subsequent outbound events—including data messages and protocol state changes. If the CM transport is a certified *sender*, it stops requesting delivery confirmation for outstanding unconfirmed messages. (See also, [Requesting Confirmation on page 137](#).)

The relay agent stores subsequent inbound events for the CM transport—including data messages and protocol state changes.

- A CM transport that explicitly disconnects (and is not destroyed) presents a `RELAY.DISCONNECTED` advisory, informing the program that it is safe to sever the physical network connection. (A CM transport that implicitly disconnects during its destruction sequence will never present this advisory; instead, it is safe to sever the physical connection when the destroy call returns.)

Delays

Programs that connect only intermittently add delays to several phases of certified message delivery, including discovery and registration, delivery, and confirmation of receipt. Because of these delays, certified messages might require longer time limits than they would in the absence of relay agents.

To understand the possible sources of delays, consider this worst-case situation. [Figure 15 on page 156](#) depicts the network arrangement; [Figure 16 on page 157](#) illustrates the narrative:

1. The CM transport on laptop D listens to the subject `foo`. When the listener transport connects to its relay agent (RAC), RAC begins listening on its behalf. The listener transport then disconnects from RAC.

2. The CM transport on laptop A sends messages to the subject `f○○`.

Although the CM send call produces a labeled message, the CM transport on D is not yet registered as a certified listener—so when it receives this message, it does not confirm receipt. By anticipating the listener and pre-registering it, the CM sender can certify this outbound message even before the listener requests registration.

When the sender transport connects to its relay agent (RAB), it transfers its stored outbound messages to RAB, which in turn sends them to the network. The sender then disconnects from RAB.

3. RAC receives the messages from RAB, stores them for its listening CM transport client on D, and automatically requests registration on behalf of that listening client.

RAB receives the registration request, and stores it for its sending client on A.

4. When the CM sending transport on A connects, it transfers its waiting outbound messages to RAB, and accepts the registration request.

Both RAB and RAC store the acceptance state.

From this time forward, the sender and listener transports have a certified delivery agreement (even though the listener has not yet received any notice of acceptance). Subsequent messages from the sender are certified (but messages sent previously are not certified).

Then the sender disconnects.

5. When the listening CM transport on D connects, it transfers the acceptance state from RAC, along with stored inbound messages. The listener confirms receipt of the certified messages. Both RAB and RAC store the confirmation state.
6. When the sending CM transport on A connects, it transfers the confirmation state from RAB.

Figure 15 Relay Agents and Delays: Network





Figure 16 Relay Agents and Delays: Timing



Notice these delays:

- Although the listener transport begins listening at step 1, the sender transport does not receive a request for certified delivery until step 4. Messages sent before establishing the certified delivery agreement are not certified for that listener.
- Although the sender transport begins sending certified messages at step 4, it does not receive confirmation until step 6. The message time limit must be longer than this delay, otherwise the message expires before confirmation arrives, and the sender transport presents a `DELIVERY.FAILED` advisory.

Capacity

Each relay agent can serve CM transports in several client programs simultaneously, limited only by the relay agent host computer and its network interface. The client CM transports of a relay agent can both send and listen.


Reply Name Substitution

Consider the intermittently connected program (A) in [Figure 17 on page 159](#). A sends a certified request message (for example, a query) and expects a reply message by listening to an inbox name (the reply can be certified or an ordinary message). When A disconnects, it becomes unavailable to receive the reply message.

To ensure that the reply arrives properly, the relay agent (RAB) establishes a surrogate inbox name, and substitutes that name as the reply name on the outbound message. When the reply arrives, RAB receives it, and substitutes the original reply inbox name before transferring the reply to A. [Figure 17 on page 159](#) illustrates this sequence.

To see why reply name substitution is important, consider the result *without* substitution. Suppose instead that A places the reply inbox name in a field of the request message, and sends it without a proper reply name. In this erroneous situation, the relay agent cannot intercept the reply message—so if A is disconnected when the reply is sent, A does not receive the reply.

Figure 17 Relay Agents: Reply Name Substitution



Notice that if A destroys the original inbox listener event or invalidates its transport, then it can never receive the reply message from RAB.

Notice that when the reply name is a public subject (rather than an inbox), reply name substitution is unnecessary—since the relay agent can listen to the same reply subject as A. This arrangement works properly even when A terminates and restarts, or creates a new transport.

See Also For information about the relay agent process, see [Relay Agent on page 259](#) in *TIBCO Rendezvous Administration*.

Chapter 12 Distributed Queue

A *distributed queue* is a group of CM transport objects, each in a separate process. Programs can use distributed queues for *one-of-n* certified delivery to a group of worker processes.

Topics

- [Distributed Queue Example, page 162](#)
- [Distributed Queue Members, page 163](#)
- [Scheduler Parameters, page 165](#)
- [Assigning Tasks to Workers, page 166](#)
- [Complete Time, page 169](#)
- [Reassigning Tasks in Exceptional Situations, page 170](#)
- [Case Studies—Complete Time, page 172](#)
- [Distributed Queues and Certified Listener Advisory Messages, page 174](#)


Distributed Queue Example

Programs can use distributed queues for *one-of-n* certified delivery to a group of servers, in order to balance the load among the servers.

This example illustrates a distributed group of database servers that accept certified messages representing tasks (updates and queries). Rendezvous distributed queue software assigns each task to exactly one of the servers, while the group of servers and the distribution of tasks remains completely transparent to the client processes.

Figure 18 illustrates a server group as a cloud of distributed queue members. From outside, the group appears to be a single transport object; inside the cloud, the members act in concert to process inbound task messages. A program outside the group sends a task message to the group; notice that the sender is not a group member, and does not do anything special to send its message to a group; rather, it sends its message to an ordinary subject name. Inside the group, the member acting as scheduler assigns each task message to exactly one of the workers; only that worker processes the task message.

Figure 18 One-of-N Delivery to a Distributed Queue



Distributed Queue Members

A distributed queue is a group of cooperating transport objects, each in a separate process; each transport object is called a member. From the outside, a distributed queue appears as though a single transport object; inside, the group members act in concert to process inbound task messages. Ordinary transports and CM transports can send task messages to the group; notice that the senders are not group members, and do not do anything special to send messages to a group; rather, they send messages to ordinary subject names (but wildcard subjects are illegal). Inside the group, the member acting as scheduler assigns each task message to exactly one of the other members (which act as workers); only that worker processes the task message.

The members of a distributed queue all share the same reusable correspondent name, indicating that they are members of the distributed queue with that name.

Each member of a distributed queue must listen for the same subjects using CM listener objects. Yet even when n members listen for each inbound message (or task), only one member processes the message.

Certified Delivery Behavior in Queue Members

Group members support a limited subset of certified delivery calls—members can listen to a subject, override automatic confirmation of delivery, and confirm delivery. Member transports do *not* support calls associated with sending messages.

Distributed queues do not use ledger files. Group members automatically require old messages from certified senders.

Scheduler recovery and task rescheduling are available only when the task message is a certified message (that is, a certified delivery agreement is in effect between the task sender and the distributed queue transport scheduler).

Member Roles—Worker and Scheduler

Each distributed queue member has two distinct roles—as a worker, and as a potential scheduler.

In the *worker role*, members listen for task messages, and process inbound task messages as assigned by the scheduler.

Rendezvous fault tolerance software maintains exactly one active scheduler in each distributed queue; if the scheduler process terminates, another member assumes the role of scheduler. The member in the *scheduler role* assigns inbound tasks to workers. (A scheduler can assign tasks to its own worker component, but only does so when all other workers are busy.)

Enforcing Identical Subscriptions

It is important that all members of a distributed queue listen to the same set of subjects. It is good practice that programs enforce this rule among the distributed queue members. The easiest technique for enforcing identical subscriptions is to fix the subscription list within the program code (for example, as a constant).

If one member removes a subscription (that is, it destroys a listener), then it is good practice that all the members also close that subscription. The easiest technique for enforcing this rule is to avoid removing subscriptions at all.

Fault Tolerance versus Distributed Queues

Fault tolerance usually requires that every member of a fault tolerance group receive each message. In contrast, each message to a distributed queue group is received by exactly one worker in the group. These mutually exclusive semantics cannot co-exist in the same distributed application program. That is, a program cannot simultaneously be a member of a fault tolerance group and a member of a distributed queue.

At a lower level, however, distributed queues automatically use fault tolerance software to elect and maintain a scheduler (see [Scheduler Parameters on page 165](#)).

Scheduler Parameters

Although any group member has the potential to become the scheduler, the software maintains exactly one scheduler at all times. Parameters guide the software to select the most suited member as scheduler.

Scheduler Weight	Scheduler weight represents the ability of a member to fulfill the role of scheduler, relative to other members of the same distributed queue. The group members use relative scheduler weight values to elect one member as the scheduler; members with higher scheduler weight take precedence. For further details, see Rank and Weight on page 184 .
Heartbeat Interval	The active scheduler sends heartbeat messages at the interval you specify (in seconds). Heartbeat messages inform other members that a member is acting as the scheduler. All members of a group must specify the same scheduler heartbeat interval. To determine the correct value, see Step 4: Choose the Intervals on page 215 .
Scheduler Activation Interval	In addition, all members of a group must specify the same scheduler activation interval. When the heartbeat signal from the scheduler has been silent for this interval (in seconds), the worker with the greatest scheduler weight takes its place as the new scheduler. To determine the correct value, see Step 4: Choose the Intervals on page 215 .

Assigning Tasks to Workers

The scheduler assigns each inbound task to a worker. That worker alone processes the task message in a data callback function.

Worker Weight

Relative worker weights assist the scheduler in assigning tasks. When the scheduler receives a task, it assigns the task to the available worker with the greatest worker weight. The default worker weight is 1.

The scheduler applies a round-robin ordering to distribute tasks among several workers equivalent with equal weight.

Availability

When the scheduler receives a task, it assigns the task to an *available* worker with the greatest worker weight.

A worker is considered available unless either of these conditions are true:

- The pending tasks assigned to the worker exceed its task capacity.
- The worker is also the scheduler. (The scheduler assigns tasks to its own worker only when all other workers are busy.)

Task Capacity

Task capacity is the maximum number of tasks that a worker can accept. When the number of accepted tasks reaches this maximum, the worker cannot accept additional tasks until it completes one or more of them.

When the scheduler receives a task, it assigns the task to the worker with the greatest worker weight—unless the pending tasks assigned to that worker exceed its task capacity. When the preferred worker has too many tasks, the scheduler assigns the new inbound task to the worker with the next greatest worker weight.

The main task of a scheduler is to distribute tasks to workers. Therefore its task capacity should be either 1 (it can assign itself only one task) or zero (it is a dedicated scheduler—that is, it never accepts tasks).

The default worker task capacity is 1. Programmers can tune task capacity based on two factors:

- Multi-tasking program on multiprocessing hardware.

- Communication time lag.

Tuning for Multiprocessing Hardware

Multiprocessing can raise the task capacity of a worker program.

On a multi-processing computer, a multi-threaded program that devotes n threads on n processors to inbound tasks can have task capacity n .

When programming a multi-threaded worker, ensure that the listener object that receives the tasks is set for explicit confirmation of certified messages, and that each thread explicitly confirms each task message when it finishes processing the task.

Tuning for Communication Time Lag

In most distributed queue applications, the communication time is an insignificant fraction of the task turnaround time. That is, the time required to *assign* a task and signal its completion is very small compared to the time required to *process* the task. For example, when average task turnaround time is 2 seconds, of which communication time contributes only 10 milliseconds to the total, then task capacity is the same as the number of processors or threads.

However, in some situations communication time can be significant—for example, when the group members are distributed at distant sites connected by a WAN. When communication time is significant, the meaning of task capacity changes; instead of signifying the number of tasks that a worker can process concurrently, it signifies the number of tasks that can fill the worker's capacity despite the communication time lag.

In most situations, a simple procedure computes a reasonable task capacity. For each worker, do these steps:

1. Measure the average round-trip communication time between scheduler and worker—that is, the time to send an assignment message and return a result message, without any task processing time intervening.
2. Measure the average task processing time, without any communication time.
3. Divide the average round-trip communication time by the average task processing time; round up to the nearest integer; add 1. The result is the theoretical task capacity that minimizes idle time for the worker.

For example, when the average round-trip time is 500 milliseconds, and the average task processing time is 1 second, then setting the task capacity to 2 minimizes the worker's idle time between tasks.

When tuning task capacity to compensate for communication time lag, balance is critical. Underloading a worker (by setting its tasks capacity too low) can cause the worker to remain idle while it waits for the scheduler to assign its next task. Conversely, overloading a worker (by setting its task capacity too high) can cause some assigned tasks to wait, while other workers that might have accepted those tasks remain idle. Tune performance by empirical testing.

Task Capacity



Tuning task capacity to compensate for communication time lag is more complicated than it might seem. For this purpose, use caution when setting task capacities greater than 1.

Complete Time

The complete time parameter of the scheduler affects the reassignment of tasks:

If the complete time is non-zero, the scheduler waits for a worker to complete an assigned task. If the complete time elapses before the scheduler receives completion from the worker, the scheduler reassigns the task to another worker.

Zero is a special value, which specifies no limit on the completion time—that is, the scheduler does not set a timer, and does not reassign tasks when task completion is lacking. All members implicitly begin with a default complete time, which is zero; programs can change this parameter.

See Also [Case Studies—Complete Time, page 172.](#)

Reassigning Tasks in Exceptional Situations

Under normal operating conditions, distributed queue software arranges for exactly one worker to process each task. This section describes three *exceptional conditions* that require different semantics:

- A worker exits or loses network communication before completing an assigned task. The scheduler reassigns the task to another worker.
- A worker processes tasks more slowly than expected. The scheduler uses its complete time parameter to determine whether to reassign the task to another worker. Duplicate processing can occur.
- Scheduler replacement—the scheduler exits or loses network communication, so another member replaces it as the active scheduler. The new scheduler reassigns incomplete tasks, guided by its complete time parameter. Duplicate processing can occur.

Two factors can affect behavior in exceptional situations:

- When the sender and scheduler have a certified delivery agreement, behavior differs from when they do not.
- Behavior differs depending on the scheduler's complete time parameter.

Worker Exit

When a worker exits or loses network communication, the scheduler detects its absence and reassigns all of that worker's incomplete tasks to other workers.

This behavior applies when the task source (sender) and the scheduler have a certified delivery agreement. This behavior applies for any setting of the scheduler's complete time parameter.

Slow Worker

When a worker processes tasks more slowly than expected, the scheduler detects slow operation using timers controlled by the scheduler's complete time parameter.

Complete Time = 0 Scheduler reassigns a task when the assigned worker does not accept it. Once a worker accepts, the scheduler waits indefinitely for completion.

Potential non-completion of tasks.

Complete Time > 0 Scheduler reassigns a task when the assigned worker does not accept it, or does not complete it in time.

Potential duplication of tasks.

This behavior applies *only* when the sender and scheduler have a certified delivery agreement. When no certified delivery agreement is in effect, the scheduler does not reassign tasks based on delayed completion.

The main concern in this situation is to ensure that all certified tasks complete in a timely fashion. When a slow worker hinders this goal, then the scheduler reassigns its task—selecting speed over unduplicated processing. However, if the complete time parameter is zero, then the scheduler selects unduplicated processing over speed (but see also, [Scheduler Replacement](#)).

Scheduler Replacement

When the scheduler exits or loses network communication, another member replaces it as the active scheduler.

Complete Time = 0 The new scheduler immediately reassigns all incomplete tasks.

Complete Time > 0 The new scheduler immediately reassigns all unaccepted tasks. It also sets a timer to elapse after the complete time; when the timer expires, the new scheduler reassigns all incomplete tasks.

This case presents the lowest probability of task duplication, but duplication is still possible for slow workers.

This behavior applies *only* when the sender and scheduler have a certified delivery agreement. When no certified delivery agreement is in effect, the new scheduler does not reassign tasks.

The main concern in this situation is to ensure that all certified tasks complete *at least once* (that is, no certified task remains unprocessed). The new scheduler reassigns all tasks that are at risk (for example, the assigned worker might have exited during scheduler replacement). In achieving this goal, the probability of duplicate processing is high. However, the lowest probability of duplicates is the case in which the complete time parameter is non-zero; in this case, the scheduler uses the extra information to reduce duplication.

Case Studies—Complete Time

The appropriate value for complete time depends upon the goals of the program, and on its operating environment. These case studies illustrate the criteria for selecting the value for this parameter.

Mandelbrot Set

Because it generates beautiful displays, the Mandelbrot set is a popular visual symbol of fractal phenomena. Consider an example application that computes a Mandelbrot display, using a distributed queue of servers to compute the display data.

A display component divides the display region into small chunks (tasks), and sends each chunk to the server group for concurrent processing. Within the group, the scheduler assigns each chunk to an available worker. The worker computes the data for its chunk, and sends the results to the display component, which reassembles and displays them.

Mandelbrot computations are characterized by many small chunks of processing, each of which completes in a short time—estimate under 0.1 seconds. Estimate the network travel time for each task at a few milliseconds. Duplicate processing does no harm (other than wasted effort). The main priority is fast response, since the user is waiting for the display.

For programs with these criteria, consider a complete time of 0.5 seconds. Any task that is still incomplete after 0.5 seconds is reassigned, so the display user perceives only minimal delay, even in exceptional situations. Yet 0.5 seconds is sufficiently high to prevent thrashing in the event of several slow workers; use empirical data to fine tune this parameter.

Fax Confirmation

Consider a business that relies on telephone transactions between customers and service representatives. At the conclusion of each call, the customer receives a one-page summary and confirmation by fax.

A large number of service representatives all send certified tasks to a distributed queue of fax servers. When a fax server receives a task, it transmits the fax and notes the result in the customer's database record.

Each fax task could take several minutes—including redials and other delays. Estimate the network travel time for each task at a few milliseconds. Speed is not critical; the customer is satisfied as long as the fax arrives within 10 minutes. The highest priority is that each task completes (that is, no task is lost). However, duplicated tasks are undesirable—customers prefer to receive only one fax summary.

For programs with these criteria, consider a complete time of 300 seconds (5 minutes). If a task remains incomplete for 5 minutes, the scheduler reassigns the task to another server.

Distributed Queues and Certified Listener Advisory Messages

Table 42 on page 270 lists the certified delivery and distributed queue advisory messages, and indicates which ones can be received by listening correspondents. Members of a distributed queue act in concert as a single listening correspondent; when one member of a distributed queue receives a listener advisory, all the members receive it. (`QUEUE.SCHEDULER.OVERFLOW` is an exception to this rule; only the scheduler receives it.)

Chapter 13 **Fault Tolerance Concepts**

This chapter explains the conceptual foundations of Rendezvous fault tolerance software, the way it works, and ways to use it.

Topics

- [Fault Tolerance, page 176](#)
- [Fault Tolerance in Action, page 177](#)
- [Advantages of Rendezvous Fault Tolerance Software, page 179](#)
- [Groups and Membership, page 180](#)
- [Active and Inactive, page 181](#)
- [Fault Tolerance Callback Function, page 182](#)
- [Active Goal, page 183](#)
- [Rank and Weight, page 184](#)
- [Heartbeats, page 187](#)
- [Detecting Member Failure, page 188](#)
- [Activation Interval, page 189](#)
- [Prepare-to-Activate Hints, page 190](#)
- [Passive Monitor, page 191](#)

See Also

- [Chapter 14, Fault Tolerance Programming, on page 193](#)
- [Chapter 15, Developing Fault-Tolerant Programs, on page 207](#)

Fault Tolerance

In nearly every enterprise, mission-critical programs must continue to function properly despite sudden difficulties such as process termination, hardware failure and network disconnect. *Fault tolerance* in a network environment is characterized by rapid recovery from such failures.

Some fault-tolerant distributed programs keep service interruptions to a minimum by using redundant processes that cooperate across the network. Rendezvous fault tolerance software facilitates the development of distributed programs that use redundant processes for fault tolerance.

Rendezvous fault tolerance software helps your program achieve fault tolerance by coordinating a group of redundant processes. Some processes actively fulfill the tasks of the program, while other processes wait in readiness. When one of the active processes fails, another process rapidly assumes active duty.

Rendezvous fault tolerance software supports any number of cooperating processes connected by a local or wide-area network. Rendezvous fault tolerance software monitors the health of cooperating processes, determines when a key process is no longer in service, and instructs another process to take its place.

Rendezvous fault tolerance software is fast, compact, and adds little overhead to programs.

You can use Rendezvous fault tolerance software to design fault-tolerant behavior into programs from the start, or to retrofit existing programs for fault tolerance.

Programs can passively monitor the number of active members in a fault-tolerance group (whether or not the monitoring program is itself fault-tolerant).

Fault Tolerance versus Distributed Queues

Fault tolerance usually requires that every member of a fault tolerance group receive each message. In contrast, each message to a distributed queue group is received by exactly one worker in the group. These mutually exclusive semantics cannot co-exist in the same distributed application program. That is, a program cannot simultaneously be a member of a fault tolerance group and a member of a distributed queue.


Fault Tolerance in Action

Rendezvous fault tolerance software uses Rendezvous software to communicate between processes.

Components and Operating Environment

Figure 19 on page 177 illustrates the components of a fault-tolerant distributed program in a typical network operating environment. Four identical program processes (A1, A2, A3, A4) run on four separate computers, connected by a network. The program incorporates the Rendezvous API library (including fault tolerance and communications software); a Rendezvous daemon process mediates between each program process and the network.

Figure 19 Fault Tolerance Operating Environment



Example Fault-Tolerant Multicast Producer

In one scenario, a program produces a stream of multicast messages to the network (for example, stock market prices, news stories). Other programs on the network listen to those messages and consume the information.

Only one of the four producer processes (A1) actively sends information. The other three are backup processes; they each compute an information stream that is parallel to that of the active process, but they do not send the information. If the active process stops functioning, Rendezvous fault tolerance software directs one of the three backup processes to begin active multicasting in its place. In this way the redundant processes cooperate to provide a fault-tolerant service without flooding the network with redundant information.

Advantages of Rendezvous Fault Tolerance Software

Rendezvous fault tolerance software builds on the proven strengths of Rendezvous communications software.

- **Location Independence**

Programs that use Rendezvous fault tolerance software are not bound to specific computers, network addresses, nor even to a specific network. TIBCO's subject-based addressing technology gives administrators deployment flexibility.

- **Scalability**

Rendezvous fault tolerance software supports any number of active processes—one, two, twenty, or twenty thousand—up to the intrinsic limits of the network and host computers.

Programs can scale smoothly to any degree of redundancy—from one backup process to hundreds—without additional programming effort.

- **Network Non-Interference**

Several different fault-tolerant programs can share the same network without interference.

- **Convenience**

Rendezvous fault tolerance API is a decision-making tool. It organizes and directs programs for fault-tolerant backup behavior. It simplifies development and use of fault-tolerant programs.

Like all other Rendezvous software, it is compact and easy to use.

You can develop new fault-tolerant programs or retrofit existing programs for fault-tolerant operation.

Groups and Membership

A *fault tolerance group* is a set of program processes that cooperate for fault-tolerant service. Each *member* of a fault tolerance group is an event object instance, in a process running on a computer attached to a network; by extension, we also say that the process is a *member* of the fault tolerance group. A fault tolerance group can have any number of members.

New processes can *join* the group (become members) at any time by creating a fault tolerance member object. Each process that joins a group remains a member until it either withdraws or terminates. Member processes can *withdraw* from the group (cease to be members) at any time by destroying their fault tolerance member object.

Many fault tolerance groups can coexist on the same network. Distinct group names prevent interference. A process can be a member of more than one fault tolerance group (by creating several fault tolerance member objects, one for each group).

Group Name

Each fault tolerance group requires a unique group name. All members of a group must share the same group name. The group name identifies the members of the group, and labels the messages they exchange with one another.

For information about the syntax of group names, and good practice when selecting a group name, see [Step 1: Choose a Group Name on page 208](#).

Active and Inactive

At any moment in time, each member of a fault tolerance group is either active or inactive. An *active* member directly fulfills the program's mission—for example, broadcasting information, responding to queries, or filling requests. An *inactive* member provides backup capacity; inactive members wait in the background, ready to become active immediately if an active member stops functioning.

When a new member joins a group, it is initially inactive.

Each member incorporates Rendezvous fault tolerance software, which operates behind the scenes. Rendezvous fault tolerance software maintains the correct number of active members by issuing instructions, called *actions*, to group members. Each action instructs a member to activate, deactivate, or prepare to activate. (For details, see [Fault Tolerance Callback Actions on page 194](#).)

Rendezvous fault tolerance *monitor* software can passively monitor the members of a group, so other programs can determine the number of active members without actually joining the group. For a description, see [Passive Monitor on page 191](#).

Alternate Terminology

Some approaches to fault tolerance use different terms to describe active and inactive members. In particular, an active member is called *primary*, while inactive members are called *secondary*.

This terminology implies that only one member can be active—the primary. However, Rendezvous fault tolerance software allows any number of active members. This book uses the more general terms, active and inactive.

Fault Tolerance Callback Function

When a process joins a fault tolerance group, it must specify a *fault tolerance callback function* as a parameter. The callback function must be defined by the program. When Rendezvous fault tolerance software detects any change that requires action by the program, it queues the callback function. It is not necessary that all members of a group have the same fault tolerance callback function.

Among its arguments, the callback function receives a token denoting an action—in this way Rendezvous fault tolerance software instructs the program how to behave in order to assure fault-tolerant operation. The callback function *must* comply with the action instruction by taking whatever steps are needed.

The action token may instruct an inactive member to activate; or it may instruct an active member to deactivate; or it may instruct an inactive member to prepare to activate (hinting that an instruction to activate *might* soon arrive).

For more information, see [Fault Tolerance Callback Actions on page 194](#), and [Program Callback Functions on page 195](#).

For information about callback closure arguments, see [Closure Data on page 69](#).

Active Goal

You can design fault tolerance groups with any number of active members. That number is called the *active goal*.

When a member joins a group, it specifies the active goal as a parameter. Rendezvous fault tolerance software maintains that goal, regulating which members are active by issuing instructions to activate and deactivate. When too few members are active, it instructs inactive members to activate; when too many members are active, it instructs active members to deactivate.

Every member of a group must specify the same value for the active goal parameter. It is an error for members of the same group to specify different values for this parameter. When Rendezvous fault tolerance software detects values that do not agree, it delivers an error advisory message to each member of the group (see [PARAM_MISMATCH on page 297](#)).

Example: One Active Member

Broadcast producer programs generally function properly with only one member active at any moment in time; all other members are inactive backup processes. [Example Fault-Tolerant Multicast Producer on page 178](#) illustrates this kind of program. If the number of active members drops below one, then no information flows to consumers. With more than one active member, duplicate messages flood the network.

As long as one or more member processes exist, Rendezvous fault tolerance software maintains a single active member.

Example: Several Active Members

Consider a data-mirroring program that stores data in several different locations; each process instance of the program stores the data on its host computer. It does not matter which of many possible locations store the copies, as long as the network always has at least 5 complete copies. Such a program satisfies its fault tolerance requirement by setting the active goal to 5.

Rank and Weight

Rendezvous fault tolerance software sorts the members of a group, assigning each member a unique *rank*. Rank determines which members are active.

A member with rank n takes precedence over a member with rank $n+1$. In this sense, n represents a *higher* rank than $n+1$.

If the active goal of a group is n , then the members with rank 1 through n are active. The member with rank $n+1$ is known as the *ranking inactive member*. If one of those active members fails, then Rendezvous fault tolerance software instructs the ranking inactive member to activate.

The most important factor in assigning rank is *weight*. When a process joins a fault tolerance group, it specifies its weight as a parameter. Weight represents the ability of a member to fulfill its function—relative to other members of the same group.

To rank the members of a group, Rendezvous fault tolerance software sorts the members by weight. The member with the highest weight receives rank 1 (so it outranks all other members); the member with the next highest weight receives rank 2; and so on. When two or more members have the same weight, Rendezvous fault tolerance software ranks them in way that is opaque to programs.

Weight Values

Each member specifies its weight as a positive integer.

Zero is a special, reserved value; Rendezvous fault tolerance software assigns zero weight to processes with resource errors, so they activate only as a last resort when no other members are available. Programs must always assign weights greater than zero.

(For further details, see [Disabling a Member on page 204](#), and `DISABLING_MEMBER` on page 299.)

Assigning Weight

Weight lets you influence the ranking of member processes based on external knowledge of the operating environment. Assign weight after considering properties such as hardware speed, hardware reliability, and load factors.

For example, if member A runs on a computer that is much faster than member B, then assign higher weight to A than B. Greater weight expresses your opinion that A fulfills its task more effectively than B. As a result, A is ranked before B, and takes precedence.

If members C, D and E all run on equally fast computers with approximately equal load factors, then assign them equal weight. Equal weight expresses no preference for any process over the others. Rendezvous fault tolerance software ranks them in a way that is opaque to programs.

Rank among Members with Different Weight

Members of greater weight always outrank members of lower weight. For example, if member A has weight 200, and member B has weight 100, then A always outranks B.

Inactive members of greater weight preempt active members of lower weight. For example, if B (weight 100) is already active when A (weight 200) starts, then Rendezvous fault tolerance software instructs B to deactivate, and instructs A to activate in its place.

Ranking Members with Equal Weight

If members C and D have equal weight, their relative rank is opaque to programmers. That is, their relative rank does *not necessarily* depend on the order in which two processes start. Consider these (possibly surprising) consequences:

- If member process C starts before member D, you cannot deduce from this order that C outranks D. Nor can you deduce the reverse, that D outranks C.
- If the active goal for the group is 1, and C starts first, and D starts immediately after C—then you cannot assume that either process will be the first to become the active member.

Status Quo among Members with Equal Weight

A ranking inactive member never preempts an active member with the same weight—despite its precedence in rank.

For example, if members E and F have equal weight, with E outranking F, and F already active, then E does not preempt F to become active in its place.

Contrast that example with a situation in which neither E nor F is active, and a new active member is needed to complete the active goal—in this case E activates (rather than F) because E outranks F.

Adjusting Weight

In addition to specifying weight when a process joins a fault tolerance group, sophisticated programs can adjust their weight at any time to reflect changing conditions.

For example, a member might track the changing load factor of its host computer, and adjust its weight accordingly. Rendezvous fault tolerance software automatically recomputes the ranking of members whenever a member changes its weight.

Adjusting weights causes each member to recompute their relative weights of all the members of the group. For large groups this recomputation can affect performance.

For examples, see [Adjusting Member Weights on page 205](#).

Heartbeats

Each active member of a fault tolerance group broadcasts a *heartbeat signal* to the other group members. The heartbeat signal is a regular, periodic stream of *heartbeat messages*. The heartbeat signal indicates that the member is still active.

When a process joins a fault tolerance group, it specifies its *heartbeat interval* as a parameter. This interval governs a repeating timer; each time the heartbeat interval elapses, Rendezvous fault tolerance software publishes a heartbeat message.

To determine the correct value for the heartbeat interval, see [Step 4: Choose the Intervals on page 215](#).

Detecting Member Failure

Members can fail for several reasons (this list is not exhaustive):

- Process termination.
- Process suspension (for example, UNIX Control-Z).
- Software errors.
- Hardware failure.
- Network disconnect.

Rendezvous fault tolerance software does not distinguish between these failures. In each case, the failed member cannot fulfill its mission (or can fulfill it only locally), and another member must take its place.

Rendezvous fault tolerance software detects failure of an active member in two ways—heartbeat tracking and independent confirmation.

Heartbeat Tracking

The inactive members of a group listen for heartbeat messages from all of the active members. A steady stream of heartbeat messages is an important indicator of process health. While the heartbeat continues, no action is needed. If the heartbeat messages from an active member cease to arrive, then Rendezvous fault tolerance software considers that member to be *lost*, and instructs the ranking inactive member to activate, replacing the lost member.

Independent Confirmation

Rendezvous fault tolerance software also detects a set of events that indicate the loss of an active member. Consider these example events:

- An active member withdraws from the fault tolerance group.
- An active member process terminates, or disconnects from its Rendezvous daemon.
- A Rendezvous daemon process terminates; an active member that relies on that daemon is unable to function.
- A network hardware failure separates the network into two or more disconnected parts.

When Rendezvous fault tolerance software detects such events, it restores the active goal by directing member processes to activate.

Activation Interval

Inactive members track the heartbeats of active members, detecting the loss of an active member when its heartbeat signal is silent for a duration called the *activation interval*. (The name *activation interval* refers to the use of this parameter as the time that an inactive member waits before becoming active when a heartbeat signal is lost.)

When a process joins a fault tolerance group, it specifies the activation interval as a parameter. All members of a group must specify the same activation interval. To determine the correct value, see [Step 4: Choose the Intervals on page 215](#).

Prepare-to-Activate Hints

Before becoming active, some programs might need to do one or more time-consuming steps, such as opening an ISDN line or opening a database connection. Such programs need time to prepare before they can activate. They can request that Rendezvous fault tolerance software issue a *prepare-to-activate* hint—an early warning that an activate instruction might soon arrive.

Requesting Hints

When a process joins a fault tolerance group, it may specify a *preparation interval* as a parameter.

- A zero value indicates that the program does not need advance warning before it can activate. Rendezvous fault tolerance software does not issue prepare-to-activate hints.
- Any non-zero value is a request for advance warning. Rendezvous fault tolerance software issues a prepare-to-activate hint before an instruction to activate.

Timing of Hints

When a member requests advance warning, Rendezvous fault tolerance software *always* issues a prepare-to-activate hint before each instruction to activate. The ranking inactive member always receives them in the correct order, but cannot rely on the time between them. The intervening time may equal the difference between the activation interval and the preparation interval, or it may be less; however, it is never greater than this difference.

Hints Do Not Imply Subsequent Activation

A prepare-to-activate hint is just that—a hint. This hint does not necessarily imply that the member will definitely need to activate. It is possible for a member to receive several such hints without an instruction to activate.

Passive Monitor

A program can passively track the number of active members of a group using a fault tolerance *monitor*. That program need not be a member of the fault tolerance group it monitors.

Monitors are *passive* in that they do not affect the members of the monitored group in any way. Members do not detect that a monitor exists.

Programs that passively monitor a group detect the same number of active members as do members of the group they monitor.

Monitor Callback Function

When a program starts monitoring (by creating a monitor event), it must specify a *monitor callback function* as a parameter. The callback function must be defined by the program. When Rendezvous fault tolerance software detects any change in the number of active members, it calls the callback function—which receives the number of active members as an argument.

Monitors in Action

Monitors give Rendezvous programs limited capability to determine the health of the fault-tolerant programs upon which they depend. In the most common scenario, a client program monitors a critical service, and adapts its own behavior accordingly. Consider these examples.

Example: Monitor for Data Quality

A data display program receives many items of time-critical information from several groups of fault-tolerant broadcast producers (one group for each kind of information). The display updates every time new information arrives. The end user must be confident that the displayed information is current. The display program monitors the health of each producer group, and displays each information item with a color code indicating the quality of the information (based on the health of the corresponding producer).

For example, if a producer group has an active member (normal operation), then all information from that producer appears on a white background. If the producer has no active member (a catastrophic failure), then the display marks all information from that producer with a yellow background, to signal the end user that the information might be obsolete. When the producer group once again has an active member, the display changes the background of each new item to white, to show that it represents current information.

Example: Monitor for Available Service

A group of query servers responds to requests from numerous client programs. Before submitting a query, a client program checks the number of active servers. If no servers are active, the client program informs the end user that it cannot submit the query. If many servers are active, the client submits the query. If only a few servers are active, the client submits the query, and informs the end user that the response may be delayed.

Example: Monitor to Ascertain Complete Response

Some programs use redundancy to cross-check results. Each member in a fault tolerance group computes the same information—but each uses a different program, coded by a different programming team, running on a different kind of computer hardware platform. A client program receives, collates and compares the results of their computations, and reports to an end user.

The collator must report as soon as it receives a response from all the active members; it must not delay while waiting for a response from a member that has terminated unexpectedly. The collator monitors the group to determine the number of active members. When the number of responses equals the number of active members, the collator reports the combined results.

Chapter 14

Fault Tolerance Programming

This chapter describes the practical issues that arise when developing and deploying fault-tolerant distributed programs.

Topics

- [Fault Tolerance Callback Actions](#), page 194
- [Program Callback Functions](#), page 195
- [Ensure Timely Event Processing](#), page 196
- [Multiple Groups](#), page 197
- [Longest Service Interruption](#), page 200
- [Minimizing Response Time](#), page 201
- [Distribute Members](#), page 202
- [Member File Access](#), page 203
- [Disabling a Member](#), page 204
- [Adjusting Member Weights](#), page 205

See Also For details of programming in specific languages, see the documents in [Table 34](#).

Table 34 *Fault Tolerance*

C	Fault Tolerance on page 239 in <i>TIBCO Rendezvous C Reference</i>
C++	Fault Tolerance on page 257 in <i>TIBCO Rendezvous C++ Reference</i>
Java	Fault Tolerance on page 237 in <i>TIBCO Rendezvous Java Reference</i>
.NET	Fault Tolerance on page 151 in <i>TIBCO Rendezvous .NET Reference</i>

Fault Tolerance Callback Actions

- Fault tolerance callback functions receive an `action` argument—one of three tokens, which instruct the callback function to behave in one of three ways:
- `ACTIVATE`
This action token instructs the callback function to switch the member process into active mode.
 - `DEACTIVATE`
This action token instructs the callback function to switch the member process into inactive mode.
 - `PREPARE_TO_ACTIVATE`
This action token is a hint that Rendezvous fault tolerance software might soon issue an instruction to activate. It instructs the callback function to prepare for possible activation by doing any time-consuming steps that can be done before the actual order to activate.

Remember that the prepare-to-activate hint is exactly that—a hint. Several circumstances might later render activation unnecessary.

The names of the tokens vary slightly among the different programming languages.

Table 35 Fault Tolerance Actions

C	<code>tibrvftAction</code>
C++	<code>tibrvftAction</code>
Java	Tokens are defined as constant fields of <code>TibrvFtMember</code> .
.NET	<code>ActionToken</code> enumerates the tokens.

Program Callback Functions

Fault tolerance callback functions must do the required action, as specified by the action token.

The basic structure of a fault tolerance callback function is a `C switch` statement that branches on the action token. The specific actions of the callback function within the `case` clauses of that `switch` statement depend on application semantics. (In other programming languages, use analogous constructs.)

Table 36 Fault Tolerance Callback Function

C	<code>tibrvftMemberCallback</code>
C++	<code>TibrvFtMemberCallback::onFtAction()</code>
Java	<code>TibrvFtMemberCallback.onFtAction()</code>
.NET	<code>ActionTokenReceivedEventHandler</code>

See Also

[Fault Tolerance Callback Actions, page 194](#)
[Ensure Timely Event Processing, page 196](#)

Ensure Timely Event Processing

The fault tolerance callback function is the only channel of information from Rendezvous fault tolerance software to your program. Rendezvous fault tolerance software can call the callback function at virtually any time—whether active or inactive, a member program must be ready for a callback event.

To ensure timely processing of fault tolerance events, follow these guidelines:

- Associate fault tolerance member events with a high priority queue, so events on other queues do not delay fault tolerance callback processing.
- Ensure that callback functions return promptly. This rule applies to *all* callback functions that dispatch in the same thread as the fault tolerance callback function.

If a callback function monopolizes the dispatch thread (for example, by blocking, or with a lengthy computation), then the fault tolerance callback function might remain in its queue waiting for dispatch. Such backlog could cause problems such as these:

- Delay a program from activating, resulting in interrupted service.
- Delay a program from deactivating, resulting in redundant service.
- Delay a timer, or the arrival of a fault tolerance control message, interfering with fault tolerance software.
- Delay the arrival of regular messages, interfering with the program performance.

Multiple Groups

In some situations a process joins more than one fault tolerance group. Each group protects a specific role that the process plays within a larger distributed application system.

Example: Mutual Backup across a WAN

[Figure 20 on page 198](#) illustrates a situation with two levels of fault tolerance. Network sites in Tokyo and Seattle are connected by a WAN link, and Rendezvous routing daemons forward messages on demand between the two sites.

At each site, a pair of computation servers listens for client requests, processes each request, and sends the results to the client.

Local Fault Tolerance Coverage


The volume of requests is low, and one process can accommodate them. However, the query service is critical to the enterprise, so each site runs two process instances, which cooperate for fault tolerance. In Tokyo the processes are A and B; in Seattle, J and K.

The active Tokyo process listens for requests that carry the subject name `TOKYO.REQUEST`. The active Seattle process listens for requests that carry the subject name `SEATTLE.REQUEST`.

To administer fault tolerance at the Tokyo site, processes A and B join a fault tolerant group named `TOKYO.APP1`. A has higher weight than B, so A is initially active. The group's active goal is one, so only one member of the group actively processes requests. Similarly, processes J and K in Seattle join a group named `SEATTLE.APP1`. J has higher weight than K, so J is initially active.

If the active member at either site fails, the inactive member at the same site takes its place.

Figure 20 Mutual Backup across a WAN



To enable this example, the routing daemons on each side of the WAN link must exchange all messages with subjects that match `_RVFT.>`. For details, see [Forward Fault Tolerance Messages across Network Boundaries on page 389](#) in *TIBCO Rendezvous Administration*.

Longest Service Interruption

In most situations, the longest service interruption is no longer than the activation interval.

Cascading Failure Situations

Cascading failure is an unusual situation in which several members fail in succession—either as they activate, or toward the end of their activation interval. As a result, several activation intervals may elapse before service is restored (or the supply of inactive members is exhausted).

Cascading failure can result from fatal program errors during activation, or from a rare coincidence of unrelated failures.

New Member Situations

When a new member joins a group, Rendezvous fault tolerance software identifies the new member to existing members (if any), and then waits for a period of one activation interval to receive identification from them in return. If, at the end of this interval, it determines that too few members are active, then it instructs the new member to activate.

Minimizing Response Time

You can minimize the response time in failure situations by separating fault tolerance messages from other Rendezvous messages. Two kinds of separation affect response time:

- Queue and dispatch.

Use a separate queue object only for fault tolerance messages. Assign that queue high priority within its group queue. Ensure that the thread that dispatches that queue group does not delay or block.

This strategy prevents heartbeat messages from waiting behind other events in the queue.

- Service.

Use a separate Rendezvous service (UDP port) for fault tolerance messages.

Designating separate services on the network separates fault tolerance messages from competing messages (from your program or other programs). An uncluttered service results in faster handling of fault tolerance messages by the Rendezvous daemons.

A separate service implies a separate transport.

Before you specify a service, always consult with your system administrator. Your system administrator assigns specific network services for specific purposes. Explain that you need a clear UDP port, free from any other messages.

See Also [Service Selection on page 14](#) in *TIBCO Rendezvous Administration*

Distribute Members

When you deploy a fault-tolerant program, it is important to distribute the member processes appropriately across both computers and network segments. Independence increases the effectiveness of redundant processes.

Protect against Hardware Failure

To protect a fault-tolerant program against hardware-related failures, each member process must run on a separate computer. If two members were to run on the same computer, then both processes would be vulnerable to exactly the same failures; a single disconnected power cord or loose network cable would disable both processes simultaneously.

Consider redundancy of special hardware. For example, if the program relies on a data feed line, install one line on each computer that runs a member process. If the program relies on a special board or card, install that hardware on each computer that runs a member process.

Protect against Network Disconnect

If the program serves a network consisting of several segments, distribute member processes appropriately across all the segments. To protect against disconnect from the rest of the network, run at least one member on each segment.

Consider using redundant copies of software and data files. If all the members of a group depend on network access to a single data file, then network disconnect would disable all the processes that can no longer access that file.

Member File Access

When members of a fault tolerance group depend on file access, it is crucial that each member use a private copy of every relevant file. In particular, consider these two guidelines.

- Do not share files.
Ensure that two members never modify the same file. Sharing a file can corrupt the data in that file (even when the members do not write to it simultaneously). Using local files prevents this kind of corruption.
- Store files on the local host computer, not across the network on a file server—and especially not on a separate network or segment.

In situations where network disconnect causes a member to activate, that same disconnect can separate the activating backup member from network-mounted files. Using local files keeps the data where it is needed.

Copying Context Files

In some programs, an activating member must establish its operating context by reading files left by a previously active member that has failed. When using this technique, be sure to make a local, private copy of the file.

When the content of the context files changes frequently, inactive members can periodically copy the context files, so that a network disconnect does not preclude access when it is needed.

Upgrading Versions

When upgrading a program to a new version, it is sometimes important that old and new versions run simultaneously. Be sure that the two process instances do not reference the same file. Instead, make a local copy of the file for the new version to use.

Disabling a Member

Rendezvous fault tolerance software routinely uses resources such as storage and timers. Resource allocation errors prevent it from functioning correctly.

When Rendezvous fault tolerance software requests a resource but receives an error (for example, the member process cannot allocate memory, or start a timer), it attempts to send the member process a `DISABLING_MEMBER` advisory message, and sets the member's weight to zero, effectively disabling the member. Weight zero implies that this member is active only as a last resort—when no other members outrank it.

Rendezvous software never resets the weight of a member to anything other than zero.

Adjusting Member Weights

Member processes can change their weight using the set weight call.

Table 37 Set Weight Call

C	<code>tibrvftMember_SetWeight()</code>
C++	<code>TibrvFtMember::setWeight()</code>
Java	<code>TibrvFtMember.setWeight()</code>
.NET	Weight is an instance property of <code>FTGroupMember</code> .

A program that can determine its own suitability for its task can adjust its weight accordingly, as in these examples. (Nonetheless, changing weight frequently can cause thrashing.)

Example 1: Resources

Consider a situation in which program performance depends upon a resource, such as long distance communications lines. Such a program could vary its weight as a function of available lines.

Example 2: Load

If a program can detect that its host computer has become heavily loaded, the program could lower its weight, allowing a member on a lightly loaded computer to become active in its place.

Example 3: System Administrator

In a third example, system administration staff track the availability of resources and the performance of various computers. In response to such information, an administrator could send a message instructing a member process to change its weight.

Chapter 15 **Developing Fault-Tolerant Programs**

This chapter describes development steps for constructing fault tolerant programs with Rendezvous software. These steps apply in all programming languages.

Topics

- [Step 1: Choose a Group Name, page 208](#)
- [Step 2: Choose the Active Goal, page 210](#)
- [Step 3: Plan Program Behavior, page 211](#)
- [Step 4: Choose the Intervals, page 215](#)
- [Step 5: Program Start Sequence, page 219](#)

Step 1: Choose a Group Name

Each fault tolerance group requires a unique group name. The group name identifies the members of a group, and separates their fault-tolerance messages from messages belonging to other groups.

Number of Groups

If a program serves a single purpose, then its group name can be a single element. In many cases, that element can be a variation on the program's name, suitably modified to obey the syntax rules for group names.

However, if the program serves any of several non-interchangeable purposes (depending on configuration parameters), then each service requires a unique group name.

For example, consider a general database query server program—the service depends on the database it opens. In theory, the same program can service queries for airline flight information, airplane parts inventory information, airplane maintenance records, passenger ticket information, government regulations, or weather reports.

In this situation choose group names with two elements, in which the first element identifies the application system, and the second element identifies its database service. The current example could use these names:

- `DBQ.FLIGHTS`
- `DBQ.PARTS`
- `DBQ.MAINTENANCE`
- `DBQ.TICKETS`
- `DBQ.REGULATIONS`
- `DBQ.WEATHER`

Some processes belong to several fault tolerance groups simultaneously (see [Multiple Groups on page 197](#)). Once again, this situation suggests a two-element group name—or more than two if necessary.

Group Name Syntax

Members of a group exchange messages that embed their group name, so group names must obey the syntax for Rendezvous subject names.

Group names must not contain wildcard characters.

For best performance, keep group names short. Use no more than three or four elements, and no more than 50 characters (total).

For an introduction to Rendezvous subject names, see [Subject Names on page 41](#).

Step 2: Choose the Active Goal

Each member process of a fault tolerance group must specify its active goal when it joins the group. Rendezvous fault tolerance software manages the members so that the number of active members equals the active goal if possible.

Choose an active goal to fit the application:

- If it is important to avoid duplication of service, then consider an active goal equal to one.
- If it is important to share the service load across many members, then choose an active goal to match the expected need for service.

For details and examples, see [Active Goal on page 183](#).

All the members of a group must specify the same active goal.

Step 3: Plan Program Behavior

Consider these issues early in the design phase of your program.

- [Parallel Data State, page 211.](#)
- [Continuity—Track Active Backlog, page 212.](#)
- [Activation, page 213.](#)
- [Preparing to Activate, page 213.](#)
- [Deactivation, page 213.](#)
- [Serve It Once, page 214.](#)
- [Send it Once, page 214.](#)

Parallel Data State

An inactive member must be ready to activate in the same data state as the formerly active member it replaces. In some situations data state is irrelevant. In other situations it is straightforward to duplicate the data state either by copying and reading a state file, or by completing a brief computation. However, in some situations the data state is complex, or the result of cumulative operations, so the best way to maintain readiness is to compute a parallel data state while inactive.

Example: Current Value Cache

The `rvcache` utility stores the most recent message for each subject name. Whenever a program queries for a cached subject, `rvcache` sends the program the current data corresponding to that subject. (For a more information, see [Current Value Cache on page 263](#) in *TIBCO Rendezvous Administration*.)

Two or more `rvcache` processes can cooperate for fault-tolerant operation, with only one active process. All member processes (whether active or inactive) passively collect and store the same data—but only the active process responds by sending the current data when a program sends a query. Every inactive member always has all the cached data it needs to begin active duty; the data state of each inactive member is parallel to that of the active member.

Notice that in this application the inactive members are far from idle; they collect and store data just like the active member.

Furthermore, when starting a new `rvcache` process, the administrator can copy the store file from another fault-tolerant member, in order to initialize its database to contain the same data as existing member processes.

Continuity—Track Active Backlog

Some applications depend on a continuous stream of data. They must receive all the data—even if they receive it late. For the programs that produce that data, it is essential to maintain continuity of the outbound data stream.

Although Rendezvous fault tolerance software quickly restores service, a finite service interruption always exists between the failure of an active member and the activation of an inactive member. When continuity is essential, it is the responsibility of the inactive members to maintain continuity across the service interruption.

Inactive members maintain continuity by tracking the *backlog* from the active member. That is, the inactive member retains enough information to reproduce the expected output of the active member during the longest service interruption. When it activates, it produces that backlog output before processing any new data. Although the backlog output is delayed, no holes appear in the output stream.

Example: Data Distribution

Many enterprises require access to prodigious amounts of data, which must flow to decision makers in a timely fashion, without interruption. Many organizations use data distribution software that receives data from a serial port, processes it, and broadcasts it across a network to numerous computer workstations.

To ensure continuous service, data distribution software can operate in fault tolerance pairs, with one active member and one inactive member. Each member receives the same data, and each member processes the data, but only the active member broadcasts the data.

Once the active member has broadcast a data item, it can discard that data item.

However, the inactive member must hold the data until it receives the corresponding broadcast item from the active member. To see why, consider the service interruption between the time that the active member fails and the time that the inactive member activates. During the service interruption data continues to arrive, but neither member is broadcasting that data. When the inactive member activates, it must broadcast that backlog data—filling the gap in the data stream. To support this behavior, the inactive member can discard a data item only after confirming that the active member has broadcast it.

Notice that in this application the inactive member does work that the active member does not do; in addition to processing the same set of data items, the inactive member must also retain data, and discard it only at the proper time.

Activation

Consider the actions that your program does to switch from inactive to active.

In some programs the state change in the callback function is as straightforward as toggling a flag; functions throughout program code can branch on the flag to determine inactive or active behavior. Other programs must open data files, open communication lines, allocate resources, begin listening to Rendezvous subjects, or set timers to trigger computations.

Remember, each step delays activation. Whenever resources permit, minimize the steps that wait until activation time; taking these steps at start time results in quicker activation.

If the program must maintain continuity after a service interruption, see [Continuity—Track Active Backlog on page 212](#).

Arrange for any needed transition steps in the program's fault tolerance callback function.

Preparing to Activate

Consider whether any of the activation steps are time-consuming. For example, delays are common when opening an ISDN line or opening a database connection.

If such steps might cause unacceptable delays when the program activates, consider separating those preparations from the actual activation sequence. Instead, do them when the fault tolerance callback function receives a prepare-to-activate hint.

Consider setting a duration limit for preparations. For example, if the program allocates a large block of storage when preparing to activate, set a timer to expire after two or three activation intervals. If the timer expires before an actual instruction to activate, then deallocate the storage. If the call to activate arrives first, cancel the timer.

Deactivation

Consider the actions that the program does to deactivate. Usually these actions reverse the activation steps, but in some applications it might be more expedient to retain resources (anticipating the need to reactivate).

Arrange for any needed transition steps in the program's fault tolerance callback function.

Serve It Once

For request server applications, ensure that each request receives service from only one active member. Duplicate service wastes server resources, and could result in incorrect behavior.

Consider whether distributed queues might be a better fit for such applications. See [Distributed Queue on page 161](#).

Send it Once

For broadcast producer applications, ensure that members of a fault tolerance group cooperate to send each data item only once. If several processes are can be active simultaneously, they must not send duplicate data.

Step 4: Choose the Intervals

Table 38 summarizes the four interval parameters that regulate the behavior of Rendezvous fault tolerance software. It is important that you choose appropriate values for these interval parameters.

Choosing the intervals requires a balance among several considerations:

- The need for uninterrupted service.
Ideally, critical applications must run with only minimal interruptions in service. Realistically, it takes time to discover a service interruption. You can reduce this time to the minimum that your network can support, but at the cost of network capacity and computer time.
- Network transmission time.
It takes time for heartbeat messages to traverse the network, and that time varies with distance and network load. This fact limits the minimum achievable heartbeat interval, which in turn limits the minimum achievable activation interval.
- Finite network capacity.
The network that carries heartbeat messages also carries application data. Smaller heartbeat intervals imply more frequent heartbeats. Avoid cluttering the network with too-frequent heartbeat messages.

Table 38 Fault Tolerance Interval Parameters (Sheet 1 of 2)

Parameter	Description
<code>heartbeatInterval</code>	Each active member broadcasts a sequence of heartbeat messages to inform the other group members that it is still active. The heartbeat interval determines the time between heartbeat messages. Parameter to the member creation call.
<code>activationInterval</code>	Inactive members track heartbeat messages from each active member. When the time since the last heartbeat from an active member reaches this activation interval, Rendezvous fault tolerance software instructs the ranking inactive member to activate. Parameter to the member creation call.

Table 38 Fault Tolerance Interval Parameters (Sheet 2 of 2)

Parameter	Description
<code>preparationInterval</code>	<p>Some programs require advance notice to prepare before activation. When the time since the last heartbeat from an active member equals this preparation interval, Rendezvous fault tolerance software issues a hint to the ranking inactive member, so it can prepare to activate.</p> <p>Parameter to the member creation call.</p>
<code>lostInterval</code>	<p>Monitor functions passively track heartbeat messages from active members of a fault tolerance group. When the time since the last heartbeat from an active member reaches this lost interval, Rendezvous fault tolerance software considers that member lost, and calls the monitor callback, passing it the current number of active members.</p> <p>Supply to the start monitor creation call.</p>

First: Determine the Activation Interval

The activation interval influences the longest service interruption in two situations:

- When a new member joins a fault tolerance group, the initialization phase requires one activation interval before it can become active.
- In most failure situations the maximum service interruption is identical to the activation interval (assuming an inactive member exists).

In each case, you must determine the amount of time that can elapse before interrupted service becomes a problem. Use an activation interval equal to that time.

Lower Bound

Use an activation interval no less than 3 seconds, though Rendezvous fault tolerance software accepts lower values. However, if your application is distributed across a WAN, use an activation interval no less than 10 seconds.

Second: Determine the Heartbeat Interval

Lower Bounds

Use a heartbeat interval no lower than 1 second, though Rendezvous fault tolerance software accepts lower values.

However, wide-area links transmit heartbeats more slowly (and at greater cost) than local networks. If your application is distributed across a WAN, use a heartbeat interval no less than 2 seconds.

Relationship between Activation and Heartbeat Interval

The heartbeat interval must be *strictly less* than the activation interval.

Our experience indicates that in most situations, the optimal heartbeat interval is slightly less than one third of the activation interval. For example, an activation interval of 10 seconds implies a heartbeat interval of 3 seconds.

However, messages traversing wide-area links show greater variability in arrival time (compared with local networks). If your application is distributed across a WAN, use a heartbeat interval that is less than one fifth of the activation interval. For example, an activation interval of 30 seconds implies a heartbeat interval of 6 seconds or less.

Conserving Network Capacity

It is important to conserve network capacity (bandwidth). Each heartbeat is a message. Each active member sends one message at every heartbeat interval. If the heartbeat interval is too small, then your program may overload the network with heartbeat messages.

Once you have established the activation and heartbeat intervals for your application, apply this reality check. Calculate the number of heartbeat messages that all the active members of your program will send. Does this figure still leave network capacity for other programs? If not, increase the heartbeat and activation intervals accordingly.

For example, if the heartbeat interval is 0.1 seconds, and an application requires one active member, then the network must carry 10 messages per second to sustain the heartbeat signal. If the application requires 50 active members, then the network must carry 500 messages per second to sustain the heartbeat signals.

Third: Determine the Preparation Interval

The last step is to determine whether the program requires time to prepare before it can activate, and if so, the length of time it needs.

If the program needs no preparation time, then supply zero as the preparation interval.

If the program does need preparation time to complete set-up tasks, estimate the length of time needed. Subtract that time from the activation interval to obtain the preparation interval.

Relationship between Preparation and Activation Interval

If non-zero, the preparation interval must be strictly greater than the heartbeat interval, and strictly less than the activation interval. Choose a preparation interval that is greater than twice the heartbeat interval.

For programs that require preparation time, use a preparation interval no less than 75% of the activation interval. For example, an activation interval of 10 seconds implies a preparation interval of 7.5–9.5 seconds. Smaller preparation intervals may increase the rate of false-positive prepare-to-activate hints.

For Monitors: Determine the Lost Interval

When monitoring a fault tolerance group, the lost interval argument must equal the activation interval of the group.

Step 5: Program Start Sequence

Fault-tolerant programs follow a typical start sequence:

1. Begin in the program's inactive state.
For example, set flags within the program that prevent the behavior of an active member.
2. Do set-up tasks that do not depend on Rendezvous software.
3. Open the Rendezvous environment.
4. Do set-up tasks that depend on Rendezvous software. (Requires the Rendezvous environment to be open.)
5. Create the fault tolerance member event. (Requires the Rendezvous environment to be open.)

Chapter 16 IPM

This chapter introduces IPM. The following two chapters add further details.

See Also [Chapter 17, Best Practices for Low Latency, on page 229](#)
[Chapter 11, Measuring Tools for IPM, on page 327](#) in *TIBCO Rendezvous Administration*

Topics

- [Overview of IPM, page 222](#)
- [Restrictions, page 223](#)
- [Summary of Differences, page 224](#)
- [Configuring IPM, page 225](#)
- [Program Structure, page 227](#)

Overview of IPM

IPM is a linkable library that puts the core functionality of a TIBCO Rendezvous daemon (`rvd`) inside an application program process. By eliminating inter-process communication between the daemon and the application program, IPM can improve application data latency performance. In some business situations, even latency measured in very small units can make a crucial difference.

In normal Rendezvous operation, application programs communicate with a daemon process using TCP connections. Eliminating this inter-process communication link, and the context switch between processes, can reduce latency, however, the potential cost can be reduced throughput.

IPM is a tactical tool for reducing latency. Its effectiveness depends on application code and on environmental factors. For example, on a dedicated network with little other traffic, noticeable latency reduction is possible. However, sharing network bandwidth with other traffic can overwhelm the effect of improved latency. Inappropriate program architecture can negate this effect as well.



Although it is straightforward to introduce IPM into existing application code, it is good practice to employ this tool in concert with other techniques for reducing latency. Achieving low data latency can require further effort—including program redesign, empirical adjustments to runtime parameters, specialized network architectures and optimized environmental conditions. For further information and suggestions, see [Chapter 17, Best Practices for Low Latency](#), page 229.

Restrictions

Feature Incompatibility	IPM is not available as a secure daemon (with TLS communication).
Platform Support	IPM is available <i>only</i> for applications coded in C, Java or .NET, running under Linux 2.6 (with glibc 2.3), Solaris x86 or Windows operating systems.
Browser Administration Interface	IPM does not support a browser administration interface through <code>http</code> or <code>https</code> . A browser interface would allow external viewers to affect performance. In a situation where data latency is critical, such external interference must be prohibited.
Secure Daemon	IPM is not available as a secure daemon. Secure daemons use TLS to protect communication on TCP links between daemon and client. Since the client transports of IPM are within the same process as their daemon, this level of protection is unnecessary.
Advisories	<p>Several advisory messages are not available in IPM. Design (or modify) your application programs accordingly.</p> <p><code>RVD.*</code> advisories report on the TCP connection between daemon and client. When the daemon is within the client process, client transport connections are not relevant, so these advisories do not occur.</p> <p>Similarly, <code>CLIENT.FASTPRODUCER</code> and <code>CLIENT.SLOWCONSUMER</code> advisories report on the status of inter-process queues (IPQ) between daemon and client. When the daemon is within the application process, communication does not use IPQs, so these advisories do not occur. Monitoring <code>DATALOSS</code> advisories is an alternative way to check for correct operation of producers and consumers.</p>

Summary of Differences

For quick reference, Table 5 summarizes the most important differences between ordinary daemons and IPM.

Table 39 Summary of Difference between Ordinary Daemons and IPM

Aspect	Ordinary Daemon	IPM
Daemon Location	Separate process.	Within application program.
Disabled Features		These features are <i>not</i> available: <ul style="list-style-type: none">• Browser administration interface (with HTTP)• Secure daemon (with TLS)
Reliability	Default is 60 seconds.	Default is 5 seconds. Experiment with disabling reliability (zero seconds). See also Reliable Delivery & Latency on page 234 .
Daemon Parameters	Set daemon parameters on the command line.	Set daemon parameters in one of four ways: <ul style="list-style-type: none">• Default Values• Implicit Configuration File from Path• Explicit Configuration File• Explicit Configuration Parameters in Code
Library File	Select the appropriate library file at run-time by specifying the path: <ul style="list-style-type: none">• UNIX <code>TIBCO_HOME/lib</code> or <code>TIBCO_HOME/lib/ipm</code>• Windows <code>TIBCO_HOME\bin</code> or <code>TIBCO_HOME\bin\ipm</code>	
Service	Two daemons on the same host computer can use overlapping services (UDP ports); see Reusing Service Ports on page 47 in <i>TIBCO Rendezvous Administration</i> .	
Advisories		These advisories are <i>not</i> available: <ul style="list-style-type: none">• <code>RVD.*</code>• <code>CLIENT.FASTPRODUCER</code>• <code>CLIENT.SLOWCONSUMER</code> See also Advisories on page 223 .

Configuring IPM

The TIBCO Rendezvous daemon process (`rvd`) accepts several command line parameters. When IPM brings the daemon within an application program, it accepts a subset of those parameters (see [rvd on page 36](#) in *TIBCO Rendezvous Administration*). You can configure those parameters in four ways.

- [Default Values, page 225](#) (most convenient)
- [Implicit Configuration File from Path, page 225](#)
- [Explicit Configuration File, page 225](#)
- [Explicit Configuration Parameters in Code, page 225](#)

Default Values

The most convenient way to use IPM is with the default parameter values.

When using the default parameter values, it is not necessary to modify program code at all; that is, you can use IPM merely by linking the appropriate library.

Implicit Configuration File from Path

You can configure parameter values in the configuration file `tibrvipm.cfg`. If this file is in the runtime path, then IPM reads parameter values from it.

For an example configuration file, see
`TIBCO_HOME/examples/IPM/tibrvipm.cfg`.

Explicit Configuration File

You can explicitly supply a configuration filename to the `open` call that starts the Rendezvous internal machinery. If the program specifies this file, then IPM reads parameter values from it (overriding any configuration file in the runtime path).

For an example configuration file, see
`TIBCO_HOME/examples/IPM/tibrvipm.cfg`.

Explicit Configuration Parameters in Code

You can explicitly set parameter values in application program code. Use the `setRVParameters` call before the `open` call that starts the TIBCO Rendezvous machinery.

Parameter Configuration—Precedence and Interaction

Straightforward semantics result from using only one method to set configuration parameters. This section describes the complex interactions that could occur if you set parameters more than once in the same program.

Modifying the Default Values	<p>Each <i>setRVParameters</i> call starts with a clean slate of default parameter values, and then modifies individual values as defined by its arguments.</p> <p>An <i>open</i> call with an explicit filename starts with a clean slate of default parameter values, and then modifies individual values as defined in the configuration file.</p> <p>An <i>open</i> call without a filename freezes the existing parameter values that were set by the most recent <i>setRVParameters</i> call. However, if the program did not previously call <i>setRVParameters</i>, then an <i>open</i> call without a filename starts with a clean slate of default parameter values, and modifies individual values as defined in an implicit configuration file (if it finds one in the runtime path).</p>
Freezing Parameter Values	<p>When the first <i>open</i> call returns, it freezes the parameter values (until the process exits). Subsequent <i>open</i> calls and <i>setRVParameters</i> calls do not modify parameter values after they have been frozen.</p> <p>A <i>setRVParameters</i> call sets values, but does not freeze them.</p> <p>If a program contains several <i>setRVParameters</i> calls, then the last such call determines the actual parameter values. Each call starts with a clean slate of default values, and modifies overwrites them with its argument values. When the program subsequently calls <i>open</i> without a filename, that call freezes the parameter values set by the final <i>setRVParameters</i> call.</p> <p>However, if a program contains several <i>setRVParameters</i> calls, followed by an <i>open</i> call that supplies a filename, then that <i>open</i> call (that is, the configuration file) determines the actual parameter values.</p>

Program Structure

The program structure for an application using IPM is nearly identical to the familiar form of TIBCO Rendezvous application programs. This section summarizes the differences.

Set Parameters

An optional *set RV parameters* call lets you supply IPM with configuration parameters from within program code (see [Explicit Configuration Parameters in Code on page 225](#)). These parameters guide IPM operation (corresponding to the command line parameters of a separate daemon process). When present, this call must precede the *open* call.

Open

The *open* call starts TIBCO Rendezvous machinery within the application, as in any TIBCO Rendezvous program. When you have linked the IPM library, a variant form of the *open* call lets you explicitly determine a configuration file, from which IPM reads parameters (see [Explicit Configuration File on page 225](#)).

Close

When you have linked IPM, the *close* call stops IPM (in addition to its usual Rendezvous clean-up tasks).

In programs that connect to a TIBCO Rendezvous communications daemon, the *close* call flushes all outbound data to the daemon before destroying the internal machinery. The daemon sends that data over the network asynchronously.

However, when IPM operates within the program itself, the *close* call blocks until the reliability interval has elapsed. This extra step ensures that potential receivers can request retransmission from IPM until the reliability limit expires.

Chapter 17 **Best Practices for Low Latency**

This chapter presents good practices for using IPM in applications that require low latency.

Topics

- [Program Design Hints, page 230](#)
- [Runtime & Environment Factors, page 232](#)
- [Reliable Delivery & Latency, page 234](#)
- [Throughput, page 235](#)

Program Design Hints

These hints can help you design programs that minimize message latency.

Reduce Message Size

Minimize message size. Larger messages consume more network bandwidth, which can increase latency for all messages on the network.

Consider the following techniques:

- Pack data as efficiently as possible within messages.
- Use *tight* (rather than verbose) subject names and field names.
- Use field identifiers rather than field names.

Re-Use Message Objects

It takes time to create and destroy outbound message objects, and to populate them with data. You can reduce these costs by re-using a pool of pre-initialized messages, and modifying only a subset of their data fields (as needed).



However, you must use caution when implementing this strategy. Under some conditions, message objects involved in re-use can exhibit memory growth as a side-effect.

To avoid this side-effect in C, use the functions `tibrvMsg_MarkReferences()` and `tibrvMsg_ClearReferences()`. For further information, see *Validity of Data Extracted From Message Fields*, in *TIBCO Rendezvous C Reference*.

Reduce Input/Output

I/O activity slows programs. Minimize non-critical I/O, extensive logfile output and terminal output.

When logging is required for monitoring or auditing, shift the I/O burden to another computer to log messages without introducing a time penalty.

Avoid Feature Overhead

Some advanced features of TIBCO Rendezvous—such as fault tolerance, certified delivery, and distributed queues—involve additional overhead costs to applications that use them. These costs include I/O and protocol messages, which can have a large effect on latency.

Careful Memory Management

Memory management overhead can significantly slow program execution. Design programs carefully to avoid both explicit and hidden memory management costs.

The garbage collection feature in some programming languages can cause variability in data latency. When programming in such languages, avoid creating short-lived objects whenever possible.

Minimize Processing within Callbacks

Blocking and long-running callback functions can delay delivery of other events. Avoid these behaviors.

When inbound messages require lengthy processing, shift the processing load asynchronously. Quickly extract data from the message, and process it in another thread.

Examples

Usage examples are incorporated within two programs:

- `tibrvsend`
- `tibrvlisten`

Runtime & Environment Factors

Attention to the runtime environment can make a critical difference to message latency statistics.

Save Cycles & Reduce Process Switching

Run low-latency applications on computers that are not encumbered by other processes. Competing processes could monopolize CPU or I/O resources at a critical moment. Process-switching can increase latency—whether the other processes are similar applications, cooperating applications, operating system daemons or utilities.

- Run instances of similar applications on separate host computers.
- Whenever possible, disable unneeded operating system daemons, such as UNIX `cron` and `smtp`.

Clear the Network

Crowded networks increase message latency. To speed delivery, ensure focused usage of network bandwidth.

- Provision networks for high bandwidth availability. Avoid congestion.
Network congestion can result in missed packets and retransmission, which slows message delivery.
- Run low-latency applications on dedicated networks.
- Limit the total message volume on the network.
- Limit the number of sending applications on the network.
- Reduce the sorting load on network interface cards by dividing traffic among multicast groups, targeting specific host computers.
- Configure network routing hardware (rather than `rtrd`) for multicast transfer among subnets.

Limit Duplication

When several programs that include IPM run on the same host computer, then this duplication of IPM may be less efficient and more resource intensive than if those programs all connected to a single external daemon. Several factors (including the number of processor cores) can affect actual performance. Use empirical testing for each deployment.

Reliable Delivery & Latency

TIBCO Rendezvous software features *reliable delivery*, which compensates for brief network failures. When low-latency is a priority, it might be advantageous to reconfigure—or even disable—this feature.

Reliability Overview The receiving TIBCO Rendezvous daemon detects missing packets and requests that the sending daemon retransmit them. The sending daemon stores outbound messages for a limited period of time, so it can retransmit the information upon request. It discards old messages after the time period elapses, and cannot retransmit after that time.

Reduced Reliability For ordinary daemon processes, the default reliability time period is 60 seconds. However, for extremely time-sensitive data, a fraction of a second can make the difference between a message that arrives in time to be useful, and a message that is no longer relevant. In such situations, a reliability window of 60 seconds could be counterproductive. Instead, IPM lowers this default reliability window to 5 seconds. This lower reliability window could reduce memory usage.

TIBCO Rendezvous software attempts to recover a missed packet until the reliability period expires for that packet. From this perspective, the reliability period also specifies the maximum acceptable delay for message data. In some applications, even 5 seconds (or even 1 second) might far exceed the threshold of message usefulness.

Disabling Reliability If the potential delay inherent in any retransmission exceeds the threshold of message usefulness, you might experiment with disabling the reliable delivery feature entirely. Disabling reliability eliminates any possibility that senders could retransmit missed data packets. The resulting data loss might be an acceptable trade-off when low latency is a higher priority.

To disable reliable delivery, reduce the reliability window to zero.

Configuring Reliability The `-reliability` parameter specifies the message retention time (in seconds). To change the reliability window of a sender, supply a value for the `-reliability` parameter. Values must be non-negative integers.

See Also For a complete discussion the concept of reliability, see Reliability and Message Retention Time in *TIBCO Rendezvous Administration*.

Throughput

Low-latency and high-throughput are conflicting goals. Just as cars can move faster when highways are not crowded, data can move faster when host computers and networks are not crowded.

In addition, consolidating the functionality of the TIBCO Rendezvous daemon into application programs can reduce maximum throughput.

When low-latency is the highest priority, be prepared to accept lower throughput as a trade-off.

Send Messages in Groups

When throughput becomes a limiting factor, consider sending messages as a group with one call to `tibrvTransport_Sendv()`, rather than sending individual messages with repeated calls to `tibrvTransport_Send()`.

Judicious application of this tool can avoid the overhead of multiple function calls, and permit opportunistic batching of messages for improved throughput. Nonetheless, it is good practice to strike a balance between latency and throughput goals using careful experimentation.

Appendix A **System Advisory Messages**

Rendezvous software presents *advisory messages* to inform programs of exceptional situations that might affect them. Advisory messages report errors, warnings and other useful information. This appendix describes the *system advisory messages* generated by Rendezvous communications and Rendezvous daemon components.

Topics

- [Advisory Messages, page 238](#)
- [System Advisory Subject Names, page 241](#)

See Also

- [Certified Message Delivery \(RVCM\) Advisory Messages, page 269](#)
- [Fault Tolerance \(RVFT\) Advisory Messages, page 293](#)

Advisory Messages

Rendezvous software presents asynchronous advisory messages to Rendezvous programs. Advisory messages indicate errors, warnings and other information.

In contrast with status codes (which indicate success or failure *within* a specific Rendezvous call), asynchronous advisory messages notify programs of events that occur *outside* of the program’s direct flow of control—for example, the program is processing inbound messages too slowly, causing the daemon’s message queue to overflow.

Advisory Summary

Table 40 Rendezvous System Advisories (Sheet 1 of 2)

Advisory Message	Class	Page
CLIENT.DEFUNCT	ERROR	242
CLIENT.FASTPRODUCER	WARN	243
CLIENT.ILLEGAL_PUBLISH	ERROR	244
CLIENT.NOMEMORY	ERROR	246
CLIENT.SLOWCONSUMER	ERROR	247
DATALOSS.MSG_TOO_LARGE	ERROR	249
DATALOSS	ERROR	250
DISPATCHER.THREAD_EXITED	INFO	252
HOST.STATUS	INFO	253
LICENSE.EXPIRE	ERROR, WARN	257
QUEUE.LIMIT_EXCEEDED	WARN	258
RETRANSMISSION.INBOUND.EXPECTED	INFO	259
RETRANSMISSION.INBOUND.REQUEST_NOT_SENT	INFO	260
RETRANSMISSION.OUTBOUND.SENT	INFO	262

Table 40 Rendezvous System Advisories (Sheet 2 of 2)

Advisory Message	Class	Page
<code>RETRANSMISSION.OUTBOUND.SUPPRESSED</code>	INFO	263
<code>RVD</code>		264
<code>RVD.RECONNECT_FAILED</code>	ERROR	
<code>RVD.DISCONNECTED</code>	WARN	
<code>RVD.CONNECTED</code>	INFO	
<code>UNREACHABLE.TRANSPORT</code>	INFO	265
<code>VC.CONNECTED</code>	INFO	266
<code>VC.DISCONNECTED</code>	ERROR, INFO	267

Receiving Advisory Messages

Rendezvous programs can receive advisory messages in the same way as any other messages—by listening to subject names.

For example, the subject `_RV.*.SYSTEM.>` matches all advisories related to communications. Programs can also listen more selectively for specific advisories, as appropriate.

Advisories related to a specific transport present on that transport. A program that creates several transports might need to listen for advisory messages on each of its transports.

Advisories not related to a specific transport present on the intra-process transport.

Advisory messages wait for dispatch in the queue that the program designates when creating the listener.

(Programs listen for advisory messages using ordinary Rendezvous listening calls, rather than certified listening calls.)

Redirecting Advisories to stderr

Rendezvous software informs programs of exceptional conditions by presenting advisory messages. Error and warning messages indicate situations that could have serious consequences. Rendezvous software protects programs from losing important messages by catching error and warning messages that would otherwise be lost.

If Rendezvous software detects an error or warning message, and the program is listening for a matching subject, then Rendezvous software queues it for the appropriate callback function within the program. However, if the program is *not* listening for a matching subject, Rendezvous software intercepts the error or warning message, and redirects it to `stderr` (or equivalent).

Informational messages are neither caught nor redirected; the only way to receive them is to listen for them explicitly.

Some platforms do not support the concept of `stderr`, or support it only in limited cases. When `stderr` is not supported, error and warning messages are lost unless the program explicitly listens for them. For example, Microsoft Windows operating systems do support `stderr`, but only in console-based applications; they do not support it in GUI (window-based) programs.

System Advisory Subject Names

Rendezvous software constructs the subject names of system advisory messages using this template:

`_RV.class.SYSTEM.name`

Table 41 SYSTEM Advisory Subject Name Elements

Element	Description
<i>class</i>	<p>The <i>class</i> element denotes the severity of the situation:</p> <ul style="list-style-type: none">• The class <code>ERROR</code> indicates either a problem that requires immediate action, or a situation in which Rendezvous software could not complete its task properly.• The class <code>WARN</code> indicates an anomalous situation that is not yet critical. In many cases Rendezvous software can rectify the situation by itself.• The class <code>INFO</code> indicates an interesting event in the normal operation of Rendezvous software.
<i>source</i>	<p>The <i>source</i> element is <code>SYSTEM</code> for all advisories from Rendezvous communications software and the Rendezvous daemon.</p>
<i>name</i>	<p>The <i>name</i> element describes the situation that the advisory reports. This element can actually consist of several elements, so the wildcard character <code>></code> (rather than <code>*</code>) is the correct way to match all names in this position.</p>

CLIENT.DEFUNCT

Advisory

Subject Name `_RV.ERROR.SYSTEM.CLIENT.DEFUNCT`
Syntax

Purpose Client transports receive this advisory when they become unusable as a consequence of deleting an RVDM subject map.

Background [Limitation on Computers with Multiple Network Interfaces on page 19](#) in *TIBCO Rendezvous Administration* discusses a limitation—all the client transports of a daemon that use a particular service must also specify the same network parameter.

RVDM subject mapping discards application-specified network parameters, and replaces them with multicast groups, effectively transcending this limitation, and enabling transports to communicate that would otherwise be unable to co-exist.

In this situation, deleting the subject map causes the existing client transports to revert to their own network parameters. If these network parameters conflict with one another, one transport (T1) determines the fate of the others:

- Transports with the same network specification as T1 continue to function properly.
- Transports with conflicting network specifications become defunct. They receive this advisory, and stop functioning.

Deleting a subject map could cause this effect at several managed daemons throughout an enterprise. The surviving network specification could be different (and probably will be different) at each daemon. As a result, the surviving client transports at the various daemons will probably not be able to communicate.

Remarks Only the defunct client transports receive this advisory.

This message is an error—the daemon stops communication for the affected transports.

Message Fields

Field Name	Description
<code>tpor</code>	The transport ID.
<code>descr</code>	The client’s description string.

CLIENT.FASTPRODUCER

Advisory

Subject Name

Syntax

_RV.WARN.SYSTEM.CLIENT.FASTPRODUCER

Purpose

A sending client of the Rendezvous daemon receives this advisory when it produces data faster than the network can distribute it.

Remarks

Only the specific client transport receives this advisory.

This message is a warning—the program is sending messages faster than the physical network can accept them; the program’s outbound message queue will grow until it exhausts available storage. (In contrast to `CLIENT.SLOWCONSUMER`, this advisory does not indicate an error, because data is never discarded.)

When a client program sends many outbound messages in rapid succession, they remain in the client’s storage until `rvd` can accept them to place them on the network. When `rvd` leaves an outbound message waiting in the client program more than 5 seconds, Rendezvous software presents this advisory to the client transport.

This advisory does not occur when using IPM.

Message Fields

Field Name	Description
<code>waiting</code>	The number of outbound messages waiting in the client program.

Diagnosis

`FASTPRODUCER` advisories can indicate any of several situations:

- The client program is sending messages in a tight loop—either the daemon or the physical network cannot absorb the volume.
- The Rendezvous daemon is starved for CPU cycles; either its host computer is too heavily loaded, or the priority of the daemon process is too low.

CLIENT.ILLEGAL_PUBLISH

Advisory

Subject Name `_RV.ERROR.SYSTEM.CLIENT.ILLEGAL_PUBLISH`
Syntax

Purpose A sending client of the Rendezvous daemon receives this advisory when it publishes on an illegal subject.

Remarks Only the specific client transport receives this advisory.

This message is an error—the daemon rejects and discards messages sent on illegal subjects, and reports that action with this advisory.

Message Fields

Field Name	Description
<code>sub</code>	The illegal subject of the message.
<code>tport</code>	The transport ID.
<code>descr</code>	The client’s description string.

Diagnosis `ILLEGAL_PUBLISH` advisories can indicate sending to a wildcard subject when wildcards are prohibited (for example, when RVDM disables wildcard publishing on a service).

CLIENT.IP_MISMATCH

Advisory

Subject Name	_RV.ERROR.SYSTEM.CLIENT.IP_MISMATCH
Syntax	
Purpose	A client transport receives this advisory when it reconnects to daemon, and the daemon’s IP address is different from the IP address of the original connection.
Background	Point-to-point message delivery relies on a transport connection to a daemon with an IP address that remains constant. If a client transport loses connectivity, and reconnects to a daemon with a different address, then that transport cannot support point-to-point connectivity (nor any features that rely on point-to-point connectivity).
Remarks	Only the specific client transport receives this advisory. This message is an error, however the daemon does not reject the connection, and the transport continues to support multicast message delivery.

Message Fields

Field Name	Description
tpor	The transport ID.
descr	The client’s description string.

Diagnosis	This error can occur in a network architecture that uses virtual IP addresses. The redirector might assign one remote daemon when a transport first connects, but might assign a different daemon when the transport attempts to reconnect. In this situation, transport behavior is undefined.
-----------	---

CLIENT.NOMEMORY

Advisory

Subject Name	_RV.ERROR.SYSTEM.CLIENT.NOMEMORY
Syntax	
Purpose	A program receives this advisory when it cannot allocate sufficient process storage.
Remarks	<p>Only the specific client receives this advisory.</p> <p>When a program cannot allocate storage within a Rendezvous API call, the call returns the status code <code>TIBRV_NO_MEMORY</code>. In asynchronous situations, the program presents this advisory instead.</p> <p>This advisory always indicates an error. Either data is lost, or the client program cannot continue.</p>
Diagnosis	<p><code>NOMEMORY</code> advisories can indicate several asynchronous situations in which the program cannot allocate storage; for example:</p> <ul style="list-style-type: none">• The client program cannot allocate memory to receive an inbound messages from the Rendezvous daemon. After presenting this advisory, the client program disconnects its transport from the daemon, discarding all queued data. The client then attempts to reconnect to the daemon.• The client program cannot allocate memory to create the timer it needs to reconnect to the daemon. After presenting this advisory, the client program sleeps, and attempts to reconnect later. <p>In either of these situations, the system administrator or programmer must determine the reason that the program exhausted its process storage, and remedy the problem at its source.</p>

CLIENT.SLOWCONSUMER

Advisory

Subject Name	<code>_RV.ERROR.SYSTEM.CLIENT.SLOWCONSUMER</code>
Syntax	
Purpose	A listening client of the Rendezvous daemon receives this advisory when data is arriving faster than the client is consuming it.
Remarks	<p>Only the specific client transport receives this advisory.</p> <p>This message indicates an error—the Rendezvous daemon has discarded the oldest inbound messages to make room for new ones. (Clients cannot determine which messages are discarded.)</p> <p>When many messages arrive in rapid succession, <code>rvd</code> buffers the messages until clients can consume them (that is, accept them from <code>rvd</code>). When unconsumed inbound messages either wait for more than 60 seconds or overflow the client’s buffer (within the daemon), <code>rvd</code> discards them, and presents this advisory to the affected client transport to indicate that data has been lost. This advisory is the next message that the transport receives—ahead of all other inbound messages.</p> <p>This advisory does not occur when using IPM.</p>

Message Fields

Field Name	Description
<code>waiting</code>	The number of messages waiting in <code>rvd</code> .
<code>dropped</code>	The number of messages that <code>rvd</code> has discarded.
<code>bytes_dropped</code>	The total number of bytes in the messages that <code>rvd</code> has discarded.
<code>reason</code>	<p>This string indicates the reason that the daemon discarded messages:</p> <ul style="list-style-type: none"><code>time limit</code> indicates that the data remained unconsumed in the daemon beyond the 60-second time limit.<code>size limit</code> indicates that message data overflowed the explicit size limit specified in the daemon’s <code>-max-consumer-buffer</code> parameter.

Diagnosis	Several situations can cause a slow consumer:
-----------	---

- The client program is oversubscribed—it cannot process the volume of data for which it is listening.
- The client program is starved for CPU cycles—its host computer is too heavily loaded.

DATALOSS.MSG_TOO_LARGE

Advisory

- Subject Name

Syntax

Purpose

Remarks
- _RV.ERROR.SYSTEM.DATALOSS.MSG_TOO_LARGE

A client program receives this advisory after sending a message that exceeds 64MB.

When a client sends a message that exceeds 64MB, the TRDP daemon discards the message, and presents this advisory to the sending client transport.

Message Fields

Field Name	Description
host	The IP address of the daemon’s host computer.
lost	The number of packets in the offending message.
scid	Service communication ID. For internal use only. This value has type <code>TIBRVMSG_U16</code> .

- Diagnosis
- Recode the application program to send smaller messages, respecting the maximum message size.

DATALOSS

Advisory

Subject Name `_RV.ERROR.SYSTEM.DATALOSS.OUTBOUND.PTP`
Syntax `_RV.ERROR.SYSTEM.DATALOSS.OUTBOUND.BCAST`
 `_RV.ERROR.SYSTEM.DATALOSS.INBOUND.PTP`
 `_RV.ERROR.SYSTEM.DATALOSS.INBOUND.BCAST`

Purpose Client programs receive this advisory when a sending daemon denies a retransmission request.

Remarks `DATALOSS` advisories indicate network transmission problems.

Rendezvous daemons use a reliable delivery protocol, in which sending daemons retain outbound messages for a limited time (called the *reliability interval* or *message retention time*). If a receiving daemon detects that it missed an inbound message, it requests retransmission from the sending daemon. If the retention time has already elapsed, the sending daemon has already discarded the message, so it cannot retransmit. Under normal operating conditions, both daemons notify all their client transports that data has been lost; in some situations, not all of the daemons report the loss.

Clients of the sending daemon present `DATALOSS.OUTBOUND` advisories. Clients of the receiving daemon present `DATALOSS.INBOUND` advisories.

`PTP` indicates that the lost data was a point-to-point message. `BCAST` indicates that the lost data was a multicast message.

Since the daemons cannot determine which client transports are affected by the loss, they present these advisories to all of their clients on the service that lost data (even though not every client on that service has actually lost data).

(The factory default retention time is 60 seconds. For a complete discussion the concept of reliability, the various ways to control it, the interaction among those ways, and reasonable values, see [Reliability and Message Retention Time on page 29](#) in *TIBCO Rendezvous Administration*.)

Message Fields

Field Name	Description
<code>host</code>	The IP address of the <i>other</i> computer.
<code>lost</code>	The number of packets requested by the host, but not retransmitted by the sending daemon (during the interval since the last advisory of this type for the receiving host and service).

Field Name	Description
<code>scid</code>	Service communication ID. For internal use only. This value has type <code>TIBRVMSG_U16</code> .

- Diagnosis** These advisories indicate situations that defeat the Rendezvous reliable delivery protocols:
- Some hardware component is experiencing intermittent failures; the component could be a faulty network card, a loose connection, or a frayed wire.
 - The network is overloaded.
 - A Rendezvous daemon process is starved for CPU cycles; either its host computer is too heavily loaded, or the priority of the daemon process is too low.
 - The Rendezvous daemon is running with a reliability interval that is too low. (See also, [Reliability and Message Retention Time on page 29](#) in *TIBCO Rendezvous Administration*.)
 - When the error description string includes the words `multicast destination`, this advisory can be a symptom of interference in a mixed environment with regard to RVDm subject maps. For more information, see [Mixed Environment—Subject Maps on page 218](#) in *TIBCO Rendezvous Administration*.

Limitations Rendezvous reliable delivery protocols implement fast and efficient delivery of messages under normal operating conditions. For diagnostic convenience, the Rendezvous daemon reports `DATALOSS` advisories when detection would not incur the cost of additional network traffic. However, `DATALOSS` advisories are not guaranteed in every situation.

Rendezvous software does not report `DATALOSS` advisories across routing daemon neighbor links—only to transports directly connected to the daemon that detects the loss.

If your program requires stronger confirmation of delivery, consider using the certified delivery feature (see [Certified Message Delivery on page 119](#)).

See Also [DATALOSS.MSG_TOO_LARGE, page 249](#)

DISPATCHER.THREAD_EXITED

Advisory

Subject Name `_RV.INFO.SYSTEM.DISPATCHER.THREAD_EXITED.thread_name`
Syntax

Purpose A dispatcher thread exited, producing an error status code.

Remarks Dispatcher threads are a programmer convenience. Programs that do not use dispatcher threads never present this advisory.

When the dispatcher thread has a name, it appears as the *thread_name* element of the advisory subject; otherwise a default thread name appears in that position.

The process transport presents this advisory.

If a program is listening for this advisory, the event driver places it on the queue associated with the listener event. It is good practice to use the default queue for this advisory, since it never discards an event.

Message Fields

Field Name	Description
<code>status</code>	The status code. This field has datatype <code>TIBRVMSG_U32</code> .
<code>description</code>	A string corresponding to the status code. This field has datatype <code>TIBRVMSG_STRING</code> .

Diagnosis This advisory reports these program situations:

- The dispatch thread exited because its dispatch timeout elapsed; that is, the thread waited for that time period, during which no events were ready for dispatch.
- An error occurred while attempting to dispatch the queue or queue group. This status usually indicates that the queue or queue group is destroyed or invalid.
- The dispatcher thread was destroyed.

See Also [Dispatcher Threads, page 65](#)

HOST.STATUS

Advisory

Subject Name `_RV.INFO.SYSTEM.HOST.STATUS.hostid`
Syntax

Purpose Reports the operating status of a daemon processes.

Remarks Each communications daemon periodically broadcasts this advisory to its network.

Each advisory presents a snapshot of daemon statistics on one active service. If a daemon operates on more than one service, it sends a separate advisory for each one. Statistics within each snapshot are cumulative since the daemon began communicating on the service.

The *hostid* element of the advisory subject name is the IP address (in hex notation) of the daemon that sent the advisory.

Message Fields

(Sheet 1 of 4)

Field Name	Description
<code>hostaddr</code>	The IP address of the daemon's host computer. This value has type <code>TIBRVMSG_IPADDR32</code> .
<code>sn</code>	Serial number from the daemon's license key. This value has type <code>TIBRVMSG_U32</code> .
<code>os</code>	A code number denoting the operating system of the daemon's host computer. This value has type <code>TIBRVMSG_U8</code> .
<code>ver</code>	The software release number (version) of the daemon. This value has type <code>TIBRVMSG_STRING</code> .
<code>httpaddr</code>	IP address where the daemon listens for HTTP connections. This value has type <code>TIBRVMSG_IPADDR32</code> .

(Sheet 2 of 4)

Field Name	Description
httpport	HTTP port where the daemon listens for HTTP connections. This value has type <code>TIBRVMSG_IPPORT16</code> .
hsaddr	IP address where the daemon listens for HTTPS secure connections. This value has type <code>TIBRVMSG_IPADDR32</code> .
hsport	HTTP port where the daemon listens for HTTPS secure connections. This value has type <code>TIBRVMSG_IPPORT16</code> .
time	Time of this snapshot (Zulu time). This value has type <code>TIBRVMSG_DATETIME</code> .
up	Elapsed time since the daemon began operating on this <code>service</code> . This value has type <code>TIBRVMSG_U32</code> .
cc	The number of clients on this <code>service</code> . This value has type <code>TIBRVMSG_U32</code> .
ms	Messages sent by the daemon on this <code>service</code> . This value has type <code>TIBRVMSG_U64</code> .
bs	Bytes sent (summed over all messages tallied in <code>ms</code>). This value has type <code>TIBRVMSG_U64</code> .
mr	Messages received by the daemon on this <code>service</code> . This value has type <code>TIBRVMSG_U64</code> .
br	Bytes received (summed over all messages tallied in <code>mr</code>). This value has type <code>TIBRVMSG_U64</code> .
ps	Packets sent (outbound). This value has type <code>TIBRVMSG_U64</code> .

(Sheet 3 of 4)

Field Name	Description
<code>pr</code>	Packets received (inbound). This value has type <code>TIBRVMSG_U64</code> .
<code>rx</code>	Packets retransmitted (outbound). This value has type <code>TIBRVMSG_U64</code> .
<code>pm</code>	Packets missed (inbound). This value has type <code>TIBRVMSG_U64</code> .
<code>idl</code>	Inbound data loss (in packets). This value has type <code>TIBRVMSG_U64</code> .
<code>odl</code>	Outbound data loss (in packets). This value has type <code>TIBRVMSG_U64</code> .
<code>irrs</code>	Inbound data retransmission requests suppressed (that is, requests not sent) by RXC at the receiver (in packets). This value has type <code>TIBRVMSG_U64</code> .
<code>orrs</code>	Outbound data retransmission requests suppressed (that is, requests ignored) by RXC at the sender (in packets). This value has type <code>TIBRVMSG_U64</code> .
<code>ipport</code>	IP port where the daemon listens for client connections. This is identical to the transport <code>daemon</code> parameter. This value has type <code>TIBRVMSG_IPPORT16</code> .
<code>service</code>	Service for which this advisory presents a snapshot. This is identical to the transport <code>service</code> parameter. This value has type <code>TIBRVMSG_STRING</code> .
<code>network</code>	Network for which this advisory presents a snapshot. This is identical to the transport <code>network</code> parameter. This value has type <code>TIBRVMSG_STRING</code> .
<code>cid</code>	Communication ID. For internal use only. This value has type <code>TIBRVMSG_U16</code> .

(Sheet 4 of 4)

Field Name	Description
scid	Service communication ID. For internal use only. This value has type <code>TIBRVMSG_U16</code> .

LICENSE.EXPIRE

Advisory

Subject Name	_RV.ERROR.SYSTEM.LICENSE.EXPIRE
Syntax	_RV.WARN.SYSTEM.LICENSE.EXPIRE
Purpose	The Rendezvous daemon license has expired, or will expire soon.
Remarks	Each Rendezvous daemon process requires a valid license. Some licenses are valid for only a limited time. These messages indicate expiration (or impending expiration) of a license.
Warning	As a warning advisory, this message indicates that the license will expire soon. Every Rendezvous daemon that depends on that license presents this warning message to each of its client transports.
Error	As an error advisory, this message indicates that the license has already expired. Every affected Rendezvous daemon stops servicing its client programs, and presents this error message to each client transport.

Message Fields

Field Name	Description
expiretime	The expiration time of the license. The value has type <code>TIBRVMSG_DATETIME</code> .

QUEUE.LIMIT_EXCEEDED

Advisory

Subject Name `_RV.WARN.SYSTEM.QUEUE.LIMIT_EXCEEDED`
Syntax

Purpose An event queue exceeded its event limit, discarding an event.

Remarks The process transport presents this advisory.

If a program is listening for this advisory, the event driver places it on the queue associated with the listener event. It is good practice to use a queue that never discards an event; the default queue is a good choice for this purpose.

Message Fields

Field Name	Description
<code>ADV_DESC</code>	Name of the queue. If the program did not explicitly set a queue name, the default queue name is <code>tibrvQueue</code> . The value has type <code>TIBRVMSG_STRING</code> .

RETRANSMISSION.INBOUND.EXPECTED

Advisory

Subject Name

`_RV.INFO.SYSTEM.RETRANSMISSION.INBOUND.EXPECTED`

Syntax

Purpose

A receiving daemon produces this advisory when it detects missed inbound packets, and expects possible retransmission.

Remarks

A communications daemon presents this advisory to subscribing clients.

Do not subscribe to this advisory for general monitoring; rather, see [HOST.STATUS on page 253](#). `RETRANSMISSION.INBOUND.EXPECTED` is better suited to identifying the specific sending host from which this daemon is missing inbound packets.

Message Fields

Field Name	Description
<code>host</code>	The IP address of the <i>sending</i> daemon’s host computer (the source of the missed packets).
<code>lost</code>	The number of missed packets.

RETRANSMISSION.INBOUND.REQUEST_NOT_SENT

Advisory

Subject Name	_RV.INFO.SYSTEM.RETRANSMISSION.INBOUND.REQUEST_NOT_SENT
Syntax	
Purpose	A receiving daemon produces this advisory when, as a chronically-lossy receiver, it censors its own retransmission requests.
Remarks	A communications daemon presents this advisory to subscribing clients.
Diagnosis	<p>This advisory indicates that a receiving daemon’s retransmission control (RXC) feature has identified itself as a chronically-lossy receiver, and is protecting network bandwidth by censoring its retransmission requests (that is, not sending those requests). Each advisory corresponds to one censored request.</p> <p>It is likely that the advisory <code>DATALOSS.INBOUND.BCAST</code> will accompany this advisory, since the receiving daemon does not request retransmission of the missed packets.</p> <p>Check the receiver for the following possible problems:</p> <ul style="list-style-type: none">• Some hardware component is experiencing intermittent failures; the component could be a faulty network card, a loose connection, or a frayed wire.• A Rendezvous daemon process on the receiving host is starved for CPU cycles; either its host computer is too heavily loaded, or the priority of the daemon process is too low.• The rate at which inbound data arrives overwhelms the capacity of the receiving host computer, which has insufficient CPU power, network bandwidth, memory, or some other limiting resource.• If several hosts on the same network produce these advisories, the problem could be in the network routing or switching hardware.

Message Fields

Field Name	Description
host	The IP address of the host computer where the chronically-lossy receiver (daemon) is running.
lost	The number of missed data packets for which RXC (in the receiving daemon) suppressed a retransmission request.

See Also [RETRANSMISSION.OUTBOUND.SUPPRESSED on page 263](#)
[Retransmission Control on page 45](#) in *TIBCO Rendezvous Administration*

RETRANSMISSION.OUTBOUND.SENT

Advisory

Subject Name `_RV.INFO.SYSTEM.RETRANSMISSION.OUTBOUND.SENT`
Syntax

Purpose A sending daemon produces this advisory when it retransmits requested packets.

Remarks A communications daemon presents this advisory to subscribing clients.

Do not subscribe to this advisory for general monitoring; rather, see [HOST.STATUS on page 253](#). `RETRANSMISSION.OUTBOUND.SENT` is better suited to identifying the specific receiving host which is missing packets from this sending daemon.

Message Fields

Field Name	Description
<code>host</code>	The IP address of the daemon’s host computer.
<code>lost</code>	The number of packets retransmitted.

RETRANSMISSION.OUTBOUND.SUPPRESSED

Advisory

Subject Name `_RV.INFO.SYSTEM.RETRANSMISSION.OUTBOUND.SUPPRESSED`
Syntax

Purpose A sending daemon produces this advisory when it ignores retransmission requests from a chronically-lossy receiver.

Remarks A communications daemon presents this advisory to subscribing clients.

Diagnosis This advisory indicates that the retransmission control (RXC) feature has identified a chronically-lossy receiver, and is protecting network bandwidth by ignoring its retransmission requests. Each advisory corresponds to one suppressed request.

Check the indicated receiver for the following possible problems:

- Some hardware component is experiencing intermittent failures; the component could be a faulty network card, a loose connection, or a frayed wire.
- A Rendezvous daemon process on the receiving host is starved for CPU cycles; either its host computer is too heavily loaded, or the priority of the daemon process is too low.
- The rate at which inbound data arrives overwhelms the capacity of the receiving host computer, which has insufficient CPU power, network bandwidth, memory, or some other limiting resource.
- If these advisories indicate several hosts on the same network, the problem could be in the network routing or switching hardware.

Message Fields

Field Name	Description
<code>host</code>	The IP address of the host computer where the chronically-lossy receiver (daemon) is running.
<code>lost</code>	The number of requested data packets for which RXC (in the sending daemon) suppressed retransmission.

See Also [RETRANSMISSION.INBOUND.REQUEST_NOT_SENT on page 260](#)
[Retransmission Control on page 45](#) in *TIBCO Rendezvous Administration*

RVD

Advisory

Subject Name	<code>_RV.WARN.SYSTEM.RVD.DISCONNECTED</code>
Syntax	<code>_RV.INFO.SYSTEM.RVD.CONNECTED</code>
Purpose	The transport’s connection to the Rendezvous daemon has changed.
Remarks	Every affected transport presents this advisory. These advisories do not occur when using IPM.
Disconnected	<p>The warning advisory, <code>_RV.WARN.SYSTEM.RVD.DISCONNECTED</code>, indicates that the transport is no longer connected to a Rendezvous daemon process. While the transport object and the daemon are disconnected, no data flows between them in either direction. If the daemon process was running on the local host computer, the transport object will automatically attempt to restart it and reconnect. In the interim, the daemon is not receiving inbound messages on behalf of the transport.</p> <p>Several external situations can result in <code>RVD.DISCONNECTED</code>; for example:</p> <ul style="list-style-type: none">• The <code>rvd</code> process was removed.• The wire connecting the remote program host to the <code>rvd</code> host is broken.• The remote <code>rvd</code> host experienced a power failure.• The <code>rvd</code> process disconnected the client process because excessive memory usage associated with the client jeopardized continued operation of the daemon.
Connected	The informational advisory, <code>_RV.INFO.SYSTEM.RVD.CONNECTED</code> , indicates that the transport is again connected to a Rendezvous daemon.

UNREACHABLE.TRANSPORT

Advisory

Subject Name	<code>_RV.INFO.SYSTEM.UNREACHABLE.TRANSPORT.transport_id</code>
Syntax	
Purpose	A transport has terminated.
Remarks	When a program terminates a transport object, its Rendezvous daemon sends this advisory to the network at large.
Diagnosis	Either the program destroyed the transport as part of its normal operation, or the program terminated abruptly. The daemon does not distinguish between these two possibilities.

VC.CONNECTED

Advisory

Subject Name	_RV.INFO.SYSTEM.VC.CONNECTED
Syntax	
Purpose	A virtual circuit is established and ready to use.
Remarks	Virtual circuit transport objects (that is, both terminals of the circuit) present this advisory.
Message Fields	None.
Missed Advisory	It is possible to miss this advisory. That is, the transport object can present the advisory before the program begins listening for it. To avoid this situation, combine listening for this advisory with a direct test of the connection. For details, see Testing the New Connection on page 103 .
See Also	Virtual Circuits on page 99

VC.DISCONNECTED

Advisory

Subject Name	_RV.ERROR.SYSTEM.VC.DISCONNECTED
Syntax	_RV.INFO.SYSTEM.VC.DISCONNECTED
Purpose	A virtual circuit connection has broken.
Remarks	Virtual circuit transport objects (that is, both terminals of the circuit) present this advisory.
Error	<p>The error advisory, <code>_RV.ERROR.SYSTEM.VC.DISCONNECTED</code>, indicates virtual circuit failure:</p> <ul style="list-style-type: none">• Either terminal detects <code>DATALOSS</code> (that is, missing messages) on the circuit.• Either terminal detects loss of the heartbeat signal from the opposite terminal.
Info	<p>The informational advisory, <code>_RV.INFO.SYSTEM.VC.DISCONNECTED</code>, indicates graceful disconnection—that is, one of these cases:</p> <ul style="list-style-type: none">• The process at the other end of the circuit exits.• The process at the other end of the circuit explicitly destroys its virtual transport object.• The process at <i>this</i> end of the circuit explicitly destroys its virtual transport object. (It presents this advisory before freeing its storage.)

Message Fields

Field Name	Description
<code>description</code>	<p>A string that describes the reason for the broken connection.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>

See Also [Virtual Circuits on page 99](#)

Appendix B **Certified Message Delivery (RVCM) Advisory Messages**

Rendezvous CM transports (and distributed queue members) present advisory messages on the transports they employ for network communications; they do not broadcast advisories on the network.

Topics

- [Certified Delivery and Distributed Queue Advisory Messages, page 270](#)
- [RVCM Advisory Subject Names, page 271](#)

Certified Delivery and Distributed Queue Advisory Messages

Table 42 lists the certified delivery and distributed queue advisory messages, and indicates which ones listening CM transports can present.

Table 42 Rendezvous Certified Message Delivery Advisories

Advisory Message	Class	To	Page
<code>DELIVERY.CONFIRM</code>	INFO	Sender	273
<code>DELIVERY.COMPLETE</code>	INFO	Sender	274
<code>DELIVERY.NO_RESPONSE</code>	WARN	Sender	275
<code>DELIVERY.FAILED</code>	ERROR	Sender	276
<code>DELIVERY.UNAVAILABLE</code>	ERROR	Listener	278
<code>REGISTRATION.REQUEST</code>	INFO	Sender	280
<code>REGISTRATION.CERTIFIED</code>	INFO	Listener	281
<code>REGISTRATION.NOT_CERTIFIED</code>	WARN	Listener	282
<code>REGISTRATION.NO_RESPONSE</code>	WARN	Listener	283
<code>REGISTRATION.CLOSED</code>	INFO	Sender	284
<code>REGISTRATION.DISCOVERY</code>	INFO	Listener	285
<code>REGISTRATION.MOVED</code>	INFO	Listener, Sender	286
<code>REGISTRATION.COLLISION</code>	ERROR	Listener, Sender	287
<code>RELAY.CONNECTED</code>	INFO	Listener, Sender	288
<code>RELAY.DISCONNECTED</code>	INFO	Listener, Sender	289
<code>QUEUE.SCHEDULER.ACTIVE</code> <code>QUEUE.SCHEDULER.INACTIVE</code>	INFO	Queue Member	290
<code>QUEUE.SCHEDULER.OVERFLOW</code>	WARN	Queue Member	291

RVCM Advisory Subject Names

Rendezvous certified message delivery software constructs the subject names of advisory messages using these templates:

```
_RV.class.RVCM.category.condition.subject
_RV.class.RVCM.category.condition.name
```

Distributed queue software constructs the subject names of advisory messages using this template:

```
_RV.class.RVCM.category.role.condition.name
```

Table 43 RVCM Advisory Subject Name Elements (Sheet 1 of 2)

Element	Description
<i>class</i>	The <i>class</i> element denotes the severity of the situation: <ul style="list-style-type: none">• <code>ERROR</code> indicates either a problem that precludes certified delivery, or a situation in which delivery did not complete.• <code>WARN</code> indicates an anomalous situation that might jeopardize certified message delivery.• <code>INFO</code> indicates an interesting event in the normal operation of certified message delivery.
<i>source</i>	The <i>source</i> element is <code>RVCM</code> for all advisories from certified message delivery software.
<i>category</i>	The <i>category</i> element indicates the general category of the situation that the advisory describes: <ul style="list-style-type: none">• <code>DELIVERY</code> pertains to the tracking and delivery of specific messages.• <code>REGISTRATION</code> pertains to the administration of certified delivery service.• <code>RELAY</code> pertains to relay agents.• <code>QUEUE</code> pertains to distributed queues.
<i>condition</i>	The <i>condition</i> element indicates the specific situation that the advisory reports.
<i>role</i>	The <i>role</i> element of <code>QUEUE</code> advisories indicates whether the advisory pertains to the member in the <code>LISTENER</code> (worker) role or the <code>SCHEDULER</code> role.

Table 43 RVCM Advisory Subject Name Elements (Sheet 2 of 2)

Element	Description
<i>subject</i>	The <i>subject</i> element contains the subject name to which the advisory pertains. These names often consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all names in this position.
<i>name</i>	The <i>name</i> element contains the reusable name to which the advisory pertains. These names may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all names in this position.

DELIVERY.CONFIRM

Advisory

Subject Name	<code>_RV.INFO.RVCM.DELIVERY.CONFIRM.subject</code>
Syntax	
Purpose	A sender presents this advisory whenever a registered listener confirms receipt of a certified message.
Remarks	<p><code>_RV.INFO.RVCM.DELIVERY.CONFIRM.subject</code> indicates confirmed delivery of a certified message to a particular listener.</p> <p>The default behavior of listeners is automatic confirmation upon return of the listener’s data callback function. Programs can override this behavior, and confirm delivery with an explicit call for each inbound certified message. (See Automatic Confirmation of Delivery on page 136.)</p> <p>The <i>subject</i> element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.</p>

Message Fields

Field Name	Description
<code>subject</code>	<p>The subject name of the certified message. It is identical to the <i>subject</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>listener</code>	<p>The name of the listener that confirmed receipt.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>seqno</code>	<p>The sequence number of the confirmed message.</p> <p>This field has datatype <code>TIBRVMSG_U64</code>.</p>

DELIVERY.COMPLETE

Advisory

Subject Name Syntax `_RV.INFO.RVCM.DELIVERY.COMPLETE.subject`

Purpose A sender presents this advisory when all registered listeners have either confirmed delivery of a certified message, or canceled interest in receiving it.

Remarks The sender presents this advisory after deleting the message from its ledger.

`DELIVERY.COMPLETE` means that no listener still requires certified delivery of the message. It is possible that some listeners were previously expecting certified delivery of the message, but have canceled interest in it—either by closing the subscription, or by moving without requiring old messages.

The *subject* element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
subject	The subject name of the certified message. It is identical to the <i>subject</i> element. This field has datatype <code>TIBRVMSG_STRING</code> .
seqno	The sequence number of the complete message. This field has datatype <code>TIBRVMSG_U64</code> .

DELIVERY.NO_RESPONSE

Advisory

Subject Name	<code>_RV.WARN.RVCM.DELIVERY.NO_RESPONSE.name</code>
Syntax	
Purpose	A sender presents this advisory when a listener does not confirm certified messages.
Remarks	<p>The advisory repeats at a regular interval until the sender receives a delivery confirmation from the listener.</p> <p>When several certified listeners are unresponsive, the sender presents a separate advisory for each one.</p> <p>The <i>name</i> element is the name of the unresponsive listener. The listener name can span several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.</p>

Message Fields

Field Name	Description
<code>listener</code>	<p>The name of the listener that has not confirmed message delivery. It is identical to the <i>name</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>

Diagnosis	<p><code>DELIVERY.NO_RESPONSE</code> advisories can indicate any of these difficulties:</p> <ul style="list-style-type: none">• The physical network is unreliable.• The receiving program has terminated or is unstable.• A program cannot locate its relay agent process.
-----------	---

DELIVERY.FAILED

Advisory

Subject Name Syntax	<code>_RV.ERROR.RVCN.DELIVERY.FAILED.subject</code>
Purpose	A sender presents this advisory when the time limit of a message expires before all registered listeners have confirmed delivery.
Remarks	<p>The time limit is fixed by the CM send call.</p> <p>The sender presents this advisory after Rendezvous software deletes the message from the sender's ledger.</p> <p>The <i>subject</i> element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.</p>

Message Fields

Field Name	Description
<code>subject</code>	<p>The subject name of the certified message. It is identical to the <i>subject</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>seqno</code>	<p>The sequence number of the failed message.</p> <p>This field has datatype <code>TIBRVMSG_U64</code>.</p>
<code>data</code>	<p>The data portion of the failed message.</p> <p>This field has datatype <code>TIBRVMSG_MSG</code>.</p>
<code>listener</code>	<p>A <code>DELIVERY.FAILED</code> advisory can contain one or more fields named <code>listener</code>. Each <code>listener</code> field contains the name of a listener that did not confirm delivery.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>

Diagnosis	<p>This advisory indicates an error, and reports unexpected and usually undesirable behavior.</p> <p><code>DELIVERY.FAILED</code> advisories can indicate any of several difficulties:</p> <ul style="list-style-type: none">• The physical network is unreliable.• One or more receiving programs have terminated or are unstable.
-----------	--

- The sending program is using a time-out value that is too low.
- The sending program explicitly marked the message as expired.

DELIVERY.UNAVAILABLE

Advisory

Subject Name Syntax `_RV.ERROR.RVCM.DELIVERY.UNAVAILABLE.subject`

Purpose A listener presents this advisory when one or more messages are no longer available for retransmission.

Remarks Consider this example situation. Message number 49 arrives at the listener out of sequence—it has not yet received messages number 46, 47 and 48. Rendezvous software automatically requests that the sender retransmit messages 46–48. However, the time-out has expired for those messages, and they are no longer available in the sender’s ledger. The listening transport first presents a `DELIVERY.UNAVAILABLE` advisory, indicating that messages 46–48 are lost; then it queues message 49.

In this example a range of messages are unavailable. The advisory indicates this range by noting the sequence numbers of the first unavailable message (`seqno_begin` is 46) and the last unavailable message (`seqno_end` is 48). In a situation where only one message is unavailable, the fields `seqno_begin` and `seqno_end` both contain the same value.

The *subject* element is the subject name of the unavailable certified messages. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

(Sheet 1 of 2)

Field Name	Description
<code>subject</code>	<p>The subject name of the unavailable certified messages. It is identical to the <i>subject</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>seqno_begin</code>	<p>The sequence number of the first unavailable message in the range.</p> <p>This field has datatype <code>TIBRVMSG_U64</code>.</p>
<code>seqno_end</code>	<p>The sequence number of the last unavailable message in the range.</p> <p>This field has datatype <code>TIBRVMSG_U64</code>.</p>

(Sheet 2 of 2)

Field Name	Description
sender	The name of the sender that cannot retransmit the message. This field has datatype <code>TIBRVMSG_STRING</code> .

- Diagnosis** This advisory indicates an error, and reports unexpected and usually undesirable behavior.
- DELIVERY.UNAVAILABLE advisories can indicate either of these difficulties:
- The physical network is unreliable.
 - The sending program is using a time-out value that is too low.

REGISTRATION.REQUEST

Advisory

Subject Name `_RV.INFO.RVCN.REGISTRATION.REQUEST.subject`
Syntax

Purpose A sender presents this advisory when a registration request arrives from a listener.

Remarks Rendezvous software automatically accepts registration requests—unless the sender has previously disallowed the listener. After accepting a request, Rendezvous software presents this advisory to the sending program. The advisory callback function can disallow the listener (see page 143) to revoke certified delivery and deny subsequent requests.

The *subject* element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
<code>subject</code>	The subject name for which the listener requested certified delivery. It is identical to the <i>subject</i> element. This field has datatype <code>TIBRVMSG_STRING</code> .
<code>listener</code>	The name of the listener requesting certified delivery. This field has datatype <code>TIBRVMSG_STRING</code> .

REGISTRATION.CERTIFIED

Advisory

Subject Name	<code>_RV.INFO.RVCM.REGISTRATION.CERTIFIED.subject</code>
Syntax	
Purpose	A listener presents this advisory when a sender accepts its registration request for certified delivery.
Remarks	The <i>subject</i> element is the subject name for which delivery is certified. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
<code>subject</code>	<p>The subject name for which delivery is certified. It is identical to the <i>subject</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>sender</code>	<p>The name of the sender that accepted the request for certified delivery.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>seqno_begin</code>	<p>The first sequence number for which delivery is certified from the <i>sender</i>.</p> <p>This field has datatype <code>TIBRVMSG_U64</code>.</p>

REGISTRATION.NOT_CERTIFIED

Advisory

Subject Name Syntax `_RV.WARN.RVCM.REGISTRATION.NOT_CERTIFIED.subject`

Purpose A listener presents this advisory when a sender disallows certified delivery to the listener.

Remarks Senders can either remove or disallow a listener to cancel certified delivery to that listener. The listener presents a separate advisory for each subject for which it previously expected certified delivery.

The listener continues to receive messages on the disallowed subject, even though delivery is not certified.

The *subject* element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
subject	The subject name for which delivery is not certified. It is identical to the <i>subject</i> element. This field has datatype <code>TIBRVMSG_STRING</code> .
sender	The name of the sender that canceled certified delivery. This field has datatype <code>TIBRVMSG_STRING</code> .

REGISTRATION.NO_RESPONSE

Advisory

Subject Name	<code>_RV.WARN.RVCM.REGISTRATION.NO_RESPONSE.subject</code>
Syntax	
Purpose	A listener presents this advisory when Rendezvous software receives no response to a request for certified delivery.
Remarks	<p>This advisory indicates a network communication failure in of one of two modes:</p> <ul style="list-style-type: none"> • The request never reached the sender. • The sender received the request, but its response never reached the listener. <p>In either case, delivery is not certified.</p> <p>The listener continues to receive messages on the subject, even though delivery is not certified.</p> <p>After several attempts receive no response, the listener stops requesting registration.</p> <p>The <i>subject</i> element is the subject name for which delivery is not certified. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.</p>

Message Fields

Field Name	Description
<code>subject</code>	<p>The subject name for which delivery is not certified. It is identical to the <i>subject</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>sender</code>	<p>The name of the sender that did not respond.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>

Diagnostics	This advisory can indicate either network glitches, or termination of the sender process.
--------------------	---

REGISTRATION.CLOSED

Advisory

Subject Name Syntax `_RV.INFO.RVCM.REGISTRATION.CLOSED.subject`

- Purpose** Cooperating senders presents this advisory in two situations:
- A listener destroys a certified listener event object.
 - A sender cancels certified delivery of *subject* to a listening correspondent.

Remarks Destroying a listening event implies that the listener program no longer requires delivery of that subject. Senders that certify delivery to the listener need not continue to do so. Each sender removes from its ledger all items associated with the closed subject and listener, and then presents this advisory to inform the sending program.

When a sender cancels certified delivery, it removes from its ledger all items associated with the canceled subject and listener, and then generates this advisory to the sending program (to trigger any operations in the callback function for the advisory).

The *subject* element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
<code>subject</code>	The subject name that closed. It is identical to the <i>subject</i> element. This field has datatype <code>TIBRVMSG_STRING</code> .
<code>listener</code>	The name of the listening correspondent that no longer receives the subject. This field has datatype <code>TIBRVMSG_STRING</code> .
<code>seqno_last_sent</code>	The sequence number of the last message sent to the closed listener. This field has datatype <code>TIBRVMSG_U64</code> .
<code>seqno_last_confirmed</code>	The sequence number of the last message for which the listener confirmed delivery before closing. This field has datatype <code>TIBRVMSG_U64</code> .

REGISTRATION.DISCOVERY

Advisory

Subject Name	<code>_RV.INFO.RVCM.REGISTRATION.DISCOVERY.subject</code>
Syntax	
Purpose	A listener presents this advisory when it discovers a new (previously unfamiliar) sending CM transport.
Remarks	<p>Discovery occurs when a listening CM transport receives a labeled message from a CM sender that is not listed in the listener's ledger. Four things happen as a result (not necessarily in this order):</p> <ul style="list-style-type: none">• Rendezvous software queues the inbound message (but this message is not itself certified).• Certified delivery software adds the sender's name to the listener's ledger, as a source of messages on the subject.• The listener automatically requests certified delivery of the subject from the sender.• The listener presents this advisory message.

The *subject* element is the subject name of the certified message. The subject often consists of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
<code>subject</code>	<p>The subject name of the inbound message that caused discovery. It is identical to the <i>subject</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>
<code>sender</code>	<p>The name of the new sender.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>

REGISTRATION.MOVED

Advisory

- Subject Name

Syntax

Purpose

Remarks
- `_RV.INFO.RVCM.REGISTRATION.MOVED.name`

A CM transport presents this advisory when it processes any communication from a persistent correspondent with a familiar name, but an unfamiliar address.

The combination of a familiar name with an unfamiliar address implies that a cooperating persistent correspondent has moved—that is, the name has moved to a new transport object (possibly in a new process, or even on a different host computer). The receiving correspondent automatically updates its ledger to reflect the new address of the sending correspondent that moved.

The *name* element is the reusable name of the relocated correspondent. The name may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
name	The reusable name of the correspondent that moved. It is identical to the <i>name</i> element. This field has datatype <code>TIBRVMSG_STRING</code> .

- Diagnostics

Several `REGISTRATION.MOVED` advisories in rapid succession might indicate a name collision (two or more correspondents that claim the same name). This situation can cause thrashing, which defeats the benefit of certified message delivery.

REGISTRATION.COLLISION

Advisory

Subject Name	<code>_RV.ERROR.RVCM.REGISTRATION.COLLISION.name</code>
Syntax	
Purpose	A CM transport receives this advisory when it discovers a newly enabled CM transport that claims the same name.
Remarks	<p>Name collisions can result in thrashing, which defeats the benefit of certified message delivery. It is good practice for programs to include a policy for reporting and resolving collisions.</p> <p>The <i>name</i> element is the reusable correspondent name that is the locus of the collision. The name may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.</p>

Message Fields

Field Name	Description
<code>name</code>	<p>The name that caused collision. It is identical to the <i>name</i> element.</p> <p>This field has datatype <code>TIBRVMSG_STRING</code>.</p>

RELAY.CONNECTED

Advisory

Subject Name `_RV.INFO.RVCM.RELAY.CONNECTED.name`
Syntax

Purpose A CM transport presents this advisory when it connects (or reconnects) to its designated relay agent.

Remarks Connect calls are non-blocking; they immediately return control to the program, and asynchronously attempt to connect to the relay agent. Upon making successful contact with the relay agent process, the transport presents this advisory.

The *name* element is the name of the relay agent. The name may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all relay agent names in this position.

Message Fields

Field Name	Description
name	The name of the relay agent. It is identical to the <i>name</i> element.
	This field has datatype <code>TIBRVMSG_STRING</code> .

See Also [Connecting and Disconnecting, page 152](#)

RELAY.DISCONNECTED

Advisory

Subject Name `_RV.INFO.RVCM.RELAY.DISCONNECTED.name`
Syntax

Purpose A CM transport presents this advisory when it disconnects from its relay agent.

Remarks Disconnect calls are non-blocking; they immediately return control to the program, and asynchronously proceed with clean-up tasks. When those tasks are complete, the transport presents this advisory, indicating that it is safe to sever the physical network connection.

The *name* element is the name of the relay agent. The name may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all relay agent names in this position.

Message Fields

Field Name	Description
name	The name of the relay agent. It is identical to the <i>name</i> element.
	This field has datatype <code>TIBRVMSG_STRING</code> .

See Also [Connecting and Disconnecting, page 152](#)

QUEUE.SCHEDULER.ACTIVE

Advisory

Subject Name `_RV.INFO.RVCN.QUEUE.SCHEDULER.ACTIVE.name`
Syntax `_RV.INFO.RVCN.QUEUE.SCHEDULER.INACTIVE.name`

Purpose A distributed queue member presents a `SCHEDULER.ACTIVE` advisory when it becomes the active scheduler.

A distributed queue presents a `SCHEDULER.INACTIVE` advisory when it relinquishes the scheduler role, becoming a worker.

Remarks The *name* element is the distributed queue correspondent name. The name may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

Message Fields

Field Name	Description
name	The distributed queue correspondent name. It is identical to the <i>name</i> element.
	This field has datatype <code>TIBRVMSG_STRING</code> .

QUEUE.SCHEDULER.OVERFLOW

Advisory

- Subject Name

Syntax

Purpose

Remarks
- `_RV.WARN.RVCM.QUEUE.SCHEDULER.OVERFLOW.name`

A distributed queue scheduler presents a `SCHEDULER.OVERFLOW` advisory when it discards a task because its backlog of tasks is too great and no workers are available to accept a task.

The *name* element is the distributed queue correspondent name. The name may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all subjects in this position.

The scope of this advisory is the transport that created the scheduler member.

Notice that if the scheduler has not set its task backlog limit, then the queue can never overflow (and this advisory is never presented).

Message Fields

Field Name	Description
name	<div>The distributed queue correspondent name of the scheduler. It is identical to the <i>name</i> element.</div> <div>This field has datatype <code>TIBRVMSG_STRING</code>.</div>
subject	<div>The subject name of the discarded task message.</div> <div>This field has datatype <code>TIBRVMSG_STRING</code>.</div>
sender	<div>The distributed queue correspondent name of the task sender.</div> <div>This field has datatype <code>TIBRVMSG_STRING</code>.</div>
seqno	<div>The RVCM sequence number of the discarded task message.</div> <div>This field has datatype <code>TIBRVMSG_U64</code>.</div>
reason	<div>The string "Task backlog limit reached."</div> <div>This field has datatype <code>TIBRVMSG_STRING</code>.</div>

Appendix C **Fault Tolerance (RVFT) Advisory Messages**

Advisory messages inform programs of problematic situations.

A fault tolerance member object presents advisory messages on its transport; it does not broadcast advisories on the network.

Topics

- [Fault Tolerance Advisory Messages, page 294](#)
- [RVFT Advisory Subject Names, page 295](#)
- [RVFT Advisory Description Field, page 296](#)

Fault Tolerance Advisory Messages

Table 44 Rendezvous Fault Tolerance Advisory Messages

Advisory Message	Class	Page
PARAM_MISMATCH	ERROR, WARN	297
DISABLING_MEMBER	ERROR	299
TOO_MANY_ACTIVE	WARN	300
TOO_FEW_ACTIVE	WARN	302

RVFT Advisory Subject Names

Rendezvous fault tolerance software constructs the subject names of advisory messages using this template:

`_RV.class.RVFT.name.group`

Table 45 RVFT Advisory Subject Name Elements

Element	Description
<i>class</i>	<p>The <i>class</i> element denotes the severity of the situation.</p> <ul style="list-style-type: none"> <code>ERROR</code> indicates a problem that certainly precludes fault tolerance. <code>WARN</code> indicates an anomalous situation that might jeopardize fault tolerance. <p>(Rendezvous fault tolerance software does not generate advisory messages with class <code>INFO</code>.)</p>
<i>source</i>	The <i>source</i> element is <code>RVFT</code> for all advisories from fault tolerance software.
<i>name</i>	The <i>name</i> element describes the situation that the advisory reports.
<i>group</i>	The <i>group</i> element is the name of the fault tolerance group to which the problematic situation applies. Group names may consist of several elements, so the wildcard character ">" (rather than "*") is the correct way to match all names in this position.

RVFT Advisory Description Field

Advisory messages from Rendezvous fault tolerance software may contain a field named `RVADV_DESC`. If present, this field contains a character string that describes further details of the problematic situation.

For example, `PARAM_MISMATCH` advisory messages could result from any of several different situations in which parameters do not match. The `RVADV_DESC` field contains a string explaining which parameters do not match.

PARAM_MISMATCH

Advisory

Subject Name `_RV.ERROR.RVFT.PARAM_MISMATCH.group`
Syntax `_RV.WARN.RVFT.PARAM_MISMATCH.group`

Purpose A fault tolerance member presents these advisory messages when other group members use parameters that do not match its own corresponding parameters.

Error Advisory `_RV.ERROR.RVFT.PARAM_MISMATCH.group` indicates an error—a severe situation in which parameter mismatch precludes correct fault tolerance behavior. Each group member presents this advisory message.

The `RVADV_DESC` field describes the error in more detail:

- `Active goal differs`

Another member has a different active goal parameter than this member. All members of the group must aim for the same number of active members. Find and correct the discrepancy immediately.

- `Activation interval differs`

Another member has a different activation interval than this member. All members of the group must use the same activation interval. Find and correct the discrepancy immediately.

Warning Advisory `_RV.WARN.RVFT.PARAM_MISMATCH.group` indicates a warning—an anomalous situation in which parameter mismatch casts doubt upon correct fault tolerance behavior. The `RVADV_DESC` field describes the error in more detail:

- `Heartbeat interval differs`

Another member has a different heartbeat interval than this member. Although it is not required that all members of the group use the same heartbeat interval, using different heartbeat intervals can result in incorrect fault tolerance behavior that is difficult to diagnose. If you are certain that the different intervals are correct, you may ignore this warning; otherwise, find and correct the discrepancy.

- `Other prepares before this member's heartbeat`

Another member has a preparation interval that is less than or equal to this member's heartbeat interval. When this member is active, the other member's fault tolerance callback function triggers repeatedly, receiving a series of false-positive `RVFT_PREPARE_TO_ACTIVATE` hints. While this behavior is not incorrect, it can be far from optimal. If you are certain that the intervals are correct, you may ignore this warning; otherwise, find and correct the discrepancy.

- `This member prepares before other's heartbeat`

The preparation interval of this member is less than or equal to the heartbeat interval of another (external) member. When that member is active, this member’s fault tolerance callback function triggers repeatedly, receiving a series of false-positive `RVFT_PREPARE_TO_ACTIVATE` hints. While this behavior is not incorrect, it can be far from optimal. If you are certain that the intervals are correct, you may ignore this warning; otherwise, find and correct the discrepancy.

Message Fields

Field Name	Description
RVADV_DESC	A string describing the specific situation of this advisory. This field has datatype <code>TIBRVMSG_STRING</code> .

See Also [Fault Tolerance Concepts, page 175.](#)

DISABLING_MEMBER

Advisory

Subject Name `_RV.ERROR.RVFT.DISABLING_MEMBER.group`
Syntax

Purpose Rendezvous fault tolerance software sometimes detects problems that make a fault tolerance member unable to function. It automatically deactivates the affected member, disables it (by setting its weight to zero), and generates this error advisory message.

Remarks Only the disabled member presents this advisory.

 The `RVADV_DESC` field always contains `NULL`.

 This advisory indicates that Rendezvous fault tolerance software cannot allocate memory, publish a message or set a timer. In most cases, the primary cause is insufficient memory.

 In some cases, memory is so scarce that the disabled member is unable to process the advisory message, nor even relay the advisory message to `stderr`.

 For a complete discussion, see [Disabling a Member on page 204](#).

Remedy The most reliable remedy is to arrange for the process to exit gracefully, and then restart the member. In the meantime, the disabled process is replaced by another member (presuming that other members are running). Be certain to investigate and correct the cause of the resource problem.

Message Fields

Field Name	Description
<code>RVADV_DESC</code>	A string describing the specific situation of this advisory. This field has datatype <code>TIBRVMSG_STRING</code> .

See Also [Fault Tolerance Concepts, page 175](#)
 [Disabling a Member, page 204](#)

TOO_MANY_ACTIVE

Advisory

Subject Name `_RV.WARN.RVFT.TOO_MANY_ACTIVE.group`
Syntax

Purpose A fault tolerance member presents this warning advisory message when it detects that too many group members are active. This situation is usually transient, and resolves itself quickly without intervention. However, if the situation persists, it might indicate problems that require attention.

Remarks Rendezvous fault tolerance software detects the situation when it receives a heartbeat message from a member that was not already known to be active.

This warning indicates that the following conditions *all* hold simultaneously:

- The number of members broadcasting heartbeat messages is greater than the active goal parameter.
- This member is active.
- This member will not deactivate (that is, its rank indicates it should remain active).

The conclusion is that one or more other members are active that should not be active. In most cases those members quickly detect the anomaly, and deactivate. Normally the situation resolves itself within one activation interval.

Notice that a member does not receive this advisory if it is either inactive or about to deactivate.

Diagnosis This warning can indicate any of several situations:

- A network separates into two or more disconnected parts, and then reconnects.

Rendezvous fault tolerance software arranges for the correct number of active members on each disconnected part of the network. When the parts reconnect, the active members with the lowest rank become extraneous, and quickly deactivate. This warning indicates that a network problem occurred.

- Members have different active goal parameters.

If member A has an active goal of one member, and B has an active goal of two members, then A and B will both become active, and A receives this complaint that too many members are active. (Both A and B also receive the `PARAM_MISMATCH` error advisory, with `Active goal differs` in the `RVADV_DESC` field.)

- Interval parameters to Rendezvous fault tolerance software are too short compared to the speed of the hardware clock and operating system services.
See [Step 4: Choose the Intervals on page 215](#).
- The active member did not send timely heartbeat messages. For example, a callback function blocked, or did not return promptly, delaying the heartbeat messages.
See [Ensure Timely Event Processing on page 196](#).

Message Fields

Field Name	Description
RVADV_DESC	A string describing the specific situation of this advisory. This field has datatype <code>TIBRVMSG_STRING</code> .

See Also [Fault Tolerance Concepts, page 175](#).

TOO_FEW_ACTIVE

Advisory

Subject Name `_RV.WARN.RVFT.TOO_FEW_ACTIVE.group`
Syntax

Purpose A fault tolerance member presents this warning advisory message when it detects that too few group members are active.

This situation is usually transient, and resolves itself quickly without intervention. However, if the situation persists, it might indicate problems that require attention.

Remarks This warning indicates that the following conditions *all* hold simultaneously:

- This member is inactive.
- This member will not activate (that is, its rank indicates it should remain inactive).
- Nevertheless, the number of members broadcasting heartbeat messages is still less than the active goal parameter.

Notice that a member does not receive this advisory if it is either active or about to activate.

Diagnosis This warning can indicate any of several situations:

- Network connectivity is erratic. The network repeatedly separates into two or more disconnected parts, and then reconnects.
 Notify your network administrator immediately.
- Member processes terminate immediately upon activation. New members activate to replace them, resulting in a cascade of failures.
 Possible causes include errors in program code, and transient network overload.

Message Fields

Field Name	Description
RVADV_DESC	A string describing the specific situation of this advisory. This field has datatype <code>TIBRVMSG_STRING</code> .

See Also [Fault Tolerance Concepts, page 175.](#)

Index

Symbols

[_data_](#), field name, reserved 53–53
[_INBOX](#) 48
[_LOCAL](#) 48
[_RV](#) 48
[_RV*.RVCM](#) advisory messages 269
[_RV*.RVFT](#) advisory messages 293
[_RV*.SYSTEM](#) advisory messages 237

A

acceptance of registration request 134
 resulting advisory 281
 actions, fault tolerance 181
 in callback function 182
 tokens 194
 activate 194
 program behavior 213
 activation interval 189, 216
 mismatch 297
 active 181
 goal 183, 210
 mismatch 297
 too few active members 302
 adding an anticipated listener 141
 address information, message 19
 administration interface 223
 advisory message
 listening for 239
 redirected to stderr 239
 RVCM summary 269
 RVFT summary 293
 subject names 271
 SYSTEM summary 237
 agreement, certified delivery 135
 anticipated listener 141

architecture summary 16

B

backlog and continuity, fault tolerance 212
 bandwidth, network 232
 benefits of Rendezvous software 3
 binary buffers 108, 109
 blocking 227
 I/O 74
 broadcast protocol 25, 87
 broadcast. See multicast.
 browser administration interface 223

C

C structs in messages 109
 CA 32
 callback actions, fault tolerance 194
 callback function 69, 195
 defined 71
 fault tolerance 182
 monitor 191
 certificate, X.509 31
 certified delivery 119–160
 advisory messages 269
 agreement 135
 canceling 142
 compared with reliable delivery 122, 122
 discovery and registration 134
 features 121
 REGISTRATION.CERTIFIED acceptance

- advisory 281
- relay agent 149–160
- subject names and performance 148
- vs. CM (delivery tracking) 135
- certified listener 135
- certified message 135
 - protocol 136
- certified sender 135
- character encoding 56
- close 227
- close, environment 29
- closed, REGISTRATION.CLOSED advisory 284
- closure data 69
- CM transport, create 130
- collision of CM names, REGISTRATION.COLLISION advisory 287
- compatibility, feature 223
- completion, DELIVERY.COMPLETE advisory 274
- confirmation of delivery 136, 273
- CONNECTED advisory 288
- connection to relay agent, advisory 288
- context files, fault tolerance 203
- continuity and active backlog, fault tolerance 212
- correspondent
 - names 130
 - persistent 139
 - ledger file 147
- creating a CM transport 130
- customer support xx

D

- daemon 8, 35
 - parameter 89
- data independence 4
- DATALOSS
 - MSG_TOO_LARGE advisory 249
- DATALOSS advisory 250
- datatypes, wire format 51
- _data_, field name, reserved 53–53
- DateTime format 57
- deactivate 194
 - program behavior 213

- decoupling 4
- default queue 66
- DEFUNCT advisory 242
- DELIVERY advisories 271
- DELIVERY.COMPLETE advisory 274
- DELIVERY.CONFIRM advisory 273
- DELIVERY.FAILED advisory 276
- DELIVERY.NO_RESPONSE advisory 275
- DELIVERY.UNAVAILABLE advisory 278
- delivery 136
- delivery order for messages 39
- delivery-tracking transport. See CM transport.
- denying a registration request 143
- design issues, fault-tolerant programs 211
- developing fault-tolerant programs 207
- direct communication 95
 - service parameter 84
- disabled member, fault tolerance 204
- DISABLING_MEMBER advisory 299
- disallow
 - disallowing certified delivery 143
 - NOT_CERTIFIED advisory 282
- DISCONNECTED advisory 289
- disconnection from relay agent, advisory 289
- discovery
 - certified delivery 134
 - protocol 134
 - REGISTRATION.DISCOVERY advisory 285
- disk space, ledger file 147
- dispatch 64
- dispatcher 65
- DISPATCHER.THREAD_EXITED advisory 252
- distinguished subject names 48
- distribute fault tolerance members 202
- distributed queue 161–174
 - member 163
 - subject names and performance 148
- distributed systems
 - development process 11
 - information producers and consumers in 5, 11

E

- encoding, character 56
- ERROR advisories 271
- event 60, 61
 - driver 63
 - I/O 74
 - listener 71
 - queue 64
 - timer 76
- example
 - certified delivery 124
 - composite message 53
 - programs 12
- expiration, certified message time limit 276
- EXPIRE advisory 257

F

- failed, DELIVERY.FAILED advisory 276
- failure, modes and detection, fault tolerance 188
- FASTPRODUCER advisory 243
- fault tolerance 175–219
 - advisory messages 293
 - callback actions 194
 - callback function 182, 195
 - file access 203
 - group 180, 180
 - programs, developing 207
 - response time, minimizing 201
 - start sequence, main() 219
- feature compatibility 223
- field
 - message 18
 - name and identifier 55
- flooding 114
- functionality 10

G

- goal, active 183, 210
 - mismatch 297
- group, fault tolerance 180, 180
 - group name 208
 - multiple groups 197
 - too few active members 302

H

- hardware platform support 13
- heartbeat, fault tolerance 187
 - interval 216
 - mismatch 297
- hint, prepare-to-activate 190
- HOST.STATUS advisory 253
- http interface 223

I

- I/O event, semantics 74
- I/O reduction 230
- ILLEGAL_PUBLISH advisory 244
- inactive 181
- inbox 24
 - names 94
- incomplete delivery 275
- INFO advisories 271
- interactions between programs 26
- interval
 - activation 189, 216
 - choosing intervals 215
 - heartbeat 187, 216
 - lost (for fault tolerance monitors) 218
 - preparation 190, 217
- intra-process transport 93
- IP_MISMATCH advisory 245
- IPM 221

J

join, fault tolerance group 180

L

labeled message 132

language interfaces 9

Latin-1 56

ledger 131

storage 147

LICENSE.EXPIRE advisory 257

listener event 71

listener, certified delivery

anticipated 141

certified (vs. CM) 135

CM 132

listening 23, 71

and callback functions 71

by subject name 41, 71

for messages 23, 71

location transparency 4

longest service interruption 200

lost interval 218

M

main() routine in fault-tolerant programs 219

member, distributed queue 163

member, fault tolerance 180

disabled 204

distributing 202

file access 203

memory management 231

memory, ledger storage 147

message object re-use 230

message size 230

messages 18, 24, 53

binary buffers in 108, 109

broadcast 23

C structs in 108, 109

certified 135, 136

contents of 108, 109

delivery order for 39

labeled 132

limited by network boundaries 115

limiting traffic 114

local values in 109

maximum size 113

multicast versus point-to-point 24

opaque data structures in 109

order of, certified delivery 138

point-to-point 23, 24

receiving 71

reliable delivery of 5, 38

self-describing data in 110

sending 23

mismatched parameters, fault tolerance 297

monitor 191

callback function 191

lost interval 218

moved, REGISTRATION.MOVED advisory 286

MSG_TOO_LARGE advisory 249

multicast addressing 88

multicast messages 25

multicast protocol 25

multicast request/reply interactions (between programs) 28

N

name, CM correspondent 130

collision 287

in labeled message 132

reusable name 146

name, fault tolerance group 180, 208

name, inbox 94

- network
 - 86
 - boundaries 115
 - parameter 86
 - multicast addressing 88
 - using bandwidth efficiently 114
- network bandwidth 232
- no response
 - to certified message 275
 - to registration request 145, 283
- NOMEMORY advisory 246
- non-reusable name, CM correspondent 130
- NOT_CERTIFIED advisory 282

O

- open, environment 29
- operating system platform support 13
- order of delivery, certified messages 138

P

- PARAM_MISMATCH advisory 297
- passive monitor 191
- PEM encoding 31
- persistent correspondent 130, 139
 - ledger file 131, 147
- PKCS #12 format 31
- platform support 223
- platform support, hardware and operating system 13
- point-to-point message 24
- preparation interval 190, 217
 - mismatch 297
- prepare-to-activate 194
 - only a hint 190
 - program behavior 213
- primary and secondary, fault tolerance 181
- process switching 232
- process-based ledger 131
- programming guidelines 107–118
 - development cycle 11

- programs
 - as information producers and consumers 11
 - communications between 7, 26
 - examples of 12
 - relationship to Rendezvous software 7
- protocols, certified delivery 129
- publish/subscribe interaction (between programs) 26

Q

- queue
 - default 66
 - event 64
 - group 65, 66
- queue, distributed 161–174
- QUEUE.LIMIT_EXCEEDED advisory 258
- QUEUE.SCHEDULER.ACTIVE advisory 290
- QUEUE.SCHEDULER.OVERFLOW advisory 291

R

- rank 184
- ranking inactive member (fault tolerance) 184
- reduce I/O 230
- REGISTRATION advisories 271
- registration, certified delivery 134, 134
 - canceling 142
 - disallowing 143
 - no response to request 145
- REGISTRATION.CERTIFIED advisory 281
- REGISTRATION.CLOSED advisory 284
- REGISTRATION.COLLISION advisory 287
- REGISTRATION.DISCOVERY advisory 285
- REGISTRATION.MOVED advisory 286
- REGISTRATION.NO_RESPONSE advisory 283
- REGISTRATION.NOT_CERTIFIED advisory 282
- REGISTRATION.REQUEST advisory 280
- relay agent 149–160
- RELAY.CONNECTED advisory 288
- RELAY.DISCONNECTED advisory 289

- reliable delivery
 - latency [234](#)
- reliable delivery, compared with certified delivery [122](#), [122](#)
- remote daemon [90](#)
- Rendezvous daemon [8](#), [35](#)
 - relationship to application software [7](#)
 - role in inter-program communications [37](#), [38](#)
 - running remotely [90](#)
 - starting automatically [37](#)
- Rendezvous language interfaces [9](#)
- request, registration [134](#)
- request/reply interaction (between programs) [27](#)
- reserved elements in reusable names [146](#)
- resources, certified delivery [125](#)
- response time, minimizing, fault tolerance [201](#)
- retransmission [138](#)
 - DELIVERY.UNAVAILABLE advisory [278](#)
- RETRANSMISSION.INBOUND.EXPECTED
 - advisory [259](#)
- RETRANSMISSION.INBOUND.REQUEST_NOT_SENT
 - advisory [260](#)
- RETRANSMISSION.OUTBOUND.SENT
 - advisory [262](#)
- RETRANSMISSION.OUTBOUND.SUPPRESSED
 - advisory [263](#)
- reusable name [130](#), [146](#)
- re-use of message objects [230](#)
- _RV.*.RVCM advisory messages [269](#)
- _RV.*.RVFT advisory messages [293](#)
- _RV.*.SYSTEM advisory messages [237](#)
- RVD advisory [264](#)
- rvd. See Rendezvous daemon.
- RVFT_ACTIVATE action token [194](#)
- RVFT_DEACTIVATE action token [194](#)
- RVFT_PREPARE_TO_ACTIVATE action token [194](#)
- rvsd and rvsrd [30](#)

S

- scheduler, distributed queue [165](#)
- secondary and primary, fault tolerance [181](#)

- secure daemon [30](#), [40](#), [223](#), [223](#)
- security [30](#)
 - certificates [31](#)
 - client connections [30](#)
- self-describing data [20](#), [50](#)
 - in messages [110](#)
- semantics of I/O events [74](#)
- send message [92](#)
- sender name, certified delivery [19](#)
- sender, certified [135](#)
- sequence number [138](#)
 - in labeled message [132](#)
- sequence number, certified delivery [19](#)
- service interruption, longest [200](#)
- service, UDP [83](#)
 - default [84](#)
 - fault tolerance response time [201](#)
- set weight, fault tolerance [205](#)
- signals, operating system [62](#)
- SLOWCONSUMER advisory [247](#)
- socket, UDP vs TCP [118](#)
- SSL [223](#), [223](#)
- starting sequence, main(), in fault-tolerant programs [219](#)
- storage, ledger [147](#)
- string encoding [56](#)
- subject names [23](#), [41](#)
 - advisory subjects [271](#)
 - conventions [111](#)
 - distinguished [48](#)
 - examples of [21](#)
 - filtering with wildcard subscriptions [111](#)
 - in messages [23](#)
 - maximum length [111](#)
 - performance [45](#)
 - certified delivery and distributed queues [148](#)
 - reserved [43](#)
 - role in delivery of messages [24](#), [25](#)
 - special characters in [43](#)
 - syntax [42](#)
 - wildcards in [22](#), [43](#), [46](#)
- subject-based addressing [21](#), [42](#)
- subscriber [25](#)

summary

- certified delivery protocols [129](#)
- RVCN advisory messages [269](#)
- RVFT advisory messages [293](#)
- SYSTEM advisory messages [237](#)

support, contacting [xx](#)

synchronous network I/O [227](#)

T

TCP vs UDP [118](#)

technical support [xx](#)

throughput [235](#)

time format [57](#)

time limit, certified delivery [19](#)

- DELIVERY.FAILED advisory, message expiration [276](#)

timer event [76](#)

TLS [223](#), [223](#)

TOO_FEW_ACTIVE advisory [302](#)

TOO_MANY_ACTIVE advisory [300](#)

tracking backlog, fault tolerance [212](#)

transient correspondent [130](#)

transport [79–106](#)

- CM, create [130](#)
- intra-process [93](#)
- parameters [82–91](#), [116](#)
- scope [81](#)
- sending messages [92](#)

TRDP [223](#)

TTL, see time limit.

U

UDP vs TCP [118](#)

unavailable for retransmission advisory [278](#)

underscore character [48](#)

unitary message [53](#)

UNREACHABLE.TRANSPORT advisory [265](#)

user events [93](#)

V

VC.CONNECTED advisory [266](#)

VC.DISCONNECTED advisory [267](#)

virtual circuit [99](#)

W

WARN advisories [271](#)

weight, fault tolerance [184](#)

adjusting [205](#)

zero [184](#), [204](#)

wildcard

characters [46](#)

in advisory subjects [271](#)

in reusable names, illegal [146](#)

sending, warning [47](#), [112](#)

wire format [18](#)

datatypes [51](#)

withdraw, fault tolerance group [180](#)

Z

zero

preparation interval [190](#)

weight [184](#), [204](#)