

Deploying and Using a TIBCO Spotfire® Connectors Language Pack

*Software Release 6.5.1
September 2014*

Important Information

SOME TIBCO SOFTWARE EMBEDS OR BUNDLES OTHER TIBCO SOFTWARE. USE OF SUCH EMBEDDED OR BUNDLED TIBCO SOFTWARE IS SOLELY TO ENABLE THE FUNCTIONALITY (OR PROVIDE LIMITED ADD-ON FUNCTIONALITY) OF THE LICENSED TIBCO SOFTWARE. THE EMBEDDED OR BUNDLED SOFTWARE IS NOT LICENSED TO BE USED OR ACCESSED BY ANY OTHER TIBCO SOFTWARE OR FOR ANY OTHER PURPOSE.

USE OF TIBCO SOFTWARE AND THIS DOCUMENT IS SUBJECT TO THE TERMS AND CONDITIONS OF A LICENSE AGREEMENT FOUND IN EITHER A SEPARATELY EXECUTED SOFTWARE LICENSE AGREEMENT, OR, IF THERE IS NO SUCH SEPARATE AGREEMENT, THE CLICKWRAP END USER LICENSE AGREEMENT WHICH IS DISPLAYED DURING DOWNLOAD OR INSTALLATION OF THE SOFTWARE (AND WHICH IS DUPLICATED IN THE LICENSE FILE) OR IF THERE IS NO SUCH SOFTWARE LICENSE AGREEMENT OR CLICKWRAP END USER LICENSE AGREEMENT, THE LICENSE(S) LOCATED IN THE "LICENSE" FILE(S) OF THE SOFTWARE. USE OF THIS DOCUMENT IS SUBJECT TO THOSE TERMS AND CONDITIONS, AND YOUR USE HEREOF SHALL CONSTITUTE ACCEPTANCE OF AND AN AGREEMENT TO BE BOUND BY THE SAME.

This document contains confidential information that is subject to U.S. and international copyright laws and treaties. No part of this document may be reproduced in any form without the written authorization of TIBCO Software Inc.

TIBCO, Two-Second Advantage, TIBCO Spotfire, TIBCO Spotfire Server, TIBCO Spotfire Web Player, TIBCO Spotfire Statistics Services, TIBCO Enterprise Runtime for R, TIBCO Spotfire S+, and TIBCO Spotfire Automation Services are either registered trademarks or trademarks of TIBCO Software Inc. in the United States and/or other countries.

All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

THIS SOFTWARE MAY BE AVAILABLE ON MULTIPLE OPERATING SYSTEMS. HOWEVER, NOT ALL OPERATING SYSTEM PLATFORMS FOR A SPECIFIC SOFTWARE VERSION ARE RELEASED AT THE SAME TIME. SEE THE README FILE FOR THE AVAILABILITY OF THIS SOFTWARE VERSION ON A SPECIFIC OPERATING SYSTEM PLATFORM.

THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT.

THIS DOCUMENT COULD INCLUDE TECHNICAL INACCURACIES OR TYPOGRAPHICAL ERRORS. CHANGES ARE PERIODICALLY ADDED TO THE INFORMATION HEREIN; THESE CHANGES WILL BE INCORPORATED IN NEW EDITIONS OF THIS DOCUMENT. TIBCO SOFTWARE INC. MAY MAKE IMPROVEMENTS AND/OR CHANGES IN THE PRODUCT(S) AND/OR THE PROGRAM(S) DESCRIBED IN THIS DOCUMENT AT ANY TIME.

THE CONTENTS OF THIS DOCUMENT MAY BE MODIFIED AND/OR QUALIFIED, DIRECTLY OR INDIRECTLY, BY OTHER DOCUMENTATION WHICH ACCOMPANIES THIS SOFTWARE, INCLUDING BUT NOT LIMITED TO ANY RELEASE NOTES AND "READ ME" FILES.

Copyright © 1996-2014 TIBCO Software Inc. ALL RIGHTS RESERVED.

TIBCO Software Inc. Confidential Information

Contents

- TIBCO Spotfire Connectors Language Packs Documentation and Support Services 4**
- TIBCO Spotfire Connectors Language Packs6**
- Administrator Tasks 8**
 - Deploying the Connectors Language Pack 8
 - Updating TIBCO Spotfire Web Player with the Language Pack9
 - Setting the Language Using the Spotfire Default Server Setting9
 - Configuring Asian Language Support on the Web Server 10
- Spotfire User Tasks 11**
 - Updating TIBCO Spotfire Clients with the Language Pack 11
 - Setting the Language in the Spotfire Professional Client 11
 - Changing the Running Language in Spotfire Web Player 12
- Countries and Language Dialects 13**

TIBCO Spotfire Connectors Language Packs Documentation and Support Services

All TIBCO documentation is available on the TIBCO Documentation site, which can be found here:

<https://docs.tibco.com>

TIBCO Spotfire Documentation

The following documents for this product can be found in the TIBCO Documentation Library:

- *TIBCO Spotfire® Release Notes*
- *TIBCO Spotfire® Deployment and Administration Manual*
- *Running TIBCO Spotfire® on citrix XenApp™*
- *TIBCO Spotfire® Administration Manager*
- *TIBCO Spotfire® User's Guide*
- *TIBCO Spotfire® License Agreement*

TIBCO Spotfire Server Documentation

- *TIBCO Spotfire® Server Release Notes*
- *TIBCO Spotfire® Server Quick Start Guide*
- *TIBCO Spotfire® Server Installation and Configuration Manual*
- *TIBCO Spotfire® Server License Agreement*
- *TIBCO Spotfire® Server Web Services API*
- *TIBCO Spotfire® ServerInformation Services API Reference*
- *TIBCO Spotfire® Server API*

TIBCO Spotfire Web Player Documentation

- *TIBCO Spotfire® Web Player Release Notes*
- *TIBCO Spotfire® Web Player User's Guide*
- *TIBCO Spotfire® Web Player Installation and Configuration Manual*
- *TIBCO Spotfire® Web Player License Agreement*

TIBCO Spotfire Connector Documentation

- *Deploying and Using a TIBCO Spotfire® Connectors Language Pack*
- *TIBCO Spotfire® Connector for Cloudera Hive*
- *TIBCO Spotfire® Connector for Cloudera Impala*
- *TIBCO Spotfire® Connector for Hortonworks*
- *TIBCO Spotfire® Connector for HP Vertica*
- *TIBCO Spotfire® Connector for IBM DB2*
- *TIBCO Spotfire® Connector for Oracle Essbase*
- *TIBCO Spotfire® Connector for Pivotal Greenplum*
- *TIBCO Spotfire® Connector for Pivotal HAWQ*

- *TIBCO Spotfire® Connector for SAP BW*
- *TIBCO Spotfire® Connector for SAP HANA*
- *TIBCO Spotfire® Connector for Teradata Aster*

Product System Requirements

For a list of system requirements for this product and other TIBCO Spotfire® products, visit this site:

<http://support.spotfire.com/sr.asp>

How to Contact TIBCO Support

For comments or problems with this manual or the software it addresses, contact TIBCO Support as follows:

- For an overview of TIBCO Support, and information about getting started with TIBCO Support, visit this site:

<http://www.tibco.com/services/support>

- If you already have a valid maintenance or support contract, visit this site:

<https://support.tibco.com>

Entry to this site requires a user name and password. If you do not have a user name, you can request one.

How to Join TIBCOmmunity

TIBCOmmunity is an online destination for TIBCO customers, partners, and resident experts. It is a place to share and access the collective experience of the TIBCO community. TIBCOmmunity offers forums, blogs, and access to a variety of resources. To register, go to:

<http://www.tibcommunity.com>

TIBCO Spotfire Connectors Language Packs

TIBCO Spotfire® Connectors are available in several different languages via language packs.

Such packs must be deployed to the Spotfire Server so users can run Spotfire Connectors in these languages.

You can download language packs for TIBCO Spotfire connectors from the TIBCO Spotfire Server folder on the TIBCO download site, <https://download.tibco.com/tibco/>.

The TIBCO Spotfire® Connectors Language Packs 6.5.1 localize the following connectors and versions:

Connector Name	Version(s)
TIBCO Spotfire® Connector for Cloudera Hive	2.2
TIBCO Spotfire® Connector for Cloudera Impala	2.2
TIBCO Spotfire® Connector for Cisco Information Server	3.2
TIBCO Spotfire® Connector for Hortonworks	2.2
TIBCO Spotfire® Connector for HP Vertica	3.1
TIBCO Spotfire® Connector for IBM DB2	1.2
TIBCO Spotfire® Connector for Netezza	3.1
TIBCO Spotfire® Connector for MySQL	3.1
TIBCO Spotfire® Connector for Oracle Essbase	3.2
TIBCO Spotfire® Connector for Pivotal Greenplum	2.1
TIBCO Spotfire® Connector for Pivotal HAWQ	1.1
TIBCO Spotfire® Connector for PostgreSQL	3.1
TIBCO Spotfire® Connector for SAP BW	3.1
TIBCO Spotfire® Connector for SAP HANA	2.1
TIBCO Spotfire® Connector for Teradata Aster	3.1

Extract the downloaded language packs to a local folder. The language pack includes this document and separate folders for each language in the language pack.

The language files are named as follows:

Language	Connectors Language Package
French	Connectors.fr-FR.spk
German	Connectors.de-DE.spk

Language	Connectors Language Package
Italian	Connectors.it-IT.spk
Japanese	Connectors.ja-JP.spk
Korean	Connectors.ko-KR.spk
Portuguese (Brazil)	Connectors.pt-BR.spk
Russian	Connectors.ru-RU.spk
Simplified Chinese	Connectors.zh-CH.spk
Spanish	Connectors.es-ES.spk

Administrator Tasks

As Spotfire Server administrator, you have certain tasks to perform when you deploy a language pack to the Spotfire Server and Spotfire Web Player Server.

The tasks specific to the Spotfire Server administrator include the following:

- [Deploying the Connectors Language Pack](#) on page 8
- [Updating TIBCO Spotfire Web Player with the Language Pack](#) on page 9
- [Setting the Language Using the Spotfire Default Server Setting](#) on page 9
- [Configuring Asian Language Support on the Web Server](#) on page 10

Deploying the Connectors Language Pack

As Spotfire Server or Deployment administrator, you can deploy the connectors language pack from the Administration Console on the Spotfire Server.

For more information about deployment, see the *TIBCO Spotfire® Deployment and Administration Manual*, and see the online help of the **Administration Console**.

Procedure

1. From a web browser, open the **Administration Console** located at `http://spotserver/spotfire/administration` (where *spotserver* is the name of a Spotfire Server).
2. Log in as Spotfire Administrator or Deployment Administrator.
3. Select the tab **Deployment**.
4. From the **Deployment Areas** list, select the deployment area in which to deploy the connectors language pack(s).
5. Click **Add**, to the right of the software packages list.
An **Add to Deployment** dialog appears.
6. Click **Browse**.
A **File Upload** dialog appears.
7. Browse to the connectors language pack to include in the deployment.
8. In the **Add to Deployment** dialog, click **OK** to upload and add the files to the distribution.
For example, to deploy the German connectors language pack , add the file `Connectors.de-DE.spk`.
The list of software packages is updated with the contents of the file.
9. Repeat [Step 5](#) through [Step 8](#) for any other connectors language packs you need to deploy.
10. Click **Validate** to ensure the deployment is not corrupted.
11. Click **Save** to save and publish the deployment.
The **Save Deployment** dialog appears.
12. Enter a version number and a description for the deployment, and then click **OK**.

Updating TIBCO Spotfire Web Player with the Language Pack

When the connectors language packs are deployed to the Spotfire Server, you must perform some additional steps to update the Spotfire Web Player.



You must perform these steps on all computers running Spotfire Web Player.

Procedure

1. Advise Spotfire Web Player users when the upgrade will occur, and ask them to log out of the Spotfire Web Player during the update.

Alternatively, prevent users from logging in to the Spotfire Web Player while the update occurs using rules such as firewall rules.

While you are updating the Spotfire Web Player Server, any users still logged in are automatically logged out by the update tool.
2. Log in to the Spotfire Web Player Server, either using the console or via Remote Desktop.
3. Navigate to `<web player installation dir>\webroot\binTools\`

where `<web player installation dir>` is the full path of the Spotfire Web Player installation directory on your server. For example: `C:\Program Files\TIBCO\Spotfire Web Player\<version>`.
4. Make sure that the file `Spotfire.Dxp.Web.UpgradeTool.exe.config` is configured correctly.
For more information, see *TIBCO Spotfire® Web Player Installation and Configuration Manual*, "Deploying Extensions and Upgrades."
5. Run the file `Webupdate.bat` located in the same directory.



If you use Microsoft Windows® integrated authentication, you must run the file as a user with the proper permissions for the Spotfire Server. Also make sure that you run the file as a user with the permission to start and stop IIS on the Spotfire Web Player Server.

The upgrade tool checks if any upgrades are available on the Spotfire Server, and if so, it automatically stops the application pool, installs the upgrades, and restarts the application pool.

Result

This process updates your Spotfire Web Player Server with all Spotfire Web Player packages deployed to the Spotfire Server, including the connectors language packs.

The new packs should be installed in the directory `<web player installation dir>\webroot\bin\Modules\`.

Setting the Language Using the Spotfire Default Server Setting

The Spotfire administrator can configure the default preferences for relevant user groups so that these groups are automatically updated to another language, and that language is set as the default. Use this option if you want to push the language option to the Spotfire Professional Client users who use your server. Otherwise, you can allow users to set the language option when they start the Spotfire Professional Client. See [Setting the Language in the Spotfire Professional Client](#) on page 11 for more information about that option.

Procedure

1. Start TIBCO Spotfire® and log in using an administrator account.
2. From the menu, select **Tools > Administration Manager**.

3. Select the **Preferences** tab.
4. From the list, select a group for which to set preferences.
5. Make sure the **Preferences** tab is active in the right hand pane, and then click **Edit**. The **Edit Preferences** dialog appears.
6. Expand the **Application** node, and then select **ApplicationPreferences**.
7. Click the **Language** item, and then from the drop-down menu, select the applicable language:
 - German (Germany)
 - Spanish (Spain)
 - French (France)
 - Italian (Italy)
 - Japanese (Japan)
 - Korean (Korea)
 - Portuguese (Brazil)
 - Simplified Chinese (China)
 - Russian (Russia)



Several languages and locations are available from the list, but only the ones you have actually deployed to the TIBCO Spotfire Server will be available in TIBCO Spotfire

8. Click **OK**.
9. Repeat for all the groups for which you want to set a default language.
10. Close the **Administration Manager**.

Result

The next time a member of one of the specified groups logs into Spotfire Server, that user automatically receives the download for the appropriate language pack, and the specified language is set as the default.



If an end user selects a language manually in the client, this setting takes precedence over the specified **ApplicationPreference**.

Configuring Asian Language Support on the Web Server

If you intend to support an Asian language for the Spotfire Web Player, you must also make sure the computer running the server supports Asian languages. Perform this task on a Microsoft Windows® Server.

Procedure

1. Open the **Control Panel**.
2. Click **Region and Language**.
3. Enable the setting **Install files for East Asian Languages**.
4. Save your options and restart the service.

Spotfire User Tasks

Spotfire Professional Client and Spotfire Web Player users also have tasks they must perform to use a language other than English, including the following:

- [Updating TIBCO Spotfire Clients with the Language Pack](#) on page 11
- [Setting the Language in the Spotfire Professional Client](#) on page 11
- [Changing the Running Language in Spotfire Web Player](#) on page 12

Updating TIBCO Spotfire Clients with the Language Pack

When the language packs are deployed to the Spotfire Server, you must perform some additional steps to update the Spotfire clients.



All users must perform these steps on their computers running the Spotfire Professional Client.

Procedure

1. Exit Spotfire Professional.
2. Restart Spotfire Professional and log in as usual.
You are notified that new packages are deployed on the server.
3. Click **Yes** to download and install the new packages.

Setting the Language in the Spotfire Professional Client

Rather than push a default language out to all Spotfire Professional users, the administrator can update the server to a language other than the default English, and then allow the individual users to set the default.

After Spotfire Server is updated with a language pack, each user starting TIBCO Spotfire and logging on to that Spotfire Server receives the appropriate language pack.

Each user must switch to the new language manually, and then restart TIBCO Spotfire for the change to appear.

Procedure

1. Start TIBCO Spotfire and log in.
2. From the menu, select **Tools > Options**.

3. In the **Options** dialog, select the **Application** page, and then change the **Language** setting to the applicable language:
 - German (Germany)
 - Spanish (Spain)
 - French (France)
 - Italian (Italy)
 - Japanese (Japan)
 - Korean (Korea)
 - Portuguese (Brazil)
 - Simplified Chinese (China)
 - Russian (Russia)
4. Click **OK**, and then close and restart TIBCO Spotfire for the change to take effect.

Changing the Running Language in Spotfire Web Player

The language that Spotfire Web Player runs in is determined by the language settings in the web browser used to access the Spotfire Web Player. See the help for your applicable web browser for information on changing the language setting.

As an example, in Microsoft Internet Explorer®, you can change the language as follows:

Procedure

1. Start Internet Explorer.
2. Select **Tools > Internet Options**.
3. Click **Languages**.
4. Click **Add**, and then select the language.
(For example, select German (Germany) [de-DE].)
5. Click **Move Up** until your selected language is at the top of the list, and then save your changes.
6. Restart Internet Explorer.
You now have your selected language as the default language.
7. Access Spotfire Web Player as you normally would.

Result

The user interface is now displayed using your selected language version.

Countries and Language Dialects

TIBCO Spotfire® is translated into nine language dialects found in their corresponding nine countries. The language dialects and countries for which Spotfire is translated include the following:

- de-DE (German / Germany)
- es-ES (Spanish) / Spain)
- fr-FR (French / France)
- it-IT (Italian / Italy)
- ja-JP (Japanese / Japan)
- ko-KR (Korean / South Korea)
- pt-BR (Portuguese / Brazil)
- zh-CN (Simplified Chinese / China)
- ru-RU (Russian / Russia)

The translated user interface and documentation uses the dialect of the language specified above for those countries. For example, the Portuguese translation uses a Brazilian dialect, rather than a Portuguese dialect. Set your web browser to use "Portuguese (Brazil)", because Portuguese (Portugal) is a different dialect. See [Changing the Running Language](#).

If you are located in a country that is not on the translation list, and you would still like to use a certain language pack, you can set the language to the closest equivalent, but set your primary language to that of your country. For example, users in Portugal can use the Portuguese (Brazil) language pack but set your country as the primary language (country) in your web browsers.

You can define a mapping from a language preference configured by users in the browser to one of the languages installed on the Spotfire Web Player server. For example, if your users have French (Canada) [fr-CA] as the highest preference language in their web browsers, but the Spotfire Web Player uses French (France) [fr-FR], you can specify that [fr-FR] should be used even if the Spotfire Web Player users have not added [fr-FR] to their lists of supported languages in the browser.

This process is described in the *Spotfire Web Player Installation and Configuration Manual*, in the section titled "Specify Language Mappings."