

VPATTM

Voluntary Product Accessibility Template ®

Version 1.3

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT**TM, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., "equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: 2023-10-23

Name and Version of Product: TIBCO® Data Virtualization 8.8.0 For more information: https://www.tibco.com/services/support

Summary Table

VPATTM

Criteria	Supporting	Remarks and Explanations
	Features	
Section 1194.21 Software Applications and	Supported	
Operating Systems	with	
	Exceptions	
Section 1194.22 Web-based Internet	Supported	
Information and Applications	with	
	Exceptions	
Section 1194.23 Telecommunications	Not	
Products	Applicable	
Section 1194.24 Video and Multi-media	Not	
Products	Applicable	
Section 1194.25 Self-Contained, Closed	Not	
Products	Applicable	
Section 1194.26 Desktop and Portable	Not	
Computers	Applicable	

Section 1194.31 Functional Performance	Supported	
Criteria	with	
	Exceptions	
Section 1194.41 Information, Documentation	Supported	
and Support	with	
	Exceptions	

Section 1194.21 Software Applications and Operating Systems - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanat
	Features	
(a) When	Supported '	We have made an effort to provide keyboard shortcuts to most functionality, but it is not 100%.
software is	with	
designed to run	Exceptions	
on a system that	1	
has a keyboard,	1	
product functions	1	
shall be	1	
executable from	1	
a keyboard where	1	
the function itself	1	
or the result of	1	
performing a		
function can be		
discerned		
textually.	1	

(b) Applications	Supported
shall not disrupt	
or disable	
activated features	3
of other products	
that are identified	l
as accessibility	
features, where	
those features are	
developed and	
documented	
according to	
industry	
standards.	
Applications also	
shall not disrupt	
or disable	
activated features	3
of any operating	
system that are	
identified as	
accessibility	
features where	
the application	
programming	
interface for	
those	
accessibility	
features has been	
documented by	
the manufacturer	
of the operating	
system and is	
available to the	
product	
developer.	

(c) A well-	Not	Assistive Technology is not supported.
	Supported	
screen indication	''	
of the current		
focus shall be		
provided that		
moves among		
interactive		
interface		
elements as the		
input focus		
changes. The		
focus shall be		
programmatically	,	
exposed so that		
Assistive		
Technology can		
track focus and		
focus changes.		
		I <u> </u>
(d) Sufficient	Not	Assistive Technology is not supported.
	Not Supported	Assistive Technology is not supported.
		Assistive Technology is not supported.
information	Supported	Assistive Technology is not supported.
information about a user	Supported	Assistive Technology is not supported.
information about a user interface element	Supported	Assistive Technology is not supported.
information about a user interface element including the	Supported	Assistive Technology is not supported.
information about a user interface element including the identity,	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element,	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also	Supported	Assistive Technology is not supported.
information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the	Supported	Assistive Technology is not supported.

(e) When bitmap	Supported	
images are used	~	
to identify		
controls, status		
indicators, or		
other		
programmatic		
elements, the		
meaning		
assigned to those		
images shall be		
consistent		
throughout an		
application's		
performance.		
-	Supported	
information shall	Supported	
be provided		
through		
operating system		
functions for		
displaying text. The minimum		
information that		
shall be made		
available is text		
content, text		
input caret		
location, and text		
attributes.		
		Some of the color schemes in product UIs are not configurable.
shall not override		
	Exceptions	
contrast and		
color selections		
and other		
individual		
display		
attributes.		
` ′	Not	
animation is	Applicable	
displayed, the		
information shall		
be displayable in		
at least one non-		
animated		
presentation		
mode at the		
option of the		
user.		

(i) Color coding	Supported	
shall not be used	11	
as the only		
means of		
conveying		
information,		
indicating an		
action,		
prompting a		
response, or		
distinguishing a		
visual element.		
	Supported	Some of the color schemes in product UIs are not configurable.
product permits a		Some of the color schemes in product OTs are not configurable.
•		
_	Exceptions	
color and		
contrast settings,		
a variety of color		
selections		
capable of		
producing a		
range of contrast		
levels shall be		
provided.		
(k) Software	Not	
	Applicable	
flashing or		
blinking text,		
objects, or other		
elements having		
a flash or blink		
frequency greater		
than 2 Hz and		
lower than 55		
Hz.		
(1) When	Not	Assistive Technology is not supported.
	Supported	
are used, the		
form shall allow		
people using		
Assistive		
Technology to		
access the		
information, field		
elements, and		
functionality		
required for		
completion and		
submission of the		
form, including		
all directions and		
cues.		

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.22 Web-based Internet information and applications - Detail

VPATTM

Catures Catures Canada Catala Catala	Criteria	Supporting	Remarks and Explanations
non-text element shall be provided (e.g., via "alt", "Exceptions" longdesc", or in element content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associated data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be tittled with text that facilitates frame		Features	
provided (e.g., via "alt", "longdesc", or in element content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed Supported so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server- side image maps except where the regions cannot be defined with an available geometric shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be tittled with text that facilitates frame		Supported	
"longdesc", or in element content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titted with text that facilitates frame	non-text element shall be	with	text, but it may not be comprehensive and some elements may not support this.
content). (b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed Supported so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image maps (f) Client-side image maps (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (n) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be tittled with text that facilitates frame	provided (e.g., via "alt",	Exceptions	
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed Supported so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shall be identified for data tables. (n) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be tittled with text that facilitates frame	"longdesc", or in element		
any multimedia presentation shall be synchronized with the presentation. (c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not Applicable of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	content).		
shall be synchronized with the presentation. (c) Web pages shall be designed Supported so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not provided for each active region for a server-side image map. (f) Client-side image maps shall Not be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	(b) Equivalent alternatives for	Not	
presentation. (c) Web pages shall be designed Supported so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not provided for each active region of a server-side image map. (f) Client-side image maps shall Not Applicable be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. Supported Supported Supported Supported	any multimedia presentation	Applicable	
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not provided for each active region of a server-side image maps. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (g) Row and column headers shall be identified for data tables. Supported sasociated data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	shall be synchronized with the		
so that all information conveyed with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not Applicable of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps sexcept where the regions cannot be defined with an available geometric shalle be identified for data tables. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	presentation.		
with color is also available without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server- side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	(c) Web pages shall be designed	Supported	
without color, for example from context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	so that all information conveyed		
context or markup. (d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be Not Applicable of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	with color is also available		
(d) Documents shall be organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	without color, for example from		
organized so they are readable without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	context or markup.		
without requiring an associated style sheet. (e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	(d) Documents shall be	Not	
style sheet. (e) Redundant text links shall be Not provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	organized so they are readable	Applicable	
(e) Redundant text links shall be provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	without requiring an associated		
provided for each active region of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	style sheet.		
of a server-side image map. (f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	(e) Redundant text links shall be	Not	
(f) Client-side image maps shall Not be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	provided for each active region	Applicable	
be provided instead of server- side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Applicable Supported Supported Supported Supported Supported	of a server-side image map.		
side image maps except where the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	(f) Client-side image maps shall	Not	
the regions cannot be defined with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Supported Supported Supported Supported	be provided instead of server-	Applicable	
with an available geometric shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	side image maps except where		
shape. (g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	the regions cannot be defined		
(g) Row and column headers shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	with an available geometric		
shall be identified for data tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Supported Supported Supported	shape.		
tables. (h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Supported Supported	(g) Row and column headers	Supported	
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Supported Supported Supported	shall be identified for data		
associate data cells and header cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame	tables.		
cells for data tables that have two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Supported	(h) Markup shall be used to	Supported	
two or more logical levels of row or column headers. (i) Frames shall be titled with text that facilitates frame Supported	associate data cells and header		
row or column headers. (i) Frames shall be titled with text that facilitates frame Supported	cells for data tables that have		
(i) Frames shall be titled with text that facilitates frame	_		
text that facilitates frame			
		Supported	
identification and navigation.	text that facilitates frame		
	identification and navigation.		

(j) Pages shall be designed to	Supported	
avoid causing the screen to		
flicker with a frequency greater		
than 2 Hz and lower than 55 Hz.		
(k) A text-only page, with	Not	
equivalent information or	Supported	
functionality, shall be provided		
to make a web site comply with		
the provisions of this part, when		
compliance cannot be		
accomplished in any other way.		
The content of the text-only		
page shall be updated whenever		
the primary page changes.		
(l) When pages utilize scripting	Not	Assistive Technology is not supported.
languages to display content, or		
to create interface elements, the		
information provided by the		
script shall be identified with		
functional text that can be read		
by Assistive Technology.		
(m) When a web page requires	Not	
that an applet, plug-in or other	Applicable	
application be present on the		
client system to interpret page		
content, the page must provide a	L	
link to a plug-in or applet that		
complies with §1194.21(a)		
through (l). application be		
present on the client system to		
interpret page content, the page		
must provide a link to a plug-in		
or applet that complies with		
§1194.21(a) through (l).		
(n) When electronic forms are	Not	Assistive Technology is not supported.
designed to be completed on-	Supported	
line, the form shall allow people		
using Assistive Technology to		
access the information, field		
elements, and functionality		
required for completion and		
submission of the form,		
including all directions and		
cues.		
(o) A method shall be provided		
that permits users to skip	Applicable	
repetitive navigation links.		
(p) When a timed response is	Not	
required, the user shall be	Applicable	
alerted and given sufficient time		
to indicate more time is		
required.		

Section 1194.23 Telecommunications Products - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) Telecommunications products or systems	Not	
which provide a function allowing voice	Applicable	
communication and which do not themselves		
provide a TTY functionality shall provide a		
standard non-acoustic connection point for		
TTYs. Microphones shall be capable of		
being turned on and off to allow the user to		
intermix speech with TTY use.		
(b) Telecommunications products which	Not	
include voice communication functionality	Applicable	
shall support all commonly used cross-		
manufacturer non-proprietary standard TTY		
signal protocols.		
(c) Voice mail, auto-attendant, and	Not	
interactive voice response	Applicable	
telecommunications systems shall be usable		
by TTY users with their TTYs.		
(d) Voice mail, messaging, auto-attendant,	Not	
and interactive voice response	Applicable	
telecommunications systems that require a		
response from a user within a time interval,		
shall give an alert when the time interval is		
about to run out, and shall provide sufficient		
time for the user to indicate more time is		
required.		
(e) Where provided, caller identification and	Not	
similar telecommunications functions shall	Applicable	
also be available for users of TTYs, and for		
users who cannot see displays.		
(f) For transmitted voice signals,	Not	
telecommunications products shall provide a	Applicable	
gain adjustable up to a minimum of 20 dB.		
For incremental volume control, at least one		
intermediate step of 12 dB of gain shall be		
provided.		
(g) If the telecommunications product allows		
a user to adjust the receive volume, a	Applicable	
function shall be provided to automatically		
reset the volume to the default level after		
every use.		

(h) Where a telecommunications product	Not	
delivers output by an audio transducer which		
is normally held up to the ear, a means for		
effective magnetic wireless coupling to		
hearing technologies shall be provided.		
(i) Interference to hearing technologies	Not	
(including hearing aids, cochlear implants,	Applicable	
and assistive listening devices) shall be	ppiicasie	
reduced to the lowest possible level that		
allows a user of hearing technologies to		
utilize the telecommunications product.		
(j) Products that transmit or conduct	Not	
information or communication, shall pass	Applicable	
through cross-manufacturer, non-proprietary,		
industry-standard codes, translation		
protocols, formats or other information		
necessary to provide the information or		
communication in a usable format.		
Technologies which use encoding, signal		
compression, format transformation, or		
similar techniques shall not remove		
information needed for access or shall restore		
it upon delivery. Technologies which use		
encoding, signal compression, format		
transformation, or similar techniques shall		
not remove information needed for access or		
shall restore it upon delivery.		
(k)(1) Products which have mechanically	Not	
	Applicable	
the following: Controls and Keys shall be	ppiicasic	
tactilely discernible without activating the		
controls or keys.		
(k)(2) Products which have mechanically	Not	
	Applicable	
the following: Controls and Keys shall be		
operable with one hand and shall not require		
tight grasping, pinching, twisting of the		
wrist. The force required to activate controls		
and keys shall be 5 lbs. (22.2N) maximum.		
(k)(3) Products which have mechanically	Not	
	Applicable	
the following: If key repeat is supported, the		
delay before repeat shall be adjustable to at		
least 2 seconds. Key repeat rate shall be		
adjustable to 2 seconds per character.		
(k)(4) Products which have mechanically	Not	
	Applicable	
the following: The status of all locking or		
toggle controls or keys shall be visually		
discernible, and discernible either through		
touch or sound.		
togeth of bounds	1	

Section 1194.24 Video and Multi-media Products - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
	Not	
	Applicable	
includes analog television receiver or display		
circuitry, shall be equipped with caption		
decoder circuitry which appropriately		
receives, decodes, and displays closed		
captions from broadcast, cable, videotape,		
and DVD signals. As soon as practicable, but		
not later than July 1, 2002, widescreen		
digital television (DTV) displays measuring		
at least 7.8 inches vertically, DTV sets with		
conventional displays measuring at least 13		
inches vertically, and stand-alone DTV		
tuners, whether or not they are marketed with	L	
display screens, and computer equipment		
that includes DTV receiver or display		
circuitry, shall be equipped with caption		
decoder circuitry which appropriately		
receives, decodes, and displays closed		
captions from broadcast, cable, videotape,		
and DVD signals.		
(b) Television tuners, including tuner cards	Not	
for use in computers, shall be equipped with	Applicable	
secondary audio program playback circuitry.		
(c) All training and informational video and	Not	
multimedia productions which support the	Applicable	
agency's mission, regardless of format, that		
contain speech or other audio information		
necessary for the comprehension of the		
content, shall be open or closed captioned.		
-	Not	
multimedia productions which support the	Applicable	
agency's mission, regardless of format, that		
contain visual information necessary for the		
comprehension of the content, shall be audio		
described.		
(e) Display or presentation of alternate text	Not	
presentation or audio descriptions shall be	Applicable	
user-selectable unless permanent.		

Section 1194.25 Self-Contained, Closed Products - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	•
(a) Self contained products shall be usable by	Not	
	Applicable	
end-user to attach Assistive Technology to		
the product. Personal headsets for private		
listening are not Assistive Technology.		
(b) When a timed response is required, the	Not	
user shall be alerted and given sufficient time	Applicable	
to indicate more time is required.		
	Not	
contact-sensitive controls, an input method	Applicable	
shall be provided that complies with		
§1194.23 (k) (1) through (4).		
(d) When biometric forms of user	Not	
identification or control are used, an	Applicable	
alternative form of identification or		
activation, which does not require the user to		
possess particular biological characteristics,		
shall also be provided.		
(e) When products provide auditory output,	Not	
the audio signal shall be provided at a	Applicable	
standard signal level through an industry		
standard connector that will allow for private		
listening. The product must provide the		
ability to interrupt, pause, and restart the		
audio at anytime.		
(f) When products deliver voice output in a	Not	
public area, incremental volume control shall	Applicable	
be provided with output amplification up to a		
level of at least 65 dB. Where the ambient		
noise level of the environment is above 45		
dB, a volume gain of at least 20 dB above		
the ambient level shall be user selectable. A		
function shall be provided to automatically		
reset the volume to the default level after		
every use.		
(g) Color coding shall not be used as the only		
	Applicable	
an action, prompting a response, or		
distinguishing a visual element.		
(h) When a product permits a user to adjust	Not	
color and contrast settings, a range of color	Applicable	
selections capable of producing a variety of		
contrast levels shall be provided.		

(i) Products shall be designed to avoid	Not	
causing the screen to flicker with a frequency	Applicable	
greater than 2 Hz and lower than 55 Hz.		
(j) (1) Products which are freestanding, non-	Not	
portable, and intended to be used in one	Applicable	
location and which have operable controls		
shall comply with the following: The		
position of any operable control shall be		
determined with respect to a vertical plane,		
which is 48 inches in length, centered on the		
operable control, and at the maximum		
protrusion of the product within the 48 inch		
length on products which are freestanding,		
non-portable, and intended to be used in one		
location and which have operable controls.		
10/\ /	Not	
portable, and intended to be used in one	Applicable	
location and which have operable controls		
shall comply with the following: Where any		
operable control is 10 inches or less behind		
the reference plane, the height shall be 54		
inches maximum and 15 inches minimum		
above the floor.		
(j)(3) Products which are freestanding, non-	Not	
portable, and intended to be used in one	Applicable	
location and which have operable controls		
shall comply with the following: Where any		
operable control is more than 10 inches and		
not more than 24 inches behind the reference		
plane, the height shall be 46 inches		
maximum and 15 inches minimum above the		
floor.	NT /	
(j)(4) Products which are freestanding, non-	Not	
portable, and intended to be used in one	Applicable	
location and which have operable controls		
shall comply with the following: Operable		
controls shall not be more than 24 inches		
behind the reference plane.		

Section 1194.26 Desktop and Portable Computers - Detail

VPATTM

$\ \ Voluntary\ Product\ Accessibility\ Template @$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) All mechanically operated controls and	Not	
keys shall comply with §1194.23 (k) (1)	Applicable	
through (4).		

(b) If a product utilizes touchscreens or	Not
touch-operated controls, an input method	Applicable
shall be provided that complies with	
§1194.23 (k) (1) through (4).	
(c) When biometric forms of user	Not
identification or control are used, an	Applicable
alternative form of identification or	
activation, which does not require the user to	
possess particular biological characteristics,	
shall also be provided.	
(d) Where provided, at least one of each type	Not
of expansion slots, ports and connectors shall	Applicable
comply with publicly available industry	
standards.	

Section 1194.31 Functional Performance Criteria - Detail

VPATTM

Criteria	Supporting	Remarks and Explanations
	Features	
(a) At least one mode of operation and		Assistive Technology is not supported.
	Supported	
user vision shall be provided, or support for		
Assistive Technology used by people who		
are blind or visually impaired shall be		
provided.		
(b) At least one mode of operation and		Assistive Technology is not supported.
	Supported	
visual acuity greater than 20/70 shall be		
provided in audio and enlarged print output		
working together or independently, or		
support for Assistive Technology used by		
people who are visually impaired shall be		
provided.		
(c) At least one mode of operation and		Assistive Technology is not supported.
_	Supported	
user hearing shall be provided, or support		
for Assistive Technology used by people		
who are deaf or hard of hearing shall be		
provided.		
(d) Where audio information is important	Supported	Product does not use audio to convey information.
for the use of a product, at least one mode		
of operation and information retrieval shall		
be provided in an enhanced auditory		
fashion, or support for assistive hearing		
devices shall be provided.		

(e) At least one mode of operation and	Supported	Product does not use speech for input.
information retrieval that does not require		
user speech shall be provided, or support		
for Assistive Technology used by people		
with disabilities shall be provided.		
(f) At least one mode of operation and	Supported	User needs to be able to operate a keyboard and/or pointing device.
information retrieval that does not require	with	
fine motor control or simultaneous actions	Exceptions	
and that is operable with limited reach and		
strength shall be provided.		

Section 1194.41 Information, Documentation and Support - Detail

VPATTM

Voluntary Product Accessibility Template®

Criteria	Supporting Features	Remarks and Explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge	Supported	The product documentation is provided in PDF format.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Not Supported	The accessibility statement is not supplied.
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supported	Support is available through telephone and email.

This VPAT document is for informational purposes only. CLOUD SOFTWARE GROUP, INC. ("CLOUD SOFTWARE GROUP" OR "THE COMPANY") AND ITS SUBSIDIARIES MAKE NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

Cloud Software Group, the Cloud Software Group logo, TIBCO, and the TIBCO logo, are trademarks or registered trademarks of Cloud Software Group, Inc. or its subsidiaries in the United States and/or other countries. All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

The information contained in this document represents the current understanding or position of the Company as of the date of publication. While the Company strives to provide information that is complete and accurate based upon the Company's information and belief as of the publication date of this VPAT document, no warranties or guarantees are made. The Company endeavors to update its websites and provide new information about the ways that its products address accessibility requirements as that information becomes available. To obtain the most current information from the Company, you are encouraged to contact your sales representative.

© Copyright 2023 Cloud Software Group, Inc. All rights reserved.