

VPATTM

Voluntary Product Accessibility Template ®

Version 1.3

The purpose of the **Voluntary Product Accessibility Template**, or **VPAT**TM, is to assist Federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial "Electronic and Information Technology" products and services with features that support accessibility. It is assumed and recommended that offers will provide additional contact information to facilitate more detailed inquiries.

The first table of the Template provides a summary view of the Section 508 Standards. The subsequent tables provide more detailed views of each subsection. There are three columns in each table. Column one of the Summary Table describes the subsections of subparts B and C of the Standards. The second column describes the supporting features of the product or refers you to the corresponding detailed table, e.g., "equivalent facilitation." The third column contains any additional remarks and explanations regarding the product. In the subsequent tables, the first column contains the lettered paragraphs of the subsections. The second column describes the supporting features of the product with regard to that paragraph. The third column contains any additional remarks and explanations regarding the product.

Date: 2017-03-31

Name and Version of Product: TIBCO® ActiveMatrix BusinessWorksTM Plug-in for Patterns - Search 5.4.0

For more information: http://www.tibco.com/services/support

Summary Table

VPATTM

Criteria	Supporting	Remarks and Explanations
	Features	
Section 1194.21 Software Applications and	Supported	
Operating Systems		
Section 1194.22 Web-based Internet	Supported	See details.
Information and Applications	with	
	Exceptions	
Section 1194.23 Telecommunications	Not	
Products	Applicable	
Section 1194.24 Video and Multi-media	Not	
Products	Applicable	
Section 1194.25 Self-Contained, Closed	Not	
Products	Applicable	
Section 1194.26 Desktop and Portable	Not	
Computers	Applicable	
Section 1194.31 Functional Performance	Supported	
Criteria		
Section 1194.41 Information,	Supported	See details.
Documentation and Support	with	
	Exceptions	

Section 1194.21 Software Applications and Operating Systems - Detail

$\boldsymbol{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) When software is designed to run on a	Supported	
system that has a keyboard, product		
functions shall be executable from a		
keyboard where the function itself or the		
result of performing a function can be		
discerned textually.		
(b) Applications shall not disrupt or disable	Supported	
activated features of other products that are		
identified as accessibility features, where		
those features are developed and		
documented according to industry standards.		
Applications also shall not disrupt or disable		
activated features of any operating system		
that are identified as accessibility features		
where the application programming		
interface for those accessibility features has		
been documented by the manufacturer of the		
operating system and is available to the		
product developer.		
(c) A well-defined on-screen indication of	Supported	
the current focus shall be provided that		
moves among interactive interface elements		
as the input focus changes. The focus shall		
be programmatically exposed so that		
Assistive Technology can track focus and		
focus changes.		
(d) Sufficient information about a user	Supported	
interface element including the identity,		
operation and state of the element shall be		
available to Assistive Technology. When an		
image represents a program element, the		
information conveyed by the image must		
also be available in text.		
(e) When bitmap images are used to identify	Supported	
controls, status indicators, or other		
programmatic elements, the meaning		
assigned to those images shall be consistent		
throughout an application's performance.		

(f) Textual information shall be provided	Supported
through operating system functions for	
displaying text. The minimum information	
that shall be made available is text content,	
text input caret location, and text attributes.	
	Supported
selected contrast and color selections and	
other individual display attributes.	
(h) When animation is displayed, the	Supported
information shall be displayable in at least	
one non-animated presentation mode at the	
option of the user.	
1, ,	Supported
only means of conveying information,	
indicating an action, prompting a response,	
or distinguishing a visual element.	
1 2	Supported
color and contrast settings, a variety of color	
selections capable of producing a range of	
contrast levels shall be provided.	
(k) Software shall not use flashing or	Supported
blinking text, objects, or other elements	
having a flash or blink frequency greater	
than 2 Hz and lower than 55 Hz.	
(1) When electronic forms are used, the form	Supported
shall allow people using Assistive	
Technology to access the information, field	
elements, and functionality required for	
completion and submission of the form,	
including all directions and cues.	

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

Section 1194.22 Web-based Internet information and applications - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
(a) A tast againstant for assert non tast	Features	
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt",	Supported	
"longdesc", or in element content).		
	Not	
(b) Equivalent alternatives for any		
multimedia presentation shall be	Applicable	
synchronized with the presentation.	Not	
(c) Web pages shall be designed so that all		
information conveyed with color is also	Applicable	
available without color, for example from		
context or markup.	Commonted	
(d) Documents shall be organized so they	Supported	
are readable without requiring an associated		
style sheet.	Not	
(e) Redundant text links shall be provided		
for each active region of a server-side image	Applicable	
map.	Commonted	
(f) Client-side image maps shall be provided	Supported	
instead of server-side image maps except		
where the regions cannot be defined with an		
available geometric shape.	C	
(g) Row and column headers shall be	Supported	
identified for data tables.	G . 1	
(h) Markup shall be used to associate data	Supported	
cells and header cells for data tables that		
have two or more logical levels of row or		
column headers.	G , 1	
(i) Frames shall be titled with text that	Supported	
facilitates frame identification and		
navigation.	G , 1	
(j) Pages shall be designed to avoid causing	Supported	
the screen to flicker with a frequency greater		
than 2 Hz and lower than 55 Hz.	NIA	The plug in was a quarkied was interfered and
(k) A text-only page, with equivalent	Not	The plug-in uses a graphical user interface only.
information or functionality, shall be	Supported	
provided to make a web site comply with		
the provisions of this part, when compliance		
cannot be accomplished in any other way.		
The content of the text-only page shall be		
updated whenever the primary page changes.		

(l) When pages utilize scripting languages to	Supported	
display content, or to create interface		
elements, the information provided by the		
script shall be identified with functional text		
that can be read by Assistive Technology.		
(m) When a web page requires that an	Supported	
applet, plug-in or other application be		
present on the client system to interpret page		
content, the page must provide a link to a		
plug-in or applet that complies with		
§1194.21(a) through (l). application be		
present on the client system to interpret page		
content, the page must provide a link to a		
plug-in or applet that complies with		
§1194.21(a) through (l).		
(n) When electronic forms are designed to	Not	
be completed on-line, the form shall allow	Applicable	
people using Assistive Technology to access		
the information, field elements, and		
functionality required for completion and		
submission of the form, including all		
directions and cues.		
1, ,	Supported	
users to skip repetitive navigation links.		
(p) When a timed response is required, the	Not	
user shall be alerted and given sufficient	Applicable	
time to indicate more time is required.		

Section 1194.23 Telecommunications Products - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or systems		
which provide a function allowing voice	Applicable	
communication and which do not	FFF	
themselves provide a TTY functionality		
shall provide a standard non-acoustic		
connection point for TTYs. Microphones		
shall be capable of being turned on and off		
to allow the user to intermix speech with		
TTY use.		
(b) Telecommunications products which	Not	
include voice communication functionality	Applicable	
shall support all commonly used cross-		
manufacturer non-proprietary standard TTY		
signal protocols.		
(c) Voice mail, auto-attendant, and	Not	
interactive voice response	Applicable	
telecommunications systems shall be usable		
by TTY users with their TTYs.		
(d) Voice mail, messaging, auto-attendant,	Not	
and interactive voice response	Applicable	
telecommunications systems that require a		
response from a user within a time interval,		
shall give an alert when the time interval is		
about to run out, and shall provide sufficient		
time for the user to indicate more time is		
required.		
(e) Where provided, caller identification and	Not	
similar telecommunications functions shall	Applicable	
also be available for users of TTYs, and for		
users who cannot see displays.		
(f) For transmitted voice signals,	Not	
telecommunications products shall provide a	Applicable	
gain adjustable up to a minimum of 20 dB.		
For incremental volume control, at least one		
intermediate step of 12 dB of gain shall be		
provided.		
(g) If the telecommunications product	Not	
allows a user to adjust the receive volume, a	Applicable	
function shall be provided to automatically		
reset the volume to the default level after		
every use.		

(h) Where a telecommunications product	ot	
1' '	pplicable	
which is normally held up to the ear, a		
means for effective magnetic wireless		
coupling to hearing technologies shall be		
provided.		
(i) Interference to hearing technologies	ot	
1	pplicable	
and assistive listening devices) shall be		
reduced to the lowest possible level that		
allows a user of hearing technologies to		
utilize the telecommunications product.		
(j) Products that transmit or conduct	ot	
<u> </u>	pplicable	
through cross-manufacturer, non-		
proprietary, industry-standard codes,		
translation protocols, formats or other		
information necessary to provide the		
information or communication in a usable		
format. Technologies which use encoding,		
signal compression, format transformation,		
or similar techniques shall not remove		
information needed for access or shall		
restore it upon delivery. Technologies which		
use encoding, signal compression, format		
transformation, or similar techniques shall		
not remove information needed for access or		
shall restore it upon delivery.		
(k)(1) Products which have mechanically	ot	
operated controls or keys shall comply with	pplicable	
the following: Controls and Keys shall be		
tactilely discernible without activating the		
controls or keys.		
(k)(2) Products which have mechanically	ot	
1 = - = - = - = - = - = - = - = - = - =	pplicable	
the following: Controls and Keys shall be		
operable with one hand and shall not require		
tight grasping, pinching, twisting of the		
wrist. The force required to activate controls		
and keys shall be 5 lbs. (22.2N) maximum.		
(k)(3) Products which have mechanically	ot	
1	pplicable	
the following: If key repeat is supported, the		
delay before repeat shall be adjustable to at		
least 2 seconds. Key repeat rate shall be		
adjustable to 2 seconds per character.		
(k)(4) Products which have mechanically	ot	
1	pplicable	
the following: The status of all locking or		
toggle controls or keys shall be visually		
discernible, and discernible either through		
touch or sound.		

Section 1194.24 Video and Multi-media Products - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) All analog television displays 13 inches	Not	
and larger, and computer equipment that	Applicable	
includes analog television receiver or		
display circuitry, shall be equipped with		
caption decoder circuitry which		
appropriately receives, decodes, and		
displays closed captions from broadcast,		
cable, videotape, and DVD signals. As soon		
as practicable, but not later than July 1,		
2002, widescreen digital television (DTV)		
displays measuring at least 7.8 inches		
vertically, DTV sets with conventional		
displays measuring at least 13 inches		
vertically, and stand-alone DTV tuners,		
whether or not they are marketed with		
display screens, and computer equipment		
that includes DTV receiver or display		
circuitry, shall be equipped with caption		
decoder circuitry which appropriately		
receives, decodes, and displays closed		
captions from broadcast, cable, videotape,		
and DVD signals.		
	Not	
for use in computers, shall be equipped with	Applicable	
secondary audio program playback circuitry.		
	Not	
multimedia productions which support the	Applicable	
agency's mission, regardless of format, that	i ippiioueio	
contain speech or other audio information		
necessary for the comprehension of the		
content, shall be open or closed captioned.		
	Not	
multimedia productions which support the	Applicable	
agency's mission, regardless of format, that	Аррпсавіс	
contain visual information necessary for the		
comprehension of the content, shall be audio		
described.		
	Not	
(e) Display or presentation of alternate text	Not	
presentation or audio descriptions shall be	Applicable	
user-selectable unless permanent.		

Section 1194.25 Self-Contained, Closed Products - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting Features	Remarks and Explanations
(a) Self contained products shall be usable	Not	
by people with disabilities without requiring	Applicable	
an end-user to attach Assistive Technology	пррисцые	
to the product. Personal headsets for private		
listening are not Assistive Technology.		
(b) When a timed response is required, the	Not	
user shall be alerted and given sufficient	Applicable	
time to indicate more time is required.	пррпецые	
	Not	
1	Applicable	
shall be provided that complies with	пррпецые	
§1194.23 (k) (1) through (4).		
(d) When biometric forms of user	Not	
identification or control are used, an	Applicable	
alternative form of identification or		
activation, which does not require the user		
to possess particular biological		
characteristics, shall also be provided.		
(e) When products provide auditory output,	Not	
the audio signal shall be provided at a	Applicable	
standard signal level through an industry	r ippirouero	
standard connector that will allow for		
private listening. The product must provide		
the ability to interrupt, pause, and restart the		
audio at anytime.		
(f) When products deliver voice output in a	Not	
public area, incremental volume control	Applicable	
shall be provided with output amplification		
up to a level of at least 65 dB. Where the		
ambient noise level of the environment is		
above 45 dB, a volume gain of at least 20		
dB above the ambient level shall be user		
selectable. A function shall be provided to		
automatically reset the volume to the default		
level after every use.		
(g) Color coding shall not be used as the	Not	
only means of conveying information,	Applicable	
indicating an action, prompting a response,		
or distinguishing a visual element.		
(h) When a product permits a user to adjust	Not	
color and contrast settings, a range of color	Applicable	
selections capable of producing a variety of		
contrast levels shall be provided.		

(i) Products shall be designed to avoid	Not
causing the screen to flicker with a	Applicable
frequency greater than 2 Hz and lower than	
55 Hz.	
(j) (1) Products which are freestanding, non-	Not
portable, and intended to be used in one	Applicable
location and which have operable controls	
shall comply with the following: The	
position of any operable control shall be	
determined with respect to a vertical plane,	
which is 48 inches in length, centered on the	
operable control, and at the maximum	
protrusion of the product within the 48 inch	
length on products which are freestanding,	
non-portable, and intended to be used in one	
location and which have operable controls.	
(j)(2) Products which are freestanding, non-	Not
portable, and intended to be used in one	Applicable
location and which have operable controls	
shall comply with the following: Where any	
operable control is 10 inches or less behind	
the reference plane, the height shall be 54	
inches maximum and 15 inches minimum	
above the floor.	
(j)(3) Products which are freestanding, non-	Not
portable, and intended to be used in one	Applicable
location and which have operable controls	
shall comply with the following: Where any	
operable control is more than 10 inches and	
not more than 24 inches behind the	
reference plane, the height shall be 46	
inches maximum and 15 inches minimum	
above the floor.	
(j)(4) Products which are freestanding, non-	Not
portable, and intended to be used in one	Applicable
location and which have operable controls	
shall comply with the following: Operable	
controls shall not be more than 24 inches	

behind the reference plane.

Section 1194.26 Desktop and Portable Computers - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) All mechanically operated controls and	Not	
keys shall comply with §1194.23 (k) (1)	Applicable	
through (4).		
(b) If a product utilizes touchscreens or	Not	
touch-operated controls, an input method	Applicable	
shall be provided that complies with		
§1194.23 (k) (1) through (4).		
(c) When biometric forms of user	Not	
identification or control are used, an	Applicable	
alternative form of identification or		
activation, which does not require the user		
to possess particular biological		
characteristics, shall also be provided.		
(d) Where provided, at least one of each	Not	
type of expansion slots, ports and connectors	Applicable	
shall comply with publicly available		
industry standards.		

Section 1194.31 Functional Performance Criteria - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) At least one mode of operation and	Supported	
information retrieval that does not require		
user vision shall be provided, or support for		
Assistive Technology used by people who		
are blind or visually impaired shall be		
provided.		
(b) At least one mode of operation and	Supported	
information retrieval that does not require		
visual acuity greater than 20/70 shall be		
provided in audio and enlarged print output		
working together or independently, or		
support for Assistive Technology used by		
people who are visually impaired shall be		
provided.		
(c) At least one mode of operation and	Supported	
information retrieval that does not require		
user hearing shall be provided, or support		
for Assistive Technology used by people		
who are deaf or hard of hearing shall be		
provided.		
(d) Where audio information is important	Supported	
for the use of a product, at least one mode of		
operation and information retrieval shall be		
provided in an enhanced auditory fashion, or		
support for assistive hearing devices shall be		
provided.		
(e) At least one mode of operation and	Supported	
information retrieval that does not require		
user speech shall be provided, or support for		
Assistive Technology used by people with		
disabilities shall be provided.		
(f) At least one mode of operation and	Supported	
information retrieval that does not require		
fine motor control or simultaneous actions		
and that is operable with limited reach and		
strength shall be provided.		

Section 1194.41 Information, Documentation and Support - Detail

$\mathbf{VPAT^{TM}}$

Criteria	Supporting	Remarks and Explanations
	Features	
(a) Product support documentation provided	Supported	
to end-users shall be made available in		
alternate formats upon request, at no		
additional charge		
(b) End-users shall have access to a	Not	
description of the accessibility and	Supported	
compatibility features of products in		
alternate formats or alternate methods upon		
request, at no additional charge.		
(c) Support services for products shall	Supported	
accommodate the communication needs of		
end-users with disabilities.		

This VPAT document is for informational purposes only. TIBCO AND ITS SUBSIDIARIES MAKE NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

TIBCO, TIBCO Software, and other TIBCO marks, including TIBCO product names, are trademarks or registered trademarks of TIBCO Software Inc. or its subsidiaries in the United States and/or other countries. All other product and company names and marks mentioned in this document are the property of their respective owners and are mentioned for identification purposes only.

The information contained in this document represents the current understanding or position of TIBCO Software Inc. as of the date of publication. While TIBCO strives to provide information that is complete and accurate based upon TIBCO's information and belief as of the publication date of this VPAT document, no warranties or guarantees are made. TIBCO endeavors to update its websites and provide new information about the ways that its products address accessibility requirements as that information becomes available. To obtain the most current information from TIBCO, you are encouraged to contact your TIBCO sales representative

© Copyright 2017 TIBCO Software Inc. All rights reserved.